

Outdoor Lighting Pole Specifications


Smooth Round Tapered Aluminum Anchor Base for Side Mounted Luminaires



Smooth round tapered poles constructed of aluminum alloy for side mounted luminaires. Single arm or two arms at 180 degrees. Poles are base mounted for use with underground supplied conductors only. Anchor base poles require customer-installed and maintained concrete pole foundations and anchor-bolts.

Light fixtures that match well with this pole include:

- Basic LED Cobra style
- Basic LED Open Vertical (Area)
- Basic LED Shoebox style



						BOLT CIRCLE
FIXTURE MOUNTING HEIGHT (ft)	TOTAL POLE LENGTH* (ft)	ANCHOR BASE BOLT HOLE PATTERN	EMBED or ANCHOR BASE	FINISH COLOR	WMIS CU	POLE ONLY STOCK #
17.0	17.0	11.25-12 inch bolt circle	Anchor	Natural Aluminum	PA17AB	42336287
17.0	17.0	11.25-12 inch bolt circle	Anchor	Black RAL-9017	PA17ABB	42336289
22.0	22.0	11.25-12 inch bolt circle	Anchor	Natural Aluminum	PA22AB	42336288
22.0	22.0	11.25-12 inch bolt circle	Anchor	Black RAL-9017	PA22ABB	42336290
27.0	27.0	13.5-15 inch bolt circle	Anchor	Natural Aluminum	PA27AB	50491500
27.0	27.0	13.5-15 inch bolt circle	Anchor	Black RAL-9017	PA27ABB	42336291
32.0	32.0	13.5-15 inch bolt circle	Anchor	Natural Aluminum	PA32AB	50491800
32.0	32.0	13.5-15 inch bolt circle	Anchor	Black RAL-9017	PA32ABB	42336292
37.0	37.0	13.5-15 inch bolt circle	Anchor	Natural Aluminum	PA37AB	50492100
37.0	37.0	13.5-15 inch bolt circle	Anchor	Black RAL-9017	PA37ABB	42336293

^{*} Approximate based on height above grade to top of anchor base

