

Appendix G:
Contamination and Toxic Substances



DATABASE REPORT

Project Property: *Old Town Hall Rehabilitation
3999 University Dr
Fairfax VA 22030*

Project No: *45558.026, W01*

Report Type: *Database Report*

Order No: *23031000774*

Requested by: *Timmons Group, Inc.*

Date Completed: *March 14, 2023*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	8
Executive Summary: Site Report Summary - Surrounding Properties.....	9
Executive Summary: Summary by Data Source.....	15
Map.....	23
Aerial.....	26
Topographic Map.....	27
Detail Report.....	28
Unplottable Summary.....	124
Unplottable Report.....	125
Appendix: Database Descriptions.....	128
Definitions.....	140

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Old Town Hall Rehabilitation
3999 University Dr Fairfax VA 22030*

Project No: *45558.026, W01*

Coordinates:

Latitude: *38.84616535*
Longitude: *-77.30496369*
UTM Northing: *4,302,230.10*
UTM Easting: *299,966.06*
UTM Zone: *18S*

Elevation: *417 FT*

Order Information:

Order No: *23031000774*
Date Requested: *March 10, 2023*
Requested by: *Timmons Group, Inc.*
Report Type: *Database Report*

Historicals/Products:

ERIS Xplorer [*ERIS Xplorer*](#)
Excel Add-On *Excel Add-On*

Executive Summary: Report Summary

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
Standard Environmental Records								
Federal								
DOE FUSRAP	Y	1	0	0	0	0	0	0
NPL	Y	1	0	0	0	0	0	0
PROPOSED NPL	Y	1	0	0	0	0	0	0
DELETED NPL	Y	0.5	0	0	0	0	-	0
SEMS	Y	0.5	0	0	0	0	-	0
SEMS ARCHIVE	Y	0.5	0	0	0	0	-	0
ODI	Y	0.5	0	0	0	0	-	0
IODI	Y	0.5	0	0	0	0	-	0
CERCLIS	Y	0.5	0	0	0	0	-	0
CERCLIS NFRAP	Y	0.5	0	0	0	0	-	0
CERCLIS LIENS	Y	PO	0	-	-	-	-	0
RCRA CORRACTS	Y	1	0	0	0	0	0	0
RCRA TSD	Y	0.5	0	0	0	0	-	0
RCRA LQG	Y	0.25	0	0	0	-	-	0
RCRA SQG	Y	0.25	0	0	0	-	-	0
RCRA VSQG	Y	0.25	0	0	4	-	-	4
RCRA NON GEN	Y	0.25	0	1	4	-	-	5
RCRA CONTROLS	Y	0.5	0	0	0	0	-	0
FED ENG	Y	0.5	0	0	0	0	-	0
FED INST	Y	0.5	0	0	0	0	-	0
LUCIS	Y	0.5	0	0	0	0	-	0
NPL IC	Y	0.5	0	0	0	0	-	0
ERNS 1982 TO 1986	Y	PO	0	-	-	-	-	0
ERNS 1987 TO 1989	Y	PO	0	-	-	-	-	0
ERNS	Y	PO	0	-	-	-	-	0
FED BROWNFIELDS	Y	0.5	0	0	0	0	-	0
FEMA UST	Y	0.25	0	0	0	-	-	0

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
FRP	Y	0.25	0	0	0	-	-	0
DELISTED FRP	Y	0.25	0	0	0	-	-	0
HIST GAS STATIONS	Y	0.25	0	0	0	-	-	0
REFN	Y	0.25	0	0	0	-	-	0
BULK TERMINAL	Y	0.25	0	0	0	-	-	0
SEMS LIEN	Y	PO	0	-	-	-	-	0
SUPERFUND ROD	Y	1	0	0	0	0	0	0

State

SWF/LF	Y	0.5	0	0	0	0	-	0
LST	Y	0.5	0	14	2	13	-	29
DELISTED LST	Y	0.5	0	0	0	0	-	0
UST	Y	0.25	0	8	3	-	-	11
AST	Y	0.25	0	0	1	-	-	1
TANK	Y	0.25	0	0	0	-	-	0
DELISTED TANK	Y	0.25	0	1	0	-	-	1
INST	Y	0.5	0	0	2	0	-	2
VRP	Y	0.5	0	0	2	0	-	2
BROWNFIELDS	Y	0.5	0	0	0	0	-	0

Tribal

INDIAN LUST	Y	0.5	0	0	0	0	-	0
INDIAN UST	Y	0.25	0	0	0	-	-	0
DELISTED INDIAN LST	Y	0.5	0	0	0	0	-	0
DELISTED INDIAN UST	Y	0.25	0	0	0	-	-	0

County

No County standard environmental record sources available for this State.

Additional Environmental Records

Federal

FINDS/FRS	Y	PO	0	-	-	-	-	0
TRIS	Y	PO	0	-	-	-	-	0
PFAS TRI	Y	0.5	0	0	0	0	-	0
ERNS PFAS	Y	0.5	0	0	0	0	-	0
PFAS FED SITES	Y	0.5	0	0	0	0	-	0
PFAS NPL	Y	0.5	0	0	0	0	-	0
PFAS NPDES	Y	0.5	0	0	0	0	-	0

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
PFAS SSEHRI	Y	0.5	0	0	0	0	-	0
PFAS WATER	Y	0.5	0	0	0	0	-	0
HMIRS	Y	0.125	0	0	-	-	-	0
NCDL	Y	0.125	0	0	-	-	-	0
TSCA	Y	0.125	0	0	-	-	-	0
HIST TSCA	Y	0.125	0	0	-	-	-	0
FTTS ADMIN	Y	PO	0	-	-	-	-	0
FTTS INSP	Y	PO	0	-	-	-	-	0
PRP	Y	PO	0	-	-	-	-	0
SCRD DRYCLEANER	Y	0.5	0	0	0	0	-	0
ICIS	Y	PO	0	-	-	-	-	0
FED DRYCLEANERS	Y	0.25	0	0	2	-	-	2
DELISTED FED DRY	Y	0.25	0	0	0	-	-	0
FUDS	Y	1	0	0	0	0	0	0
FORMER NIKE	Y	1	0	0	0	0	0	0
PIPELINE INCIDENT	Y	PO	0	-	-	-	-	0
MLTS	Y	PO	0	-	-	-	-	0
HIST MLTS	Y	PO	0	-	-	-	-	0
MINES	Y	0.25	0	0	0	-	-	0
SMCRA	Y	1	0	0	0	0	0	0
MRDS	Y	1	0	0	0	0	0	0
LM SITES	Y	1	0	0	0	0	0	0
ALT FUELS	Y	0.25	1	0	0	-	-	1
CONSENT DECREES	Y	0.25	0	0	0	-	-	0
AFS	Y	PO	0	-	-	-	-	0
SSTS	Y	0.25	0	0	0	-	-	0
PCBT	Y	0.5	0	0	0	0	-	0
PCB	Y	0.5	0	0	0	0	-	0
State								
SPILLS	Y	0.125	0	6	-	-	-	6
PC SPILLS	Y	0.125	0	0	-	-	-	0
DRYCLEANERS	Y	0.25	0	0	2	-	-	2
Tribal <i>No Tribal additional environmental record sources available for this State.</i>								
County <i>No County additional environmental record sources available for this State.</i>								

<i>Database</i>	<i>Searched</i>	<i>Search Radius</i>	<i>Project Property</i>	<i>Within 0.12mi</i>	<i>0.125mi to 0.25mi</i>	<i>0.25mi to 0.50mi</i>	<i>0.50mi to 1.00mi</i>	<i>Total</i>
<hr/>								
	<i>Total:</i>		1	30	22	13	0	66

** PO – Property Only*

** 'Property and adjoining properties' database search radii are set at 0.25 miles.*

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
1	ALT FUELS	City of Fairfax Old Town Hall	3999 University Drive Fairfax VA 22030 <i>ID: 170017</i>	NE	0.00 / 0.00	0	28

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
2	SPILLS	AST Fuel Oil Discharge - Accotink Creek	3988 University Dr Fairfax VA	NW	0.00 / 25.03	-6	28
<i>Incident ID Status Closure Date:</i> 297937 Closed 1/20/2021							
2	LST	The Old Fire Station #3	3988 University Dr Fairfax VA 22030	NW	0.00 / 25.03	-6	29
<i>CEDS Fac ID Case Status:</i> 200000892150 Open <i>Rst Status Ind:</i> Open							
3	SPILLS	4000 University Drive	4000 University Drive Fairfax VA	SW	0.01 / 76.11	6	30
<i>Incident ID Status Closure Date:</i> 1/16/2001							
3	SPILLS	4000 University Drive	4000 University Drive Fairfax VA	SW	0.01 / 76.11	6	31
<i>Incident ID Status Closure Date:</i> 257521 Closed 1/16/2001							
4	UST	SIPAN SERVICE STATION	3970 University Dr Fairfax VA 22030	NNW	0.02 / 95.95	-9	32
<i>Facility ID Active UST Inactive UST Facility Active:</i> 3009480 0 5 No <i>Tank No:</i> 2, REM FROM GRD, 3, REM FROM GRD, 4, REM FROM GRD, 1, REM FROM GRD, 5, REM FROM GRD							
4	LST	Sipan Service Station	3970 University Dr Fairfax VA 22030	NNW	0.02 / 95.95	-9	37
<i>CEDS Fac ID Case Status:</i> 200000074514 Closed <i>Rst Status Ind:</i> Closed							
5	LST	Ellicott Office Condominiums	4002 University Dr Fairfax VA 22030	SW	0.02 / 130.46	7	37
<i>CEDS Fac ID Case Status:</i> 200000185550 Closed <i>Rst Status Ind:</i> Closed							
6	RCRA NON GEN	AMOCO OIL CO #1666-TANKS	10367 MAIN ST FAIRFAX VA 22030	ESE	0.04 / 195.97	15	38
<i>EPA Handler ID:</i> VAD988199048							
6	UST	BP Amoco Station #1666	10367 Main St Fairfax VA 22030	ESE	0.04 / 195.97	15	40
<i>Facility ID Active UST Inactive UST Facility Active:</i> 3003721 0 4 No <i>Tank No:</i> R2, REM FROM GRD, R4, REM FROM GRD, R3, REM FROM GRD, R1, REM FROM GRD							
6	LST	Amoco 1666	10367 Main St Fairfax VA 22030	ESE	0.04 / 195.97	15	44
<i>CEDS Fac ID Case Status:</i> 200000088076 Closed <i>Rst Status Ind:</i> Closed							
6	LST	Amoco 1666	10367 Main St Fairfax VA 22030	ESE	0.04 / 195.97	15	45
<i>CEDS Fac ID Case Status:</i> 200000088076 Closed <i>Rst Status Ind:</i> Closed							
7	SPILLS	Old Town Redevelopment Utility Work	Old Lee Highway between North St & Main St Fairfax VA	E	0.05 / 263.54	11	45

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			Incident ID Status Closure Date: 11/14/2005					
7	SPILLS	Old Town Redevelopment Utility Work	Old Lee Highway between North St & Main St Fairfax VA	E	0.05 / 263.54	11	46	
			Incident ID Status Closure Date: 261883 Closed 11/14/2005					
8	UST	Fairfax City Shell Service Station	10341 Main St Fairfax VA 22030	ESE	0.07 / 356.55	12	47	
			Facility ID Active UST Inactive UST Facility Active: 3014293 0 10 No Tank No: R1, REM FROM GRD, 2, REM FROM GRD, 1, REM FROM GRD, 3, REM FROM GRD, R3, REM FROM GRD, R4, REM FROM GRD, 4, REM FROM GRD, R2, REM FROM GRD, R5, REM FROM GRD, R6, REM FROM GRD					
8	LST	Shell Station 24530960301	10341 Main St Fairfax VA 22030	ESE	0.07 / 356.55	12	57	
			CEDS Fac ID Case Status: 200000194034 Closed Rst Status Ind: Closed					
8	LST	Fairfax City Shell	10341 Main St Fairfax VA 22030	ESE	0.07 / 356.55	12	58	
			CEDS Fac ID Case Status: 200000194034 Closed Rst Status Ind: Closed					
9	DELISTED TANK	THE AUTO SALON LTD	10423 Main St Fairfax VA 0	W	0.07 / 367.33	18	58	
9	UST	Royal Gas	10423 Main St Fairfax VA 22030	W	0.07 / 367.33	18	59	
			Facility ID Active UST Inactive UST Facility Active: 3003607 2 5 Yes Tank No: 2, CURR IN USE, R8, REM FROM GRD, 1, CURR IN USE, R7, REM FROM GRD, R4, REM FROM GRD, R5, REM FROM GRD, R6, REM FROM GRD					
9	LST	Exxon #2-8271	10423 Main St Fairfax VA 22030	W	0.07 / 367.33	18	66	
			CEDS Fac ID Case Status: 200000194035 Closed Rst Status Ind: Closed					
9	LST	Royal Gas Station/Mobil	10423 Main St Fairfax VA 22030	W	0.07 / 367.33	18	67	
			CEDS Fac ID Case Status: 200000194035 Closed Rst Status Ind: Closed					
10	LST	Leigh Douglas S and Clara M Property	3989 Chain Bridge Rd Fairfax VA 22030-3320	WNW	0.07 / 395.37	17	68	
			CEDS Fac ID Case Status: 200000853424 Closed Rst Status Ind: Closed					
11	LST	Holiday Property 2	10407 Sager Ave Fairfax City VA 22030	SSE	0.09 / 457.17	-3	68	
			CEDS Fac ID Case Status: 200000185247 Closed Rst Status Ind: Closed					
12	LST	Holiday Property 3	10405 Sager Ave Fairfax City VA 22030	SSE	0.09 / 462.14	-5	69	
			CEDS Fac ID Case Status: 200000185243 Closed Rst Status Ind: Closed					
13	LST	Holiday Property 4	10403 Sager Ave Fairfax City VA 22030	SSE	0.09 / 467.52	-5	70	
			CEDS Fac ID Case Status: 200000185242 Closed Rst Status Ind: Closed					
14	UST	Fairfax County Historic Courthouse	4000 Chain Bridge Rd Fairfax VA 22030	WSW	0.09 / 477.61	24	70	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			<i>Facility ID Active UST Inactive UST Facility Active:</i> 3044326 1 0 Yes <i>Tank No:</i> 1, CURR IN USE					
15	UST	4031 UNIVERSITY DRIVE	4031 University Dr Fairfax VA 22030	SSW	0.10 / 521.32	22	72	
			<i>Facility ID Active UST Inactive UST Facility Active:</i> 3001707 0 1 No <i>Tank No:</i> R1, REM FROM GRD					
16	SPILLS	Dominion Pad Transformer/MVA (200 gal)	10344 Main St Fairfax VA 22030	ESE	0.11 / 576.48	1	74	
			<i>Incident ID Status Closure Date:</i> 192375 Closed 3/15/2019					
17	UST	FAIRFAX CITY II CFS #8924	4020 University Dr Fairfax VA 22030	SSW	0.12 / 628.21	23	75	
			<i>Facility ID Active UST Inactive UST Facility Active:</i> 3026942 0 1 No <i>Tank No:</i> R1, REM FROM GRD					
17	LST	Crestar of Richmond	4020 University Dr Fairfax VA 22030	SSW	0.12 / 628.21	23	77	
			<i>CEDS Fac ID Case Status:</i> 200000087288 Closed <i>Rst Status Ind:</i> Closed					
18	UST	NOVA BLUE INC	4017 East St Fairfax VA 22030	SSE	0.12 / 650.18	4	77	
			<i>Facility ID Active UST Inactive UST Facility Active:</i> 3007749 0 1 No <i>Tank No:</i> 1, PERM OUT OF USE					
19	FED DRYCLEANERS	FAIRFAX CUSTOM CLEANERS	10320 MAIN ST FAIRFAX VA 22030	ESE	0.13 / 704.10	-5	79	
			<i>FRS Facility ID:</i> 110020670184					
19	DRYCLEANERS	Fairfax Custom Cleaners	10320 Main St Fairfax VA 22030	ESE	0.13 / 704.10	-5	79	
20	RCRA VSQG	FX CO PUB LIB FAIRFAX CITY BR	3915 CHAIN BRIDGE RD FAIRFAX VA 22030	NNW	0.14 / 739.56	-11	80	
			<i>EPA Handler ID:</i> VAD988207205					
21	RCRA NON GEN	FAIRFAX CUSTOM CLEANERS	10302 MAIN ST FAIRFAX VA 22030	ESE	0.15 / 785.86	-9	81	
			<i>EPA Handler ID:</i> VAD981105711					
22	VRP	Main Street Marketplace	10296 Main St Fairfax VA 22030	ESE	0.15 / 813.24	-10	82	
22	INST	Main Street Marketplace	10296 Main St Fairfax VA 22030	ESE	0.15 / 813.24	-10	84	
23	RCRA NON GEN	WHITE STAR CLEANERS INC	10394 WILLARD WAY FAIRFAX VA 22030	NNE	0.16 / 841.06	-11	86	
			<i>EPA Handler ID:</i> VAD981041759					
23	LST	VCERA	10394 Willard Way Fairfax VA 22030	NNE	0.16 / 841.06	-11	88	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			CEDS Fac ID Case Status: 200000086740 Closed Rst Status Ind: Closed					
23	FED DRYCLEANERS	SUN CLEANERS	10394 WILLARD WAY FAIRFAX VA 22030	NNE	0.16 / 841.06	-11	89	
			FRS Facility ID: 110001898554					
23	DRYCLEANERS	Sun Cleaners	10394 Willard Way Fairfax VA 22030	NNE	0.16 / 841.06	-11	89	
24	RCRA VSQG	CVS PHARMACY #1371	10390 WILLARD WAY FAIRFAX VA 22030	NNE	0.16 / 845.98	-11	89	
			EPA Handler ID: VAR000522045					
25	UST	City of Fairfax Volunteer Fire Station 3	4081 University Dr Fairfax VA 22030	SSW	0.17 / 876.29	12	95	
			Facility ID Active UST Inactive UST Facility Active: 3008630 0 2 No Tank No: R2, REM FROM GRD, R1, REM FROM GRD					
26	VRP	Courthouse Plaza Shopping Center	10300 Willard Way Fairfax VA 22030	NE	0.18 / 964.62	0	98	
26	INST	Courthouse Plaza Shopping Center	10300 Willard Way Fairfax VA 22030	NE	0.18 / 964.62	0	100	
27	RCRA VSQG	SAFEWAY STORE #4001	10350 WILLARD WAY FAIRFAX VA 22030	NE	0.19 / 1,007.70	0	102	
			EPA Handler ID: VAR000529594					
28	UST	MASSEY BUILDING	4100 Chain Bridge Rd Fairfax VA 22030	SW	0.22 / 1,159.39	29	104	
			Facility ID Active UST Inactive UST Facility Active: 3006788 0 1 No Tank No: G1, CLS IN GRD					
28	LST	Massey Building	4100 Chain Bridge Rd Fairfax VA 22030	SW	0.22 / 1,159.39	29	105	
			CEDS Fac ID Case Status: 200000076615 Closed Rst Status Ind: Closed					
28	RCRA NON GEN	MASSEY BUILDING	4100 CHAIN BRIDGE ROAD FAIRFAX VA 22030	SW	0.22 / 1,159.39	29	106	
			EPA Handler ID: VAP405201907					
29	RCRA NON GEN	PROVIDENCE PRESS INC	10252 MAIN ST FAIRFAX VA 22030	ESE	0.22 / 1,174.89	-13	108	
			EPA Handler ID: VAD048013270					
30	UST	JUDICIAL CENTER	4110 Chain Bridge Rd Fairfax VA 22030	SW	0.23 / 1,231.01	28	109	
			Facility ID Active UST Inactive UST Facility Active: 3006794 1 1 Yes Tank No: R1, REM FROM GRD, 2, CURR IN USE					
30	AST	JUDICIAL CENTER	4110 Chain Bridge Rd Fairfax VA 22030	SW	0.23 / 1,231.01	28	112	
			Facility ID Facility Active Active ASTs Inactive ASTs: 3006794 Yes 1 0 Tank Type: AST, CURR IN USE					

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
31	RCRA VSQG	DIV OF COMMUNICATIONS	4103 CHAIN BRIDGE RD FAIRFAX VA 22030 <i>EPA Handler ID:</i> VAD988200341	SW	0.23 / 1,240.49	28	114
32	LST	Lewis Ann Farr Residence	10230 Main St Fairfax VA 22030 <i>CEDS Fac ID Case Status:</i> 200000889792 Closed <i>Rst Status Ind:</i> Closed	ESE	0.25 / 1,341.20	-3	115
33	LST	Mosby Apartment Complex	10570 Main St Fairfax City VA 22030 <i>CEDS Fac ID Case Status:</i> 200000185250 Closed <i>Rst Status Ind:</i> Closed	WNW	0.30 / 1,585.85	-20	115
34	LST	Everly Funeral Home	10565 Main St Fairfax VA 22030 <i>CEDS Fac ID Case Status:</i> 200000078673 Closed <i>Rst Status Ind:</i> Closed	WNW	0.33 / 1,738.08	-30	116
35	LST	Fairfax Fuel Company	Accotink Creek Fairfax City VA 22030 <i>CEDS Fac ID Case Status:</i> 200000185861 Closed <i>Rst Status Ind:</i> Closed	WNW	0.36 / 1,881.82	-47	117
36	LST	Balley Shannon	10610 Main St Fairfax VA 22030 <i>CEDS Fac ID Case Status:</i> 200000186104 Closed <i>Rst Status Ind:</i> Closed	WNW	0.41 / 2,185.30	-44	117
37	LST	Corridon Electric	3909 Railroad Ave Fairfax VA 22030 <i>CEDS Fac ID Case Status:</i> 200000213253 Closed <i>Rst Status Ind:</i> Closed	WNW	0.42 / 2,199.77	-41	118
38	LST	Whiteley Malynda Residence	10224 Sager Ave Fairfax VA 22030 <i>CEDS Fac ID Case Status:</i> 200000220493 Closed <i>Rst Status Ind:</i> Closed	SE	0.42 / 2,214.91	28	119
39	LST	Clark Jeffrey and Linda Residence former	4022 Walters Ct Fairfax VA 22030 <i>CEDS Fac ID Case Status:</i> 200000222929 Closed <i>Rst Status Ind:</i> Closed	ESE	0.42 / 2,224.70	29	119
40	LST	Fairfax Printers Incorporated	10606 Oliver St Fairfax VA 22030 <i>Rst Status Ind:</i> Closed	NW	0.44 / 2,332.84	-23	120
41	LST	McCarthy Mabele Residence	7535 Maple St Fairfax City VA 22030 <i>CEDS Fac ID Case Status:</i> 200000199286 Closed <i>Rst Status Ind:</i> Closed	SW	0.44 / 2,346.09	29	121
42	LST	Mareno Thomas J and Romana Residence	10604 Moore St Fairfax VA 22030-3912 <i>CEDS Fac ID Case Status:</i> 200000854871 Closed <i>Rst Status Ind:</i> Closed	WNW	0.45 / 2,353.22	-29	121
43	LST	Mathai Holdings Property	10649 Main St Fairfax VA 22030-3801 <i>CEDS Fac ID Case Status:</i> 200000848570 Closed <i>Rst Status Ind:</i> Closed	WNW	0.46 / 2,416.13	-39	122

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
44	LST	Jorgenson John Residence	10509 Center St Fairfax VA 22030-3113	NNW	0.47 / 2,461.66	-44	123
<p>CEDS Fac ID Case Status: 200000849153 Closed Rst Status Ind: Closed</p>							

Executive Summary: Summary by Data Source

Standard

Federal

RCRA VSQG - RCRA Very Small Quantity Generators List

A search of the RCRA VSQG database, dated Jan 23, 2023 has found that there are 4 RCRA VSQG site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DIV OF COMMUNICATIONS	4103 CHAIN BRIDGE RD FAIRFAX VA 22030 <i>EPA Handler ID: VAD988200341</i>	SW	0.23 / 1,240.49	31

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
FX CO PUB LIB FAIRFAX CITY BR	3915 CHAIN BRIDGE RD FAIRFAX VA 22030 <i>EPA Handler ID: VAD988207205</i>	NNW	0.14 / 739.56	20
CVS PHARMACY #1371	10390 WILLARD WAY FAIRFAX VA 22030 <i>EPA Handler ID: VAR000522045</i>	NNE	0.16 / 845.98	24
SAFEWAY STORE #4001	10350 WILLARD WAY FAIRFAX VA 22030 <i>EPA Handler ID: VAR000529594</i>	NE	0.19 / 1,007.70	27

RCRA NON GEN - RCRA Non-Generators

A search of the RCRA NON GEN database, dated Jan 23, 2023 has found that there are 5 RCRA NON GEN site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
AMOCO OIL CO #1666-TANKS	10367 MAIN ST FAIRFAX VA 22030 <i>EPA Handler ID: VAD988199048</i>	ESE	0.04 / 195.97	6
MASSEY BUILDING	4100 CHAIN BRIDGE ROAD FAIRFAX VA 22030 <i>EPA Handler ID: VAP405201907</i>	SW	0.22 / 1,159.39	28
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
FAIRFAX CUSTOM CLEANERS	10302 MAIN ST FAIRFAX VA 22030 <i>EPA Handler ID: VAD981105711</i>	ESE	0.15 / 785.86	21

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
WHITE STAR CLEANERS INC	10394 WILLARD WAY FAIRFAX VA 22030	NNE	0.16 / 841.06	23
	<i>EPA Handler ID: VAD981041759</i>			
PROVIDENCE PRESS INC	10252 MAIN ST FAIRFAX VA 22030	ESE	0.22 / 1,174.89	29
	<i>EPA Handler ID: VAD048013270</i>			

State

LST - Leaking Petroleum Storage Tanks

A search of the LST database, dated Jan 16, 2023 has found that there are 29 LST site(s) within approximately 0.50 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Ellicott Office Condominiums	4002 University Dr Fairfax VA 22030	SW	0.02 / 130.46	5
	<i>CEDS Fac ID Case Status: 200000185550 Closed Rst Status Ind: Closed</i>			
Amoco 1666	10367 Main St Fairfax VA 22030	ESE	0.04 / 195.97	6
	<i>CEDS Fac ID Case Status: 200000088076 Closed Rst Status Ind: Closed</i>			
Amoco 1666	10367 Main St Fairfax VA 22030	ESE	0.04 / 195.97	6
	<i>CEDS Fac ID Case Status: 200000088076 Closed Rst Status Ind: Closed</i>			
Fairfax City Shell	10341 Main St Fairfax VA 22030	ESE	0.07 / 356.55	8
	<i>CEDS Fac ID Case Status: 200000194034 Closed Rst Status Ind: Closed</i>			
Shell Station 24530960301	10341 Main St Fairfax VA 22030	ESE	0.07 / 356.55	8
	<i>CEDS Fac ID Case Status: 200000194034 Closed Rst Status Ind: Closed</i>			
Royal Gas Station/Mobil	10423 Main St Fairfax VA 22030	W	0.07 / 367.33	9
	<i>CEDS Fac ID Case Status: 200000194035 Closed Rst Status Ind: Closed</i>			
Exxon #2-8271	10423 Main St Fairfax VA 22030	W	0.07 / 367.33	9
	<i>CEDS Fac ID Case Status: 200000194035 Closed Rst Status Ind: Closed</i>			
Leigh Douglas S and Clara M Property	3989 Chain Bridge Rd Fairfax VA 22030-3320	WNW	0.07 / 395.37	10
	<i>CEDS Fac ID Case Status: 200000853424 Closed Rst Status Ind: Closed</i>			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Crestar of Richmond	4020 University Dr Fairfax VA 22030	SSW	0.12 / 628.21	17
	CEDS Fac ID Case Status: 200000087288 Closed Rst Status Ind: Closed			
Massey Building	4100 Chain Bridge Rd Fairfax VA 22030	SW	0.22 / 1,159.39	28
	CEDS Fac ID Case Status: 200000076615 Closed Rst Status Ind: Closed			
Whiteley Malynda Residence	10224 Sager Ave Fairfax VA 22030	SE	0.42 / 2,214.91	38
	CEDS Fac ID Case Status: 200000220493 Closed Rst Status Ind: Closed			
Clark Jeffrey and Linda Residence former	4022 Walters Ct Fairfax VA 22030	ESE	0.42 / 2,224.70	39
	CEDS Fac ID Case Status: 200000222929 Closed Rst Status Ind: Closed			
McCarthy Mabele Residence	7535 Maple St Fairfax City VA 22030	SW	0.44 / 2,346.09	41
	CEDS Fac ID Case Status: 200000199286 Closed Rst Status Ind: Closed			
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
The Old Fire Station #3	3988 University Dr Fairfax VA 22030	NW	0.00 / 25.03	2
	CEDS Fac ID Case Status: 200000892150 Open Rst Status Ind: Open			
Sipan Service Station	3970 University Dr Fairfax VA 22030	NNW	0.02 / 95.95	4
	CEDS Fac ID Case Status: 200000074514 Closed Rst Status Ind: Closed			
Holiday Property 2	10407 Sager Ave Fairfax City VA 22030	SSE	0.09 / 457.17	11
	CEDS Fac ID Case Status: 200000185247 Closed Rst Status Ind: Closed			
Holiday Property 3	10405 Sager Ave Fairfax City VA 22030	SSE	0.09 / 462.14	12
	CEDS Fac ID Case Status: 200000185243 Closed Rst Status Ind: Closed			
Holiday Property 4	10403 Sager Ave Fairfax City VA 22030	SSE	0.09 / 467.52	13
	CEDS Fac ID Case Status: 200000185242 Closed Rst Status Ind: Closed			
VCERA	10394 Willard Way Fairfax VA 22030	NNE	0.16 / 841.06	23
	CEDS Fac ID Case Status: 200000086740 Closed Rst Status Ind: Closed			

Lower Elevation	Address	Direction	Distance (mi/ft)	Map Key
Lewis Ann Farr Residence	10230 Main St Fairfax VA 22030	ESE	0.25 / 1,341.20	32
	CEDS Fac ID Case Status: 200000889792 Closed Rst Status Ind: Closed			
Mosby Apartment Complex	10570 Main St Fairfax City VA 22030	WNW	0.30 / 1,585.85	33
	CEDS Fac ID Case Status: 200000185250 Closed Rst Status Ind: Closed			
Everly Funeral Home	10565 Main St Fairfax VA 22030	WNW	0.33 / 1,738.08	34
	CEDS Fac ID Case Status: 200000078673 Closed Rst Status Ind: Closed			
Fairfax Fuel Company	Accotink Creek Fairfax City VA 22030	WNW	0.36 / 1,881.82	35
	CEDS Fac ID Case Status: 200000185861 Closed Rst Status Ind: Closed			
Balley Shannon	10610 Main St Fairfax VA 22030	WNW	0.41 / 2,185.30	36
	CEDS Fac ID Case Status: 200000186104 Closed Rst Status Ind: Closed			
Corridon Electric	3909 Railroad Ave Fairfax VA 22030	WNW	0.42 / 2,199.77	37
	CEDS Fac ID Case Status: 200000213253 Closed Rst Status Ind: Closed			
Fairfax Printers Incorporated	10606 Oliver St Fairfax VA 22030	NW	0.44 / 2,332.84	40
	Rst Status Ind: Closed			
Mareno Thomas J and Romana Residence	10604 Moore St Fairfax VA 22030-3912	WNW	0.45 / 2,353.22	42
	CEDS Fac ID Case Status: 200000854871 Closed Rst Status Ind: Closed			
Mathai Holdings Property	10649 Main St Fairfax VA 22030-3801	WNW	0.46 / 2,416.13	43
	CEDS Fac ID Case Status: 200000848570 Closed Rst Status Ind: Closed			
Jorgenson John Residence	10509 Center St Fairfax VA 22030-3113	NNW	0.47 / 2,461.66	44
	CEDS Fac ID Case Status: 200000849153 Closed Rst Status Ind: Closed			

UST - Underground Storage Tanks

A search of the UST database, dated Jan 16, 2023 has found that there are 11 UST site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BP Amoco Station #1666	10367 Main St Fairfax VA 22030	ESE	0.04 / 195.97	<u>6</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3003721 0 4 No</i> <i>Tank No: R2, REM FROM GRD, R4, REM FROM GRD, R3, REM FROM GRD, R1, REM FROM GRD</i>				
Fairfax City Shell Service Station	10341 Main St Fairfax VA 22030	ESE	0.07 / 356.55	<u>8</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3014293 0 10 No</i> <i>Tank No: R1, REM FROM GRD, 2, REM FROM GRD, 1, REM FROM GRD, 3, REM FROM GRD, R3, REM FROM GRD, R4, REM FROM GRD, 4, REM FROM GRD, R2, REM FROM GRD, R5, REM FROM GRD, R6, REM FROM GRD</i>				
Royal Gas	10423 Main St Fairfax VA 22030	W	0.07 / 367.33	<u>9</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3003607 2 5 Yes</i> <i>Tank No: 2, CURR IN USE, R8, REM FROM GRD, 1, CURR IN USE, R7, REM FROM GRD, R4, REM FROM GRD, R5, REM FROM GRD, R6, REM FROM GRD</i>				
Fairfax County Historic Courthouse	4000 Chain Bridge Rd Fairfax VA 22030	WSW	0.09 / 477.61	<u>14</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3044326 1 0 Yes</i> <i>Tank No: 1, CURR IN USE</i>				
4031 UNIVERSITY DRIVE	4031 University Dr Fairfax VA 22030	SSW	0.10 / 521.32	<u>15</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3001707 0 1 No</i> <i>Tank No: R1, REM FROM GRD</i>				
FAIRFAX CITY II CFS #8924	4020 University Dr Fairfax VA 22030	SSW	0.12 / 628.21	<u>17</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3026942 0 1 No</i> <i>Tank No: R1, REM FROM GRD</i>				
NOVA BLUE INC	4017 East St Fairfax VA 22030	SSE	0.12 / 650.18	<u>18</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3007749 0 1 No</i> <i>Tank No: 1, PERM OUT OF USE</i>				
City of Fairfax Volunteer Fire Station 3	4081 University Dr Fairfax VA 22030	SSW	0.17 / 876.29	<u>25</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3008630 0 2 No</i> <i>Tank No: R2, REM FROM GRD, R1, REM FROM GRD</i>				
MASSEY BUILDING	4100 Chain Bridge Rd Fairfax VA 22030	SW	0.22 / 1,159.39	<u>28</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3006788 0 1 No</i> <i>Tank No: G1, CLS IN GRD</i>				
JUDICIAL CENTER	4110 Chain Bridge Rd Fairfax VA 22030	SW	0.23 / 1,231.01	<u>30</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3006794 1 1 Yes</i> <i>Tank No: R1, REM FROM GRD, 2, CURR IN USE</i>				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
SIPAN SERVICE STATION	3970 University Dr Fairfax VA 22030	NNW	0.02 / 95.95	<u>4</u>
<i>Facility ID Active UST Inactive UST Facility Active: 3009480 0 5 No</i> <i>Tank No: 2, REM FROM GRD, 3, REM FROM GRD, 4, REM FROM GRD, 1, REM FROM GRD, 5, REM FROM GRD</i>				

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
------------------------	----------------	------------------	-------------------------	----------------

GRD

AST - Aboveground Storage Tanks

A search of the AST database, dated Jan 16, 2023 has found that there are 1 AST site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
JUDICIAL CENTER	4110 Chain Bridge Rd Fairfax VA 22030	SW	0.23 / 1,231.01	30

Facility ID | Facility Active | Active ASTs | Inactive ASTs: 3006794 | Yes | 1 | 0
Tank Type: AST, CURR IN USE

DELISTED TANK - Delisted Tanks

A search of the DELISTED TANK database, dated Jan 16, 2023 has found that there are 1 DELISTED TANK site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
THE AUTO SALON LTD	10423 Main St Fairfax VA 0	W	0.07 / 367.33	9

INST - Institutional Controls

A search of the INST database, dated Dec 16, 2022 has found that there are 2 INST site(s) within approximately 0.50 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Main Street Marketplace	10296 Main St Fairfax VA 22030	ESE	0.15 / 813.24	22
Courthouse Plaza Shopping Center	10300 Willard Way Fairfax VA 22030	NE	0.18 / 964.62	26

VRP - Voluntary Remediation Program

A search of the VRP database, dated Dec 16, 2022 has found that there are 2 VRP site(s) within approximately 0.50 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Main Street Marketplace	10296 Main St Fairfax VA 22030	ESE	0.15 / 813.24	22
Courthouse Plaza Shopping Center	10300 Willard Way Fairfax VA 22030	NE	0.18 / 964.62	26

Non Standard

Federal

FED DRYCLEANERS - Drycleaner Facilities

A search of the FED DRYCLEANERS database, dated Jun 25, 2022 has found that there are 2 FED DRYCLEANERS site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
FAIRFAX CUSTOM CLEANERS	10320 MAIN ST FAIRFAX VA 22030 <i>FRS Facility ID: 110020670184</i>	ESE	0.13 / 704.10	19
SUN CLEANERS	10394 WILLARD WAY FAIRFAX VA 22030 <i>FRS Facility ID: 110001898554</i>	NNE	0.16 / 841.06	23

ALT FUELS - Alternative Fueling Stations

A search of the ALT FUELS database, dated Jan 3, 2023 has found that there are 1 ALT FUELS site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
City of Fairfax Old Town Hall	3999 University Drive Fairfax VA 22030 <i>ID: 170017</i>	NE	0.00 / 0.00	1

State

SPILLS - Spills

A search of the SPILLS database, dated Jan 13, 2023 has found that there are 6 SPILLS site(s) within approximately 0.12 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
4000 University Drive	4000 University Drive Fairfax VA <i>Incident ID Status Closure Date: 257521 Closed 1/16/2001</i>	SW	0.01 / 76.11	3
4000 University Drive	4000 University Drive Fairfax VA <i>Incident ID Status Closure Date: 1/16/2001</i>	SW	0.01 / 76.11	3
Old Town Redevelopment Utility Work	Old Lee Highway between North St & Main St Fairfax VA <i>Incident ID Status Closure Date: 11/14/2005</i>	E	0.05 / 263.54	7
Old Town Redevelopment Utility Work	Old Lee Highway between North St & Main St Fairfax VA <i>Incident ID Status Closure Date: 261883 Closed 11/14/2005</i>	E	0.05 / 263.54	7


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Dominion Pad Transformer/MVA (200 gal)	10344 Main St Fairfax VA 22030	ESE	0.11 / 576.48	16
<i>Incident ID Status Closure Date: 192375 Closed 3/15/2019</i>				

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
AST Fuel Oil Discharge - Accotink Creek	3988 University Dr Fairfax VA	NW	0.00 / 25.03	2
<i>Incident ID Status Closure Date: 297937 Closed 1/20/2021</i>				

DRYCLEANERS - Dry Cleaning Facilities

A search of the DRYCLEANERS database, dated Jan 19, 2023 has found that there are 2 DRYCLEANERS site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Fairfax Custom Cleaners	10320 Main St Fairfax VA 22030	ESE	0.13 / 704.10	19
Sun Cleaners	10394 Willard Way Fairfax VA 22030	NNE	0.16 / 841.06	23




Map: 1.0 Mile Radius

Order Number: 23031000774
 Address: 3999 University Dr, Fairfax, VA



- | | | | |
|------------------------------|------------------------|---------------------|--|
| Project Property | Buffer Outline | State | FWS Special Designation Areas |
| Sites with Higher Elevation | Freeways; Highways | Country | National Priorities List (Active, Delisted, Proposed, Institutional Control) |
| Sites with Same Elevation | Traffic Circle; Ramp | National Wetland | Indian Reserve Land |
| Sites with Lower Elevation | Major & Minor Arterial | Plume | 100 Year Flood Zone |
| Sites with Unknown Elevation | Traffic Circle; Ramp | 500 Year Flood Zone | |
| Areas with Higher Elevation | Local Road | | |
| Areas with Same Elevation | Rail | | |
| Areas with Lower Elevation | | | |
| Areas with Unknown Elevation | | | |




Map: 0.5 Mile Radius

Order Number: 23031000774

Address: 3999 University Dr, Fairfax, VA



- | | | | |
|------------------------------|------------------------|---------------------|--|
| Project Property | Buffer Outline | State | FWS Special Designation Areas |
| Sites with Higher Elevation | Freeways; Highways | Country | National Priorities List (Active, Delisted, Proposed, Institutional Control) |
| Sites with Same Elevation | Traffic Circle; Ramp | National Wetland | Indian Reserve Land |
| Sites with Lower Elevation | Major & Minor Arterial | Plume | 100 Year Flood Zone |
| Sites with Unknown Elevation | Traffic Circle; Ramp | 500 Year Flood Zone | |
| Areas with Higher Elevation | Local Road | | |
| Areas with Same Elevation | Rail | | |
| Areas with Lower Elevation | | | |
| Areas with Unknown Elevation | | | |



Map: 0.25 Mile Radius

Order Number: 23031000774

Address: 3999 University Dr, Fairfax, VA



- | | | | |
|------------------------------|------------------------|---------------------|--|
| Project Property | Buffer Outline | State | FWS Special Designation Areas |
| Sites with Higher Elevation | Freeways; Highways | Country | National Priorities List (Active, Delisted, Proposed, Institutional Control) |
| Sites with Same Elevation | Traffic Circle; Ramp | National Wetland | |
| Sites with Lower Elevation | Major & Minor Arterial | Indian Reserve Land | |
| Sites with Unknown Elevation | Traffic Circle; Ramp | Plume | |
| Areas with Higher Elevation | Local Road | 100 Year Flood Zone | |
| Areas with Same Elevation | Rail | 500 Year Flood Zone | |
| Areas with Lower Elevation | | | |
| Areas with Unknown Elevation | | | |

77°19'W

77°18'30"W


77°18'W

38°51'N

38°51'N

38°50'30"N

38°50'30"N



Aerial Year: 2022

Address: 3999 University Dr, Fairfax, VA

Source: ESRI World Imagery

Order Number: 23031000774




© ERIS Information Inc.

77°19'30"W 77°19'W 77°18'30"W 77°18'W 77°17'30"W 77°17'W

38°52'N 38°51'30"N 38°51'N 38°50'30"N 38°50'N 38°49'30"N

38°52'N 38°51'30"N 38°51'N 38°50'30"N 38°50'N 38°49'30"N



Topographic Map

Year: 2016

Order Number: 23031000774

Address: 3999 University Dr, VA

Quadrangle(s): Vienna, VA; Fairfax, VA

Source: USGS Topographic Map



© ERIS Information Inc.

Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB		
<u>1</u>	1 of 1	NE	0.00 / 0.00	416.79 / 0	City of Fairfax Old Town Hall 3999 University Drive Fairfax VA 22030	ALT FUELS		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> Fuel Type Code: ELEC: Electric Station Phone: 800-663-5633 Expected Date: BD Blends: NG Fill Type Code: NG PSI: Federal Agency ID: Open Date: 2020-05-26 NG Vehicle Class: LPG Primary: E85 Blender Pump: NG Fill Type Desc: Hydrogen is Retail: Federal Agency: Facility Type: Dt Last Confirmed: 2022-12-21 Restricted Access: Fed Agency Name: Hydrogen Status Link: Status: Open: The station is open. Owner Type Desc: E85 Blender Pump Desc: NG Vehicle Class Desc: Geocode Status Desc: The location is from a real GPS readout at the station. LPG Primary Desc: E85 Other Ethanol Blends: EV Pricing: FREE EV Pricing French: EV on Site Renewable Source: Intersection Directions: </td> <td style="width: 50%; vertical-align: top;"> ID: 170017 Updated at: 2022-12-21 22:59:33 UTC CNG Dispenser No: CNG Site Renew Src: CNG Tot Compr Cap: CNG Storage Cap: CNG Fill Type Code: CNG PSI: CNG Vehicle Class: LNG Site Renew Src: LNG Vehicle Class: LPG Nozzle Types: Hydrogen Pressures: Hydrogen Standards: Latitude: 38.846146 Longitude: -77.305115 </td> </tr> </table>							Fuel Type Code: ELEC: Electric Station Phone: 800-663-5633 Expected Date: BD Blends: NG Fill Type Code: NG PSI: Federal Agency ID: Open Date: 2020-05-26 NG Vehicle Class: LPG Primary: E85 Blender Pump: NG Fill Type Desc: Hydrogen is Retail: Federal Agency: Facility Type: Dt Last Confirmed: 2022-12-21 Restricted Access: Fed Agency Name: Hydrogen Status Link: Status: Open: The station is open. Owner Type Desc: E85 Blender Pump Desc: NG Vehicle Class Desc: Geocode Status Desc: The location is from a real GPS readout at the station. LPG Primary Desc: E85 Other Ethanol Blends: EV Pricing: FREE EV Pricing French: EV on Site Renewable Source: Intersection Directions:	ID: 170017 Updated at: 2022-12-21 22:59:33 UTC CNG Dispenser No: CNG Site Renew Src: CNG Tot Compr Cap: CNG Storage Cap: CNG Fill Type Code: CNG PSI: CNG Vehicle Class: LNG Site Renew Src: LNG Vehicle Class: LPG Nozzle Types: Hydrogen Pressures: Hydrogen Standards: Latitude: 38.846146 Longitude: -77.305115
Fuel Type Code: ELEC: Electric Station Phone: 800-663-5633 Expected Date: BD Blends: NG Fill Type Code: NG PSI: Federal Agency ID: Open Date: 2020-05-26 NG Vehicle Class: LPG Primary: E85 Blender Pump: NG Fill Type Desc: Hydrogen is Retail: Federal Agency: Facility Type: Dt Last Confirmed: 2022-12-21 Restricted Access: Fed Agency Name: Hydrogen Status Link: Status: Open: The station is open. Owner Type Desc: E85 Blender Pump Desc: NG Vehicle Class Desc: Geocode Status Desc: The location is from a real GPS readout at the station. LPG Primary Desc: E85 Other Ethanol Blends: EV Pricing: FREE EV Pricing French: EV on Site Renewable Source: Intersection Directions:	ID: 170017 Updated at: 2022-12-21 22:59:33 UTC CNG Dispenser No: CNG Site Renew Src: CNG Tot Compr Cap: CNG Storage Cap: CNG Fill Type Code: CNG PSI: CNG Vehicle Class: LNG Site Renew Src: LNG Vehicle Class: LPG Nozzle Types: Hydrogen Pressures: Hydrogen Standards: Latitude: 38.846146 Longitude: -77.305115							

<u>2</u>	1 of 2	NW	0.00 / 25.03	410.42 / -6	AST Fuel Oil Discharge - Accotink Creek 3988 University Dr Fairfax VA	SPILLS		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> Legacy IR No: Status: Closed Incident Type: AST(Petroleum) Incident Subtype: Effect to Receptor: Impacted Incident Dte Time: CallRecvdDteTime: 01/06/2021 04:45 OngoingAtCallDt?: Yes EPA ID: N/A SSORS ID: N/A HMVA No: N/A NRC ID: N/A Agencies Notified?: Threat to: Terrorism?: Charactriz Incdnt: Accidental Quantity Units: Gallons </td> <td style="width: 50%; vertical-align: top;"> Incident ID: 297937 Incident Address 1: 3988 University Dr Incident Address 2: FIPS City County: 600/Fairfax City Region: Northern Closure Date: 1/20/2021 Impacts: Other Impacts: Steps Taken: System Structure: Oth Sys Structure: Weather Status: Wet Weather Event: No Precipitation Inch: Discharge Type: Dischrg Vol Gal: Discharge Treated: </td> </tr> </table>							Legacy IR No: Status: Closed Incident Type: AST(Petroleum) Incident Subtype: Effect to Receptor: Impacted Incident Dte Time: CallRecvdDteTime: 01/06/2021 04:45 OngoingAtCallDt?: Yes EPA ID: N/A SSORS ID: N/A HMVA No: N/A NRC ID: N/A Agencies Notified?: Threat to: Terrorism?: Charactriz Incdnt: Accidental Quantity Units: Gallons	Incident ID: 297937 Incident Address 1: 3988 University Dr Incident Address 2: FIPS City County: 600/Fairfax City Region: Northern Closure Date: 1/20/2021 Impacts: Other Impacts: Steps Taken: System Structure: Oth Sys Structure: Weather Status: Wet Weather Event: No Precipitation Inch: Discharge Type: Dischrg Vol Gal: Discharge Treated:
Legacy IR No: Status: Closed Incident Type: AST(Petroleum) Incident Subtype: Effect to Receptor: Impacted Incident Dte Time: CallRecvdDteTime: 01/06/2021 04:45 OngoingAtCallDt?: Yes EPA ID: N/A SSORS ID: N/A HMVA No: N/A NRC ID: N/A Agencies Notified?: Threat to: Terrorism?: Charactriz Incdnt: Accidental Quantity Units: Gallons	Incident ID: 297937 Incident Address 1: 3988 University Dr Incident Address 2: FIPS City County: 600/Fairfax City Region: Northern Closure Date: 1/20/2021 Impacts: Other Impacts: Steps Taken: System Structure: Oth Sys Structure: Weather Status: Wet Weather Event: No Precipitation Inch: Discharge Type: Dischrg Vol Gal: Discharge Treated:							

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
High Qty to Water:	200				Unkwn Discharge?:	
Low Qty to Water:	1				Sewage Related?:	No
Water Body:	Accotink Creek				Permitted?:	No
CallReportedAnon?:					Facility Name:	N/A
CallPrptyOwnrUnkn?:	No				Property Owner:	
Call PRP Unknown?:	UNKNOWN				PrprtyOwnrOrgnztn:	
Call Rprtd by Org?:	Friends of Accotink Creek				Event Duration Hrs:	
CallPrprtyOwnrOrg:					Received By:	Alan Lacy
Call Prop Owner Nm:					Materials:	Fuel Oil # 2 (Heating Oil), Sheen (petroleum)
CallReprtdByName:	Philip Latasa				PRP Name:	TonyPorto
Call PRP Name:					Participating Prgm:	
Call PRP Org:					Point X:	-77.3053269995733
PRP Organization:	The Old Fire Station #3				Point Y:	38.8463120000917
Associated IR:					Steps Taken Desc:	
Incident Name:		AST Fuel Oil Discharge - Accotink Creek				
Weather Event:						
Other Receptors:		fuel entered SW piping near a commercial business				
Other Agencies:		Local Fire/EMS, Local Government				
Original Call Loc Desc:		Accotink Creek				
Original Call Material Desc:						
Cause of Event:						
Location Description:		Accotink Creek near the intersection of University Dr and Layton Hall Dr				
Closure Reason Comments:		Pollution report being managed by a media-specific program. Report of heating oil sheen/odor on Accotink Creek Fairfax City Fire Dept and DEQ conducted site investigation Initial spill cleanup completed by Atlas Environmental Heating oil traced to discharge from AST at business Fairfax City Fire Marshal issued NOV for spill cleanup DEQ issued PC# 2021-3119 for subsurface investigation sheen and petroleum odor on Accotink Creek from unknown source				
Description of Incident:						
Original Call Incident Descri:						
		sheen and petroleum odor on Accotink Creek from unknown source				
Corrective Action Taken:						
Site Summary Notes:						
		Possible NOV pending				
PRP Report Details						
RSC Status:	Closed				PRP Site Addr:	3988 University Dr
PRP Incide:					PRP Site County:	Fairfax
PRP Assign:	235				PRP Site State:	VA
PRP Site 1:					PRP Site ZIP:	
PRP Repo 1:	1/6/2021				Reference :	PG
PRP Inci 1:	1/20/2021					
SRC Status:		Pollution report being managed by a media-specific program.				
PRP Site Name:		AST Fuel Oil Discharge - Accotink Creek				

2	2 of 2	NW	0.00 / 25.03	410.42 / -6	The Old Fire Station #3 3988 University Dr Fairfax VA 22030	LST
-------------------	--------	----	--------------	-------------	---	-----

CEDS Fac ID:	200000892150	Reg Petrol UST 1:	No
Case Status:	Open	Excluded UST 1:	No
Case Closed Date:		Deferred UST 1:	No
Release Reported:	1/6/2021	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:	Category 3	Small Ht Oil AST 2:	Yes
PC No :	20213119	Regulated AST3:	No
Site Name:	The Old Fire Station #3	Unregulated AST3:	No
Address :	3988 University Dr	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
PC No (Hub):		20213119				
Rst Name (Hub):		The Old Fire Station #3				
Fac L Addr 1 (Hub):		3988 University Dr				
Fac L City (Hub):		Fairfax				
Fac L ZIP 5 (Hub):		22030				
FIC Desc (Hub):		Fairfax City				
Source:		Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites				

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000892150	Des First Name:	Matthew
Rst Poll Cmpl No:	20213119	Des Last Name:	Costa
Rst Status Ind:	Open	Changed by:	AXWARDLE
Rst Rls Reported:	2021/01/06 00:00:00+00	Changed Date:	2021/01/12 12:36:50+00
Rst Case Closed:		Inserted By:	AXWARDLE
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	2021/01/12 12:36:50+00
Rst Rec Code:	NVRO	Verified by:	AXWARDLE
Rst Priority:	1	Verify Date:	2021/01/12 12:36:50+00
Rst Fed Reg Tank:	N	Latitude:	38.8464179997636
Rst Response:		Longitude:	-77.305308000205
Reference Point:	PG		
Rst Name:	The Old Fire Station #3		
Fac Location:			
X:	-8605587.5222		
Y:	4699696.0843		

3	1 of 2	SW	0.01 / 76.11	422.55 / 6	4000 University Drive 4000 University Drive Fairfax VA	SPILLS
----------	--------	-----------	---------------------	-------------------	---	---------------

Legacy IR No:	2001-N-0460	Incident ID:	
Status:		Incident Address 1:	4000 University Drive
Incident Type:	Water	Incident Address 2:	
Incident Subtype:	SSO	FIPS City County:	Fairfax County
Effect to Receptor:		Region:	Northern
Incident Dte Time:	1/16/2001	Closure Date:	1/16/2001
CallRecvdDteTime:	1/16/2001	Impacts:	
OngoingAtCallDt?:		Other Impacts:	
EPA ID:		Steps Taken:	
SSORS ID:		System Structure:	
HMVA No:		Oth Sys Structure:	
NRC ID:		Weather Status:	
Agencies Notified?:	NO	Wet Weather Event:	
Threat to:		Precipitation Inch:	
Terrorism?:	NO	Discharge Type:	
Charactriz Incdnt:		Dischrg Vol Gal:	
Quantity Units:		Discharge Treated:	
High Qty to Water:		Unkwn Discharge?:	NO
Low Qty to Water:		Sewage Related?:	
Water Body:		Permitted?:	YES
CallReportedAnon?:		Facility Name:	
CallPrptyOwnrUnkn?:		Property Owner:	
Call PRP Unknown?:		PrprtyOwnrOrgnztn:	
Call Rprtd by Org?:	Calvin Hedgepeth	Event Duration Hrs:	
CallPrprtyOwnrOrg:		Received By:	
Call Prop Owner Nm:		Materials:	Sewage(-1 - -1 Unknown)
CallReprtdByName:		PRP Name:	
Call PRP Name:		Participating Prgm:	
Call PRP Org:		Point X:	
PRP Organization:		Point Y:	
Associated IR:		Steps Taken Desc:	
Incident Name:	4000 University Drive		
Weather Event:			
Other Receptors:	No Stream or Storm Drain		
Other Agencies:			
Original Call Loc Desc:	4000 University Drive-4000 University Drive-Fairfax-VA--Fairfax County		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Original Call Material Desc: sewage (Qty=0)
 Cause of Event:
 Location Description:
 Closure Reason Comments: See Site Summary for details
 Description of Incident:
 Site Summary Notes:

Corrective Action Taken:

Original Call Incident Descri:

<u>3</u>	2 of 2	SW	0.01 / 76.11	422.55 / 6	4000 University Drive 4000 University Drive Fairfax VA	SPILLS
----------	--------	----	--------------	------------	--	--------

Legacy IR No: 2001-N-0460
 Status: Closed
 Incident Type: SSO(Water)
 Incident Subtype:
 Effect to Receptor:
 Incident Dte Time: 01/16/2001 12:00
 CallRecvdDteTime: 01/16/2001 12:00
 OngoingAtCallDt?: No
 EPA ID:
 SSORS ID:
 HMVA No:
 NRC ID:
 Agencies Notified?:
 Threat to:
 Terrorism?:
 Charactriz Incdnt:
 Quantity Units:
 High Qty to Water:
 Low Qty to Water:
 Water Body:
 CallReportedAnon?:
 CallPrptyOwnrUnkn?:
 Call PRP Unknown?:
 Call Rprtd by Org?: Calvin Hedgepeth
 CallPrptyOwnrOrg:
 Call Prop Owner Nm:
 CallReprtdByName:
 Call PRP Name:
 Call PRP Org:
 PRP Organization:
 Associated IR:
 Incident Name: 4000 University Drive
 Weather Event:
 Other Receptors: No Stream or Storm Drain
 Other Agencies:
 Original Call Loc Desc: 4000 University Drive-4000 University Drive-Fairfax-VA--Fairfax County
 Original Call Material Desc: sewage (Qty=0)
 Cause of Event:
 Location Description: 4000 University Drive-4000 University Drive-Fairfax-VA--Fairfax County
 Closure Reason Comments: See Site Comments for details
 Description of Incident:
 Original Call Incident Descri:

Incident ID: 257521
 Incident Address 1: 4000 University Drive
 Incident Address 2:
 FIPS City County: 059/Fairfax County
 Region: Northern
 Closure Date: 1/16/2001
 Impacts:
 Other Impacts:
 Steps Taken:
 System Structure:
 Oth Sys Structure:
 Weather Status:
 Wet Weather Event: No
 Precipitation Inch:
 Discharge Type:
 Dischrg Vol Gal:
 Discharge Treated:
 Unkwn Discharge?:
 Sewage Related?: Yes
 Permitted?: No
 Facility Name:
 Property Owner:
 PrprtyOwnrOrgnzt:
 Event Duration Hrs:
 Received By:
 Materials: Sewage
 PRP Name:
 Participating Prgm:
 Point X:
 Point Y:
 Steps Taken Desc:

called in by Bill Thomas. Paper/Soad/Grease in line, line may be broken and need to be replaced. Will TV the line on 1/17/01. Line was rodded. Flow restored 1/16/01 at 1430, no lime samples

Site Summary Notes:

Corrective Action Taken:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<u>4</u>	1 of 2	NNW	0.02 / 95.95	407.99 / -9	SIPAN SERVICE STATION 3970 University Dr Fairfax VA 22030	UST

Facility ID: 3009480
CEDS Facility ID: 200000074514
Facility Type: GAS STATION
Active UST: 0
Inactive UST: 5
Active AST: 0
Inactive AST: 0
Facility Active: No
Federally Regulated: Yes
Facility Name (HUB): SIPAN SERVICE STATION
Facility Addr 1 (HUB): 3970 University Dr
Facility Addr 2 (HUB):
Facility City (HUB): Fairfax
County Name (HUB): Fairfax City
Facility Location (HUB): 3970 University Dr
Facility ID No (Red Tagged):
Facility Name (Red Tagged):
Facility Address (Red Tagged):
Source: Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities

Name: SIPAN SERVICE STATION
Address 1: 3970 University Dr
Address 2:
City: Fairfax
ZIP: 22030
County: Fairfax City
Region: NVRO
Parent Reg Alt Desc: Northern
State: VA
Latitude (HUB): 38.8470230009204
Longitude (HUB): -77.3049869998146
Facility State (HUB): VA
Facility ZIP 5 (HUB): 22030

Tank Information

Tank Type: UST
Tank No: 2
Tank Owner ID: 35911

Tank Details

Tank Status: REM FROM GRD
Install Date: 4/29/1966
Date Closed: 6/1/1992
Fed Regulated Tank: Yes
Capacity: 6000
Contents: GASOLINE
Other Contents:

Tank Materials

Asphalt/Bare Steel: Yes
CCP/STI-P3: No
Composite: No
Fiberglass: No
Lined Interior: No
Double Walled: No
Other: No
Other Specify:

Impressed Curr: No
Polyethyl Jacket: No
Concrete: No
Excavation Liner: No
Secondary Contain: No
Repaired: No
Unknown: No

Pipe Materials

Piping Type: UNKNOWN
Asphalt/Bare Steel: No
Galvanized Steel: Yes
Fiberglass: No
Copper: No
Other: No
Other Specify:

Cathodically Protect: No
Double Walled: No
Impressed Current: No
Polyflexible: No
Secondary Contain: No
Repaired: No
Unknown: No

Tank/Pipe Release Detection

Manual Gauging: No
Tightness Testing: No
Inventory Controls: No
ATG: No
Tank Rd Sir: No
Leak Deferred: No
Other: No
Other Specify:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Vapor Monitoring:	No				Spill Device Install:	No
Groundwater Monitor:	No				Overfill Device Install:	No
IM Dbl Walled:	No				Overfill Type:	
IM Sec Contain:	No				Overfill Other Specify:	
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	35911
Tank No:	3		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/29/1966	Contents:	GASOLINE
Date Closed:	6/1/1992	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:			
Pipe RD ATG:			
Pipe RD GW Monitor:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	35911
Tank No:	4		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/29/1966	Contents:	GASOLINE
Date Closed:	6/1/1992	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			

Map Key Number of Direction Distance Elev/Diff Site DB
Records (mi/ft) (ft)

Pipe RD Other: No
Pipe RD Other Specify:

Tank Information

Tank Type: UST Tank Owner ID: 35911
Tank No: 1

Tank Details

Tank Status: REM FROM GRD Capacity: 8000
Install Date: 4/29/1980 Contents: GASOLINE
Date Closed: 6/1/1992 Other Contents:
Fed Regulated Tank: Yes

Tank Materials

Asphalt/Bare Steel: Yes Impressed Curr: No
CCP/STI-P3: No Polyethyl Jacket: No
Composite: No Concrete: No
Fiberglass: No Excavation Liner: No
Lined Interior: No Secondary Contain: No
Double Walled: No Repaired: No
Other: No Unknown: No
Other Specify:

Pipe Materials

Piping Type: UNKNOWN Cathodically Protect: No
Asphalt/Bare Steel: No Double Walled: No
Galvanized Steel: Yes Impressed Current: No
Fiberglass: No Polyflexible: No
Copper: No Secondary Contain: No
Other: No Repaired: No
Other Specify: Unknown: No

Tank/Pipe Release Detection

Manual Gauging: No Tank Rd Sir: No
Tightness Testing: No Leak Deferred: No
Inventory Controls: No Other: No
ATG: No Other Specify:
Vapor Monitoring: No Spill Device Install: No
Groundwater Monitor: No Overfill Device Install: No
IM Dbl Walled: No Overfill Type:
IM Sec Contain: No Overfill Other Specify:
Pipe RD MTD: No
Pipe RD ATG:
Pipe RD GW Monitor: No
Pipe RD Vap Monitor: No
Pipe RD IM Dbl Wall: No
Pipe RD IM Sec Contain: No
Pipe RD ALLD: No
Pipe RD Tightness Test: No
Pipe RD Sir: No
Pipe RD Leak Deferred:
Pipe RD Other: No
Pipe RD Other Specify:

Tank Information

Tank Type: UST Tank Owner ID: 35911

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank No: 5

Tank Details

Tank Status:	REM FROM GRD	Capacity:	500
Install Date:	4/29/1966	Contents:	USED OIL
Date Closed:	6/1/1992	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:	No		
Pipe RD Other:	No		
Pipe RD Other Specify:			

Owner

Tank Owner ID:	35911	Owner Address 1:	3970 UNIVERSITY DR.
No of Active AST:	0	Owner Address 2:	FAIRFAX
No of Active UST:	0	Owner City:	FAIRFAX
No of Inactive AST:	0	Owner State:	VA
No of Inactive UST:	5	Owner ZIP 5:	22030
Federal Regulated:	Yes	Owner ZIP 4:	
Region:	NVRO	Owner Type:	COMMERCIAL
Owner Name:	TEPCO INTERNATIONAL	Facility Active?:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Name: SIPAN SERVICE STATION

Data Hub - Registered Tanks Detail

Fac ID 1:	3009480	Changed By:	
CEDS Fac:	200000074514	Verify Date:	
Reference Point:		Verified By:	
Inserted Date:		X:	-8605551.7886
Inserted By:		Y:	4699782.5585
Changed Date:			

<u>4</u>	2 of 2	NNW	0.02 / 95.95	407.99 / -9	Sipan Service Station 3970 University Dr Fairfax VA 22030	LST
----------	--------	-----	--------------	-------------	---	-----

CEDS Fac ID:	200000074514	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	10/28/2008	Deferred UST 1:	No
Release Reported:	6/17/1992	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	Yes
Heat Oil Category:	Category 2	Small Ht Oil AST 2:	No
PC No :	19922318	Regulated AST3:	No
Site Name:	Sipan Service Station	Unregulated AST3:	No
Address :	3970 University Dr	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	19922318		
Rst Name (Hub):	Sipan Service Station		
Fac L Addr 1 (Hub):	3970 University Dr		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000074514	Des First Name:	William (Randy)
Rst Poll Cmpld No:	19922318	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	wrchapman
Rst Rls Reported:	1992/06/17 00:00:00+00	Changed Date:	2006/02/24 00:00:00+00
Rst Case Closed:	2008/10/28 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	2	Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8470012137702
Rst Response:		Longitude:	-77.3051708481224
Reference Point:			
Rst Name:	Sipan Service Station		
Fac Location:	3970 University Dr		
X:	-8605572.2545		
Y:	4699779.4444		

<u>5</u>	1 of 1	SW	0.02 / 130.46	423.47 / 7	Ellicott Office Condominiums 4002 University Dr Fairfax VA 22030	LST
----------	--------	----	---------------	------------	--	-----

CEDS Fac ID:	200000185550	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	12/5/2013	Deferred UST 1:	No
Release Reported:	12/9/1993	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	Yes

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Heat Oil Category:	Category 2				Small Ht Oil AST 2:	No
PC No :	19941242				Regulated AST3:	No
Site Name:	Ellicott Office Condominiums				Unregulated AST3:	No
Address :	4002 University Dr				Other Tank Type:	No
City :	Fairfax				Oth Tank Type Desc:	
ZIP :	22030				Unknown Tank Type:	No
County :	Fairfax County				Region:	NRO
PC No (Hub):	19941242					
Rst Name (Hub):	Ellicott Office Condominiums					
Fac L Addr 1 (Hub):	4002 University Dr					
Fac L City (Hub):	Fairfax					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax County					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000185550	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19941242	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	jrmoldliszewski
Rst Rls Reported:	1993/12/09 00:00:00+00	Changed Date:	2006/02/01 00:00:00+00
Rst Case Closed:	2013/12/05 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	2	Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8458614267866
Rst Response:		Longitude:	-77.3056058878415
Reference Point:			
Rst Name:	Ellicott Office Condominiums		
Fac Location:	4002 University Dr		
X:	-8605620.6829		
Y:	4699616.5327		

<u>6</u>	1 of 4	ESE	0.04 / 195.97	431.73 / 15	AMOCO OIL CO #1666-TANKS 10367 MAIN ST FAIRFAX VA 22030	RCRA NON GEN
----------	--------	------------	----------------------	--------------------	--	-------------------------

EPA Handler ID:	VAD988199048
Gen Status Universe:	No Report
Contact Name:	TONI DOUGHERTY
Contact Address:	10367 MAIN ST , , FAIRFAX , VA, 22030 , US
Contact Phone No and Ext:	301-625-7858
Contact Email:	
Contact Country:	US
County Name:	FAIRFAX CITY
EPA Region:	03
Land Type:	
Receive Date:	20110801
Location Latitude:	
Location Longitude:	

Violation/Evaluation Summary

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated Jan, 2023.

Evaluation Details

Evaluation Start Date:	20110727
Evaluation Type Description:	FOCUSED COMPLIANCE INSPECTION
Violation Short Description:	
Return to Compliance Date:	
Evaluation Agency:	State

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20110801
Handler Name: AMOCO OIL CO #1666-TANKS
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19910424
Handler Name: AMOCO OIL CO #1666-TANKS
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D018
Waste Code Description: BENZENE

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: STE 1500 ONE N CHARLES ST
Name: AMOCO OIL COMPANY	Street 2:
Date Became Current:	City: BALTIMORE
Date Ended Current:	State: MD
Phone: 301-625-7856	Country:
Source Type: Notification	Zip Code: 21201

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: STE 1500 ONE N CHARLES ST
Name: AMOCO OIL COMPANY	Street 2:
Date Became Current:	City: BALTIMORE
Date Ended Current:	State: MD
Phone: 301-625-7856	Country:
Source Type: Implementer	Zip Code: 21201

Owner/Operator Ind: Current Operator	Street No:
---	-------------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Type:	Private	Street 1:	OPERSTREET
Name:	OPERNAME	Street 2:	
Date Became Current:		City:	OPERCITY
Date Ended Current:		State:	AK
Phone:	215-555-1212	Country:	
Source Type:	Implementer	Zip Code:	99999
Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	OPERSTREET
Name:	OPERNAME	Street 2:	
Date Became Current:		City:	OPERCITY
Date Ended Current:		State:	AK
Phone:	215-555-1212	Country:	
Source Type:	Notification	Zip Code:	99999

Historical Handler Details

Receive Dt: 19910424
 Generator Code Description: Small Quantity Generator
 Handler Name: AMOCO OIL CO #1666-TANKS

<u>6</u>	2 of 4	ESE	0.04 / 195.97	431.73 / 15	BP Amoco Station #1666 10367 Main St Fairfax VA 22030	UST
----------	--------	-----	---------------	-------------	---	-----

Facility ID:	3003721	Name:	BP Amoco Station #1666
CEDS Facility ID:	200000088076	Address 1:	10367 Main St
Facility Type:	GAS STATION	Address 2:	
Active UST:	0	City:	Fairfax
Inactive UST:	4	ZIP:	22030
Active AST:	0	County:	Fairfax City
Inactive AST:	0	Region:	NVRO
Facility Active:	No	Parent Reg Alt Desc:	Northern
Federally Regulated:	Yes	State:	VA
Facility Name (HUB):	BP Amoco Station #1666	Latitude (HUB):	38.8450170019559
Facility Addr 1 (HUB):	10367 Main St	Longitude (HUB):	-77.3010980016085
Facility Addr 2 (HUB):		Facility State (HUB):	VA
Facility City (HUB):	Fairfax	Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City		
Facility Location (HUB):	10367 Main St		
Facility ID No (Red Tagged):			
Facility Name (Red Tagged):			
Facility Address (Red Tagged):			
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities		

Tank Information

Tank Type:	UST	Tank Owner ID:	40055
Tank No:	R2		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	10000
Install Date:	2/26/1985	Contents:	GASOLINE
Date Closed:	9/6/2000	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	No
CCP/STI-P3:	Yes	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No

Lined Interior:	No				Secondary Contain:	No
Double Walled:	No				Repaired:	No
Other:	No				Unknown:	No
Other Specify:						

Pipe Materials

Piping Type:	PRESSURE				Cathodically Protect:	No
Asphalt/Bare Steel:	No				Double Walled:	No
Galvanized Steel:	No				Impressed Current:	
Fiberglass:	Yes				Polyflexible:	No
Copper:	No				Secondary Contain:	No
Other:	No				Repaired:	No
Other Specify:					Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No				Tank Rd Sir:	No
Tightness Testing:	Yes				Leak Deferred:	No
Inventory Controls:	Yes				Other:	No
ATG:	No				Other Specify:	
Vapor Monitoring:	No				Spill Device Install:	Yes
Groundwater Monitor:	No				Overfill Device Install:	Yes
IM Dbl Walled:	No				Overfill Type:	
IM Sec Contain:	No				Overfill Other Specify:	
Pipe RD MTD:	No					
Pipe RD ATG:						
Pipe RD GW Monitor:	No					
Pipe RD Vap Monitor:	No					
Pipe RD IM Dbl Wall:	No					
Pipe RD IM Sec Contain:	No					
Pipe RD ALLD:	Yes					
Pipe RD Tightness Test:	Yes					
Pipe RD Sir:	No					
Pipe RD Leak Deferred:						
Pipe RD Other:	No					
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST				Tank Owner ID:	40055
Tank No:	R4					

Tank Details

Tank Status:	REM FROM GRD				Capacity:	550
Install Date:	2/26/1985				Contents:	USED OIL
Date Closed:	9/6/2000				Other Contents:	
Fed Regulated Tank:	Yes					

Tank Materials

Asphalt/Bare Steel:	No				Impressed Curr:	No
CCP/STI-P3:	Yes				Polyethyl Jacket:	No
Composite:	No				Concrete:	No
Fiberglass:	No				Excavation Liner:	No
Lined Interior:	No				Secondary Contain:	No
Double Walled:	No				Repaired:	No
Other:	No				Unknown:	No
Other Specify:						

Pipe Materials

Piping Type:	GRAVITY	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	Yes	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	Yes
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			
Pipe RD Other:	No		
Pipe RD Other Specify:			

Tank Information

Tank Type:	UST	Tank Owner ID:	40055
Tank No:	R3		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	10000
Install Date:	2/26/1985	Contents:	GASOLINE
Date Closed:	9/6/2000	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	No
CCP/STI-P3:	Yes	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	PRESSURE	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No

Other Specify: Unknown: No

Tank/Pipe Release Detection

Manual Gauging:	No		Tank Rd Sir:	No
Tightness Testing:	Yes		Leak Deferred:	No
Inventory Controls:	Yes		Other:	No
ATG:	No		Other Specify:	
Vapor Monitoring:	No		Spill Device Install:	Yes
Groundwater Monitor:	No		Overfill Device Install:	Yes
IM Dbl Walled:	No		Overfill Type:	
IM Sec Contain:	No		Overfill Other Specify:	
Pipe RD MTD:		No		
Pipe RD ATG:				
Pipe RD GW Monitor:		No		
Pipe RD Vap Monitor:		No		
Pipe RD IM Dbl Wall:		No		
Pipe RD IM Sec Contain:		No		
Pipe RD ALLD:		Yes		
Pipe RD Tightness Test:		Yes		
Pipe RD Sir:		No		
Pipe RD Leak Deferred:				
Pipe RD Other:		No		
Pipe RD Other Specify:				

Tank Information

Tank Type:	UST	Tank Owner ID:	40055
Tank No:	R1		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	10000
Install Date:	2/26/1985	Contents:	GASOLINE
Date Closed:	9/6/2000	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	No
CCP/STI-P3:	Yes	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	PRESSURE	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	Yes	Leak Deferred:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Inventory Controls:	Yes				Other:	No
ATG:	No				Other Specify:	
Vapor Monitoring:	No				Spill Device Install:	Yes
Groundwater Monitor:	No				Overfill Device Install:	Yes
IM Dbl Walled:	No				Overfill Type:	
IM Sec Contain:	No				Overfill Other Specify:	
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		Yes				
Pipe RD Tightness Test:		Yes				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Owner

Tank Owner ID:	40055	Owner Address 1:	PO Box 6038
No of Active AST:	0	Owner Address 2:	
No of Active UST:	0	Owner City:	Artesia
No of Inactive AST:	0	Owner State:	CA
No of Inactive UST:	4	Owner ZIP 5:	90702
Federal Regulated:	Yes	Owner ZIP 4:	
Region:	NVRO	Owner Type:	COMMERCIAL
Owner Name:	BP Products North America Incorporated	Facility Active?:	No
Name:	BP Amoco Station #1666		

Data Hub - Registered Tanks Detail

Fac ID 1:	3003721	Changed By:	
CEDS Fac:	200000088076	Verify Date:	
Reference Point:		Verified By:	
Inserted Date:		X:	-8605118.8673
Inserted By:		Y:	4699495.8393
Changed Date:			

6 3 of 4 **ESE** 0.04 / 195.97 431.73 / 15 **Amoco 1666** **LST**
10367 Main St
Fairfax VA 22030

CEDS Fac ID:	200000088076	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	4/24/1986	Deferred UST 1:	No
Release Reported:	1/31/1986	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19869995	Regulated AST3:	No
Site Name:	Amoco 1666	Unregulated AST3:	No
Address :	10367 Main St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	19869995		
Rst Name (Hub):	Amoco 1666		
Fac L Addr 1 (Hub):	10367 Main St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000088076	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19869995	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	wrchapman
Rst Rls Reported:	1986/01/31 00:00:00+00	Changed Date:	2006/02/24 00:00:00+00
Rst Case Closed:	1986/04/24 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	3	Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8455812258407
Rst Response:		Longitude:	-77.3042699160458
Reference Point:			
Rst Name:	Amoco 1666		
Fac Location:	10367 Main St		
X:	-8605471.9632		
Y:	4699576.4835		

<u>6</u>	4 of 4	ESE	0.04 / 195.97	431.73 / 15	Amoco 1666 10367 Main St Fairfax VA 22030	LST
----------	--------	-----	---------------	-------------	---	-----

GEDS Fac ID:	200000088076	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	Yes
Case Closed Date:	2/24/2014	Deferred UST 1:	No
Release Reported:	7/14/2000	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	20013007	Regulated AST3:	No
Site Name:	Amoco 1666	Unregulated AST3:	No
Address :	10367 Main St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	20013007		
Rst Name (Hub):	Amoco 1666		
Fac L Addr 1 (Hub):	10367 Main St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000088076	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20013007	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	wrchapman
Rst Rls Reported:	2000/07/14 00:00:00+00	Changed Date:	2006/02/24 00:00:00+00
Rst Case Closed:	2014/02/24 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	2	Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8456222032306
Rst Response:		Longitude:	-77.3044096723445
Reference Point:			
Rst Name:	Amoco 1666		
Fac Location:	10367 Main St		
X:	-8605487.5208		
Y:	4699582.3404		

<u>7</u>	1 of 2	E	0.05 / 263.54	427.48 / 11	Old Town Redevelopment Utility Work Old Lee Highway between North St	SPILLS
----------	--------	---	---------------	-------------	---	--------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					& Main St Fairfax VA	
Legacy IR No:	2006-N-0402				Incident ID:	
Status:					Incident Address 1:	Old Lee Highway between North St & Main St
Incident Type:	Petroleum				Incident Address 2:	
Incident Subtype:	Petroleum				FIPS City County:	Fairfax City
Effect to Receptor:					Region:	Northern
Incident Dte Time:					Closure Date:	11/14/2005
CallRecvdDteTime:	11/10/2005				Impacts:	
OngoingAtCallDt?:					Other Impacts:	
EPA ID:					Steps Taken:	
SSORS ID:					System Structure:	
HMVA No:					Oth Sys Structure:	
NRC ID:					Weather Status:	
Agencies Notified?:	NO				Wet Weather Event:	
Threat to:					Precipitation Inch:	
Terrorism?:	NO				Discharge Type:	
Charactriz Incdnt:					Dischrg Vol Gal:	
Quantity Units:					Discharge Treated:	
High Qty to Water:					Unkwn Discharge?:	NO
Low Qty to Water:					Sewage Related?:	
Water Body:					Permitted?:	NO
CallReportedAnon?:					Facility Name:	
CallPrptyOwnrUnkn?:					Property Owner:	
Call PRP Unknown?:					PrprtyOwnrOrgnztm:	
Call Rprtd by Org?:	Lt Gary Lewis				Event Duration Hrs:	
CallPrprtyOwnrOrg:					Received By:	
Call Prop Owner Nm:					Materials:	Oil Contaminated Soil(-1 - -1 Unknown)
CallReprtdByName:					PRP Name:	
Call PRP Name:					Participating Prgm:	
Call PRP Org:					Point X:	
PRP Organization:					Point Y:	
Associated IR:					Steps Taken Desc:	
Incident Name:	Old Town Redevelopment Utility Work					
Weather Event:						
Other Receptors:						
Other Agencies:						
Original Call Loc Desc:	Old Town Redevelopment Utility Work-Old Lee Highway between North St & Main St-Fairfax-VA--Fairfax City					
Original Call Material Desc:	Petro contaminated soil					
Cause of Event:						
Location Description:						
Closure Reason Comments:	See Site Summary for details					
Description of Incident:	Contaminated soil encountered between 0-5' below grade; no analytical yet. Installing new manhole for Dominion Power line. Public Works to send someone to review our case files.					
Original Call Incident Descri:						
Site Summary Notes:						
Corrective Action Taken:						

<u>7</u>	2 of 2	E	0.05 / 263.54	427.48 / 11	Old Town Redevelopment Utility Work Old Lee Highway between North St & Main St Fairfax VA	SPILLS
Legacy IR No:	2006-N-0402				Incident ID:	261883
Status:	Closed				Incident Address 1:	Old Lee Highway between North St & Main St
Incident Type:	Petroleum(Petroleum)				Incident Address 2:	
Incident Subtype:					FIPS City County:	600/Fairfax City
Effect to Receptor:					Region:	Northern
Incident Dte Time:					Closure Date:	11/14/2005
CallRecvdDteTime:	11/10/2005 12:00				Impacts:	
OngoingAtCallDt?:	No				Other Impacts:	
EPA ID:					Steps Taken:	
SSORS ID:					System Structure:	
HMVA No:					Oth Sys Structure:	

NRC ID:
Agencies Notified?:
Threat to:
Terrorism?:
Charactriz Incdnt:
Quantity Units:
High Qty to Water:
Low Qty to Water:
Water Body:
CallReportedAnon?:
CallPrptyOwnrUnkn?:
Call PRP Unknown?:
Call Rprtd by Org?: Lt Gary Lewis
CallPrprtyOwnrOrg:
Call Prop Owner Nm:
CallReprtdByName:
Call PRP Name:
Call PRP Org:
PRP Organization:
Associated IR:
Incident Name: Old Town Redevelopment Utility Work
Weather Event:
Other Receptors:
Other Agencies:
Original Call Loc Desc: Old Town Redevelopment Utility Work-Old Lee Highway between North St & Main St-Fairfax-VA--Fairfax City
Original Call Material Desc: Petro contaminated soil
Cause of Event:
Location Description: Old Town Redevelopment Utility Work-Old Lee Highway between North St & Main St-Fairfax-VA--Fairfax City
Closure Reason Comments: See Site Comments for details
Description of Incident:
Original Call Incident Descri:

Contractor working for City encountered contaminated soil (Petroleum Odor). Work was stopped & clean fill put in hole before steel plates put on for temporary road surface.

Site Summary Notes:

Contaminated soil encountered between 0-5' below grade; no analytical yet. Installing new manhole for Dominion Power line. Public Works to send someone to review our case files.

Corrective Action Taken:

<u>8</u>	1 of 3	ESE	0.07 / 356.55	429.28 / 12	Fairfax City Shell Service Station 10341 Main St Fairfax VA 22030	UST
----------	--------	-----	---------------	-------------	---	-----

Facility ID:	3014293	Name:	Fairfax City Shell Service Station
CEDS Facility ID:	200000194034	Address 1:	10341 Main St
Facility Type:	GAS STATION	Address 2:	
Active UST:	0	City:	Fairfax
Inactive UST:	10	ZIP:	22030
Active AST:	0	County:	Fairfax City
Inactive AST:	0	Region:	NVRO
Facility Active:	No	Parent Reg Alt Desc:	Northern
Federally Regulated:	Yes	State:	VA
Facility Name (HUB):	Fairfax City Shell Service Station	Latitude (HUB):	38.84480700068
Facility Addr 1 (HUB):	10341 Main St	Longitude (HUB):	-77.3003219991369
Facility Addr 2 (HUB):		Facility State (HUB):	VA
Facility City (HUB):	Fairfax	Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City		
Facility Location (HUB):	10341 Main St		
Facility ID No (Red Tagged):			
Facility Name (Red Tagged):			
Facility Address (Red Tagged):			
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities		

Tank Information

Tank Type:	UST	Tank Owner ID:	34168
Tank No:	R1		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/16/1961	Contents:	GASOLINE
Date Closed:	12/1/1989	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	No
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:	No		
Pipe RD Other:	No		
Pipe RD Other Specify:			

Tank Information

Tank Type:	UST	Tank Owner ID:	39588
Tank No:	2		

Tank Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Status:	REM FROM GRD	Capacity:	12000
Install Date:	1/1/1990	Contents:	GASOLINE
Date Closed:	2/21/2007	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	Yes	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	Yes	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	PRESSURE	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	Yes
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	Yes	Other:	No
ATG:	Yes	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	Yes
Groundwater Monitor:	No	Overfill Device Install:	Yes
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	Yes		
Pipe RD Tightness Test:	Yes		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:	No		
Pipe RD Other:	No		
Pipe RD Other Specify:			

Tank Information

Tank Type:	UST	Tank Owner ID:	39588
Tank No:	1		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	12000
Install Date:	1/1/1990	Contents:	GASOLINE
Date Closed:	2/21/2007	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Asphalt/Bare Steel:	No				Impressed Curr:	No
CCP/STI-P3:	No				Polyethyl Jacket:	No
Composite:	No				Concrete:	No
Fiberglass:	Yes				Excavation Liner:	No
Lined Interior:	No				Secondary Contain:	No
Double Walled:	Yes				Repaired:	No
Other:	No				Unknown:	No
Other Specify:						

Pipe Materials

Piping Type:	PRESSURE				Cathodically Protect:	No
Asphalt/Bare Steel:	No				Double Walled:	Yes
Galvanized Steel:	No				Impressed Current:	
Fiberglass:	Yes				Polyflexible:	No
Copper:	No				Secondary Contain:	No
Other:	No				Repaired:	No
Other Specify:					Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No				Tank Rd Sir:	No
Tightness Testing:	No				Leak Deferred:	No
Inventory Controls:	Yes				Other:	No
ATG:	Yes				Other Specify:	
Vapor Monitoring:	No				Spill Device Install:	Yes
Groundwater Monitor:	No				Overfill Device Install:	Yes
IM Dbl Walled:	No				Overfill Type:	
IM Sec Contain:	No				Overfill Other Specify:	
Pipe RD MTD:	No					
Pipe RD ATG:						
Pipe RD GW Monitor:	No					
Pipe RD Vap Monitor:	No					
Pipe RD IM Dbl Wall:	No					
Pipe RD IM Sec Contain:	No					
Pipe RD ALLD:	Yes					
Pipe RD Tightness Test:	Yes					
Pipe RD Sir:	No					
Pipe RD Leak Deferred:						
Pipe RD Other:	No					
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST				Tank Owner ID:	39588
Tank No:	3					

Tank Details

Tank Status:	REM FROM GRD				Capacity:	12000
Install Date:	1/1/1990				Contents:	GASOLINE
Date Closed:	2/21/2007				Other Contents:	
Fed Regulated Tank:	Yes					

Tank Materials

Asphalt/Bare Steel:	No				Impressed Curr:	No
CCP/STI-P3:	No				Polyethyl Jacket:	No
Composite:	No				Concrete:	No
Fiberglass:	Yes				Excavation Liner:	No
Lined Interior:	No				Secondary Contain:	No
Double Walled:	Yes				Repaired:	No

Other: No Unknown: No
 Other Specify:

Pipe Materials

Piping Type:	PRESSURE	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	Yes
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	Yes	Other:	No
ATG:	Yes	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	Yes
Groundwater Monitor:	No	Overfill Device Install:	Yes
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	Yes		
Pipe RD Tightness Test:	Yes		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			
Pipe RD Other:	No		
Pipe RD Other Specify:			

Tank Information

Tank Type:	UST	Tank Owner ID:	34168
Tank No:	R3		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/16/1961	Contents:	GASOLINE
Date Closed:	12/1/1989	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
--------------	---------	-----------------------	----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Asphalt/Bare Steel:	No				Double Walled:	No
Galvanized Steel:	Yes				Impressed Current:	
Fiberglass:	No				Polyflexible:	No
Copper:	No				Secondary Contain:	No
Other:	No				Repaired:	No
Other Specify:					Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No				Tank Rd Sir:	No
Tightness Testing:	No				Leak Deferred:	No
Inventory Controls:	No				Other:	No
ATG:	No				Other Specify:	
Vapor Monitoring:	No				Spill Device Install:	No
Groundwater Monitor:	No				Overfill Device Install:	No
IM Dbl Walled:	No				Overfill Type:	
IM Sec Contain:	No				Overfill Other Specify:	
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	34168
Tank No:	R4		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/16/1961	Contents:	GASOLINE
Date Closed:	12/1/1989	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No			Tank Rd Sir:	No
Tightness Testing:	No			Leak Deferred:	No
Inventory Controls:	No			Other:	No
ATG:	No			Other Specify:	
Vapor Monitoring:	No			Spill Device Install:	No
Groundwater Monitor:	No			Overfill Device Install:	No
IM Dbl Walled:	No			Overfill Type:	
IM Sec Contain:	No			Overfill Other Specify:	
Pipe RD MTD:	No	No			
Pipe RD ATG:					
Pipe RD GW Monitor:	No				
Pipe RD Vap Monitor:	No				
Pipe RD IM Dbl Wall:	No				
Pipe RD IM Sec Contain:	No				
Pipe RD ALLD:	No				
Pipe RD Tightness Test:	No				
Pipe RD Sir:	No				
Pipe RD Leak Deferred:					
Pipe RD Other:	No				
Pipe RD Other Specify:					

Tank Information

Tank Type:	UST	Tank Owner ID:	39588
Tank No:	4		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	1000
Install Date:	1/1/1990	Contents:	USED OIL
Date Closed:	2/21/2007	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	Yes	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	Yes	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	GRAVITY	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	Yes
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Vapor Monitoring:	No				Spill Device Install:	Yes
Groundwater Monitor:	No				Overfill Device Install:	No
IM Dbl Walled:	Yes				Overfill Type:	
IM Sec Contain:	Yes				Overfill Other Specify:	
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		Yes				
Pipe RD Tightness Test:		Yes				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	34168
Tank No:	R2		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/16/1961	Contents:	GASOLINE
Date Closed:	12/1/1989	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:			
Pipe RD ATG:			
Pipe RD GW Monitor:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	34168
Tank No:	R5		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	4000
Install Date:	4/17/1971	Contents:	GASOLINE
Date Closed:	12/1/1989	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Pipe RD Other: No
Pipe RD Other Specify:

Tank Information

Tank Type: UST Tank Owner ID: 34168
Tank No: R6

Tank Details

Tank Status: REM FROM GRD Capacity: 550
Install Date: 4/16/1964 Contents: USED OIL
Date Closed: 12/1/1989 Other Contents:
Fed Regulated Tank: Yes

Tank Materials

Asphalt/Bare Steel: Yes	Impressed Curr: No
CCP/STI-P3: No	Polyethyl Jacket: No
Composite: No	Concrete: No
Fiberglass: No	Excavation Liner: No
Lined Interior: No	Secondary Contain: No
Double Walled: No	Repaired: No
Other: No	Unknown: No

Other Specify:

Pipe Materials

Piping Type: UNKNOWN	Cathodically Protect: No
Asphalt/Bare Steel: No	Double Walled: No
Galvanized Steel: Yes	Impressed Current: No
Fiberglass: No	Polyflexible: No
Copper: No	Secondary Contain: No
Other: No	Repaired: No

Other Specify: Unknown: No

Tank/Pipe Release Detection

Manual Gauging: No	Tank Rd Sir: No
Tightness Testing: No	Leak Deferred: No
Inventory Controls: No	Other: No
ATG: No	Other Specify: No
Vapor Monitoring: No	Spill Device Install: No
Groundwater Monitor: No	Overfill Device Install: No
IM Dbl Walled: No	Overfill Type: No
IM Sec Contain: No	Overfill Other Specify:
Pipe RD MTD: No	
Pipe RD ATG: No	
Pipe RD GW Monitor: No	
Pipe RD Vap Monitor: No	
Pipe RD IM Dbl Wall: No	
Pipe RD IM Sec Contain: No	
Pipe RD ALLD: No	
Pipe RD Tightness Test: No	
Pipe RD Sir: No	
Pipe RD Leak Deferred: No	
Pipe RD Other: No	

Pipe RD Other Specify:

Owner

Tank Owner ID: 39588 Owner Address 1: 3800 Pickett Rd

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

No of Active AST:	0				Owner Address 2:	
No of Active UST:	0				Owner City:	Fairfax
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	10				Owner ZIP 5:	22031
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	Motiva Enterprises LLC				Facility Active?:	No
Name:	Fairfax City Shell Service Station					

Tank Owner ID:	34168				Owner Address 1:	3800 Pickett Rd
No of Active AST:	0				Owner Address 2:	
No of Active UST:	0				Owner City:	Fairfax
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	10				Owner ZIP 5:	22031
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	Shell Oil Company				Facility Active?:	No
Name:	Fairfax City Shell Service Station					

Data Hub - Registered Tanks Detail

Fac ID 1:	3014293			Changed By:	
CEDS Fac:	200000194034			Verify Date:	
Reference Point:				Verified By:	
Inserted Date:				X:	-8605032.4831
Inserted By:				Y:	4699465.8241
Changed Date:					

<u>8</u>	2 of 3	ESE	0.07 / 356.55	429.28 / 12	Shell Station 24530960301 10341 Main St Fairfax VA 22030	LST
----------	--------	-----	---------------	-------------	--	-----

CEDS Fac ID:	200000194034	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	12/3/1997	Deferred UST 1:	No
Release Reported:	10/13/1989	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19900451	Regulated AST3:	No
Site Name:	Shell Station 24530960301	Unregulated AST3:	No
Address :	10341 Main St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	19900451		
Rst Name (Hub):	Shell Station 24530960301		
Fac L Addr 1 (Hub):	10341 Main St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000194034	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19900451	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	wrchapman
Rst Rls Reported:	1989/10/13 00:00:00+00	Changed Date:	2006/02/24 00:00:00+00
Rst Case Closed:	1997/12/03 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	1	Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8454628111335
Rst Response:		Longitude:	-77.3038625767769

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Reference Point:

Rst Name: Shell Station 24530960301
Fac Location: 10341 Main St
X: -8605426.6184
Y: 4699559.5585

<u>8</u>	3 of 3	ESE	0.07 / 356.55	429.28 / 12	Fairfax City Shell 10341 Main St Fairfax VA 22030	LST
----------	--------	-----	---------------	-------------	---	-----

CEDS Fac ID: 200000194034	Reg Petrol UST 1: Yes
Case Status: Closed	Excluded UST 1: No
Case Closed Date: 1/13/2010	Deferred UST 1: No
Release Reported: 2/27/2007	Exmpt 1 UST 2: No
Fed Regulated UST: Yes	Partial Defer UST 1: No
Program: RP Lead	Exmpt 2 Ht Oil UST 2: No
Heat Oil Category:	Small Ht Oil AST 2: No
PC No : 20073178	Regulated AST3: No
Site Name: Fairfax City Shell	Unregulated AST3: No
Address : 10341 Main St	Other Tank Type: No
City : Fairfax	Oth Tank Type Desc:
ZIP : 22030	Unknown Tank Type: No
County : Fairfax City	Region: NRO
PC No (Hub): 20073178	
Rst Name (Hub): Fairfax City Shell	
Fac L Addr 1 (Hub): 10341 Main St	
Fac L City (Hub): Fairfax	
Fac L ZIP 5 (Hub): 22030	
FIC Desc (Hub): Fairfax City	
Source: Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites	

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID: 200000194034	Des First Name: William (Randy)
Rst Poll Cmpl No: 20073178	Des Last Name: Chapman
Rst Status Ind: Closed	Changed by: wrchapman
Rst Rls Reported: 2007/02/27 00:00:00+00	Changed Date: 2007/06/05 00:00:00+00
Rst Case Closed: 2010/01/13 00:00:00+00	Inserted By:
Rst Suspect Cnfrmd: Confirmed	Inserted Date:
Rst Rec Code: NVRO	Verified by:
Rst Priority: 2	Verify Date:
Rst Fed Reg Tank: Yes	Latitude: 38.8454871937349
Rst Response:	Longitude: -77.3038801693834
Reference Point:	
Rst Name: Fairfax City Shell	
Fac Location: 10341 Main St	
X: -8605428.5768	
Y: 4699563.0435	

<u>9</u>	1 of 4	W	0.07 / 367.33	435.09 / 18	THE AUTO SALON LTD 10423 Main St Fairfax VA 0	DELISTED TANK
----------	--------	---	---------------	-------------	---	---------------

Delisted Tanks

Facility ID: 3003607	Active USTs:
CEDS Facility ID: 200000194035	Inactive USTs:
UST Status: Reg	Active ASTs:
AST Status: N/A	Inactive ASTs:
Facility Type: COMMERCIAL	County: Fairfax City
Facility Active:	Region: NVRO
Fed Regulated:	Parent Region:
Original Source: UST	Latitude:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Record Date: Oct 2013 **Longitude:**
Facility Name:
Facility Location:
Facility Addr 1:
Facility Addr 2:
Facility City:
Tank Owner ID: 47531
Owner Name: Ahmed Syed W
Owner Address 1: 4761 Holly Ave
Owner Address 2: NULL
Owner City: Fairfax
Owner State: VA
Owner ZIP 5: 22030
Owner ZIP 4:
Owner Type:

<u>9</u>	2 of 4	W	0.07 / 367.33	435.09 / 18	Royal Gas 10423 Main St Fairfax VA 22030	UST
----------	--------	---	---------------	-------------	--	-----

Facility ID: 3003607	Name: Royal Gas
CEDS Facility ID: 200000194035	Address 1: 10423 Main St
Facility Type: COMMERCIAL	Address 2:
Active UST: 2	City: Fairfax
Inactive UST: 5	ZIP: 22030
Active AST: 0	County: Fairfax County
Inactive AST: 0	Region: NVRO
Facility Active: Yes	Parent Reg Alt Desc: Northern
Federally Regulated: Yes	State: VA
Facility Name (HUB): Royal Gas	Latitude (HUB): 38.8474311968926
Facility Addr 1 (HUB): 10423 Main St	Longitude (HUB): -77.30569007256
Facility Addr 2 (HUB):	Facility State (HUB): VA
Facility City (HUB): Fairfax	Facility ZIP 5 (HUB): 22030
County Name (HUB): Fairfax	
Facility Location (HUB): 10423 Main St	
Facility ID No (Red Tagged):	
Facility Name (Red Tagged):	
Facility Address (Red Tagged):	
Source: Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities	

Tank Information

Tank Type: UST	Tank Owner ID: 51268
Tank No: 2	

Tank Details

Tank Status: CURR IN USE	Capacity: 6000
Install Date: 3/13/1986	Contents: GASOLINE
Date Closed:	Other Contents:
Fed Regulated Tank: Yes	

Tank Materials

Asphalt/Bare Steel: No	Impressed Curr: No
CCP/STI-P3: Yes	Polyethyl Jacket: No
Composite: No	Concrete: No
Fiberglass: No	Excavation Liner: No
Lined Interior: No	Secondary Contain: No
Double Walled: No	Repaired: No
Other: No	Unknown: No
Other Specify:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Pipe Materials

Piping Type:	PRESSURE	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	Yes
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	Yes	Repaired:	No
Other Specify:	Geoflex (no sump sensors)	Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	Yes
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	Yes
Groundwater Monitor:	No	Overfill Device Install:	
IM Dbl Walled:	No	Overfill Type:	ALARM
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	Yes		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	Yes		
Pipe RD Leak Deferred:			
Pipe RD Other:	No		
Pipe RD Other Specify:			

Tank Information

Tank Type:	UST	Tank Owner ID:	34787
Tank No:	R8		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	3000
Install Date:	1/1/1954	Contents:	GASOLINE
Date Closed:	8/1/1987	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	Yes	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Other:	No			Repaired:	No	
Other Specify:				Unknown:	No	

Tank/Pipe Release Detection

Manual Gauging:	No			Tank Rd Sir:	No	
Tightness Testing:	No			Leak Deferred:	No	
Inventory Controls:	No			Other:	No	
ATG:	No			Other Specify:		
Vapor Monitoring:	No			Spill Device Install:	No	
Groundwater Monitor:	No			Overfill Device Install:	No	
IM Dbl Walled:	No			Overfill Type:		
IM Sec Contain:	No			Overfill Other Specify:		
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST			Tank Owner ID:	51268	
Tank No:	1					

Tank Details

Tank Status:	CURR IN USE			Capacity:	6000	
Install Date:	3/13/1986			Contents:	GASOLINE	
Date Closed:				Other Contents:		
Fed Regulated Tank:	Yes					

Tank Materials

Asphalt/Bare Steel:	No			Impressed Curr:	No	
CCP/STI-P3:	Yes			Polyethyl Jacket:	No	
Composite:	No			Concrete:	No	
Fiberglass:	No			Excavation Liner:	No	
Lined Interior:	No			Secondary Contain:	No	
Double Walled:	No			Repaired:	No	
Other:	No			Unknown:	No	
Other Specify:						

Pipe Materials

Piping Type:	PRESSURE			Cathodically Protect:	No	
Asphalt/Bare Steel:	No			Double Walled:	Yes	
Galvanized Steel:	No			Impressed Current:		
Fiberglass:	No			Polyflexible:	No	
Copper:	No			Secondary Contain:	No	
Other:	Yes			Repaired:	No	
Other Specify:	Geoflex (no sump sensors)			Unknown:	No	

Tank/Pipe Release Detection

Manual Gauging:	No			Tank Rd Sir:	Yes	
-----------------	----	--	--	--------------	-----	--

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Tightness Testing:	No				Leak Deferred:	No
Inventory Controls:	No				Other:	No
ATG:	No				Other Specify:	
Vapor Monitoring:	No				Spill Device Install:	Yes
Groundwater Monitor:	No				Overfill Device Install:	
IM Dbl Walled:	No				Overfill Type:	ALARM
IM Sec Contain:	No				Overfill Other Specify:	
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		Yes				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		Yes				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	34787
Tank No:	R7		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	3000
Install Date:	1/1/1954	Contents:	GASOLINE
Date Closed:	8/1/1987	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	Yes	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Tank Information

Tank Type:	UST	Tank Owner ID:	34787
Tank No:	R4		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	3000
Install Date:	1/1/1954	Contents:	GASOLINE
Date Closed:	8/1/1987	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	Yes	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overflow Device Install:	No
IM Dbl Walled:	No	Overflow Type:	
IM Sec Contain:	No	Overflow Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		

Pipe RD Tightness Test: No
Pipe RD Sir: No
Pipe RD Leak Deferred:
Pipe RD Other: No
Pipe RD Other Specify:

Tank Information

Tank Type:	UST	Tank Owner ID:	34787
Tank No:	R5		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	3000
Install Date:	1/1/1954	Contents:	GASOLINE
Date Closed:	8/1/1987	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	Yes	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			
Pipe RD Other:	No		
Pipe RD Other Specify:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Information

Tank Type:	UST	Tank Owner ID:	34787
Tank No:	R6		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	1000
Install Date:	1/1/1954	Contents:	USED OIL
Date Closed:	8/1/1987	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:	No		
Pipe RD Other:	No		
Pipe RD Other Specify:			

Owner

Tank Owner ID:	34787	Owner Address 1:	P.O. BOX 5789
No of Active AST:	0	Owner Address 2:	
No of Active UST:	2	Owner City:	BETHESDA
No of Inactive AST:	0	Owner State:	MD
No of Inactive UST:	5	Owner ZIP 5:	20814

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	HAWLDE CORP				Facility Active?:	Yes
Name:	Royal Gas					
Tank Owner ID:	51268				Owner Address 1:	459 Herndon Pkwy Ste 21
No of Active AST:	0				Owner Address 2:	
No of Active UST:	2				Owner City:	Herndon
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	5				Owner ZIP 5:	20170
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	Satoka Group Inc				Facility Active?:	Yes
Name:	Royal Gas					
Tank Owner ID:	48133				Owner Address 1:	7800 Orchid St NW
No of Active AST:	0				Owner Address 2:	
No of Active UST:	2				Owner City:	Washington
No of Inactive AST:	0				Owner State:	DC
No of Inactive UST:	5				Owner ZIP 5:	20012
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	Clearview 10423 Limited Liability Company				Facility Active?:	Yes
Name:	Royal Gas					
Tank Owner ID:	43352				Owner Address 1:	4761 Holly Ave
No of Active AST:	0				Owner Address 2:	
No of Active UST:	2				Owner City:	Fairfax
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	5				Owner ZIP 5:	22030
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	Industrial Inv Incorporated / Wasim Ahmed				Facility Active?:	Yes
Name:	Royal Gas					
Tank Owner ID:	47531				Owner Address 1:	4761 Holly Ave
No of Active AST:	0				Owner Address 2:	
No of Active UST:	2				Owner City:	Fairfax
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	5				Owner ZIP 5:	22030
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	Ahmed Syed W				Facility Active?:	Yes
Name:	Royal Gas					

Data Hub - Registered Tanks Detail

Fac ID 1:	3003607	Changed By:	JDPARKS
CEDS Fac:	200000194035	Verify Date:	2017/05/26 13:52:01+00
Reference Point:	PG	Verified By:	JDPARKS
Inserted Date:		X:	-8605630.0543
Inserted By:		Y:	4699840.9033
Changed Date:	2017/05/26 13:52:01+00		

9 3 of 4 W 0.07 / 367.33 435.09 / 18 Exxon #2-8271
10423 Main St
Fairfax VA 22030 LST

CEDS Fac ID:	200000194035	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	8/5/1994	Deferred UST 1:	No
Release Reported:	2/9/1983	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19830426	Regulated AST3:	No
Site Name:	Exxon #2-8271	Unregulated AST3:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Address :		10423 Main St		Other Tank Type:		No
City :		Fairfax		Oth Tank Type Desc:		
ZIP :		22030		Unknown Tank Type:		No
County :		Fairfax County		Region:		NRO
PC No (Hub):		19830426				
Rst Name (Hub):		Exxon #2-8271				
Fac L Addr 1 (Hub):		10423 Main St				
Fac L City (Hub):		Fairfax				
Fac L ZIP 5 (Hub):		22030				
FIC Desc (Hub):		Fairfax County				
Source:		Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites				

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000194035	Des First Name:	Lewis
Rst Poll Cmpl No:	19830426	Des Last Name:	Hilder
Rst Status Ind:	Closed	Changed by:	jwcheatham
Rst RIs Reported:	1983/02/09 00:00:00+00	Changed Date:	2007/02/21 00:00:00+00
Rst Case Closed:	1994/08/05 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:		Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8460034228674
Rst Response:		Longitude:	-77.3062745578063
Reference Point:			
Rst Name:	Exxon #2-8271		
Fac Location:	10423 Main St		
X:	-8605695.1189		
Y:	4699636.8283		

9 4 of 4 **W** 0.07 / 367.33 435.09 / 18 **Royal Gas Station/Mobil**
10423 Main St
Fairfax VA 22030 **LST**

CEDS Fac ID:	200000194035	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	4/29/2014	Deferred UST 1:	No
Release Reported:	8/7/2013	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	20143028	Regulated AST3:	No
Site Name:	Royal Gas Station/Mobil	Unregulated AST3:	No
Address :	10423 Main St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax County	Region:	NRO
PC No (Hub):	20143028		
Rst Name (Hub):	Royal Gas Station/Mobil		
Fac L Addr 1 (Hub):	10423 Main St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax County		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000194035	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20143028	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	Randy.Chapman
Rst RIs Reported:	2013/08/07 00:00:00+00	Changed Date:	2013/08/13 00:00:00+00
Rst Case Closed:	2014/04/29 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Rst Priority:	3				Verify Date:	
Rst Fed Reg Tank:	Yes				Latitude:	38.8460251410589
Rst Response:					Longitude:	-77.3063325368714
Reference Point:						
Rst Name:		Royal Gas Station/Mobil				
Fac Location:		10423 Main St				
X:		-8605701.5731				
Y:		4699639.9325				

[10](#) 1 of 1 **WNW** 0.07 / 395.37 433.42 / 17 **Leigh Douglas S and Clara M Property** **LST**
3989 Chain Bridge Rd
Fairfax VA 22030-3320

CEDS Fac ID:	200000853424	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	11/2/2010	Deferred UST 1:	No
Release Reported:	4/23/2010	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	Yes
Heat Oil Category:	Category 1	Small Ht Oil AST 2:	No
PC No :	20103271	Regulated AST3:	No
Site Name:	Leigh Douglas S and Clara M Property	Unregulated AST3:	No
Address :	3989 Chain Bridge Rd	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030-3320	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	20103271		
Rst Name (Hub):	Leigh Douglas S and Clara M Property		
Fac L Addr 1 (Hub):	3989 Chain Bridge Rd		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000853424	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20103271	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	Randy.Chapman
Rst Rls Reported:	2010/04/23 00:00:00+00	Changed Date:	2010/10/01 00:00:00+00
Rst Case Closed:	2010/11/02 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	3	Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8465316882539
Rst Response:		Longitude:	-77.3063758123119
Reference Point:			
Rst Name:	Leigh Douglas S and Clara M Property		
Fac Location:	3989 Chain Bridge Rd		
X:	-8605706.3905		
Y:	4699712.334		

[11](#) 1 of 1 **SSE** 0.09 / 457.17 413.61 / -3 **Holiday Property 2** **LST**
10407 Sager Ave
Fairfax City VA 22030

CEDS Fac ID:	200000185247	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	10/5/1994	Deferred UST 1:	No
Release Reported:	9/30/1994	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19954074	Regulated AST3:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Site Name:	Holiday Property 2				Unregulated AST3:	No
Address :	10407 Sager Ave				Other Tank Type:	No
City :	Fairfax City				Oth Tank Type Desc:	
ZIP :	22030				Unknown Tank Type:	No
County :	Fairfax County				Region:	NRO
PC No (Hub):	19954074					
Rst Name (Hub):	Holiday Property 2					
Fac L Addr 1 (Hub):	10407 Sager Ave					
Fac L City (Hub):	Fairfax City					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax County					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000185247	Des First Name:	James
Rst Poll Cmpl No:	19954074	Des Last Name:	Green
Rst Status Ind:	Closed	Changed by:	jlglassman
Rst Rls Reported:	1994/09/30 00:00:00+00	Changed Date:	2007/05/04 00:00:00+00
Rst Case Closed:	1994/10/05 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:		Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8445364333085
Rst Response:		Longitude:	-77.3039353933155
Reference Point:			
Rst Name:	Holiday Property 2		
Fac Location:	10407 Sager Ave		
X:	-8605434.7243		
Y:	4699427.1524		

[12](#) 1 of 1 SSE 0.09 / 462.14 411.69 / -5 **Holiday Property 3** 10405 Sager Ave Fairfax City VA 22030 **LST**

CEDS Fac ID:	200000185243	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	10/5/1994	Deferred UST 1:	No
Release Reported:	9/30/1994	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19954069	Regulated AST3:	No
Site Name:	Holiday Property 3	Unregulated AST3:	No
Address :	10405 Sager Ave	Other Tank Type:	No
City :	Fairfax City	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax County	Region:	NRO
PC No (Hub):	19954069		
Rst Name (Hub):	Holiday Property 3		
Fac L Addr 1 (Hub):	10405 Sager Ave		
Fac L City (Hub):	Fairfax City		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax County		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000185243	Des First Name:	James
Rst Poll Cmpl No:	19954069	Des Last Name:	Green
Rst Status Ind:	Closed	Changed by:	jlglassman
Rst Rls Reported:	1994/09/30 00:00:00+00	Changed Date:	2007/05/04 00:00:00+00
Rst Case Closed:	1994/10/05 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Rst Rec Code: NVRO
Rst Priority:
Rst Fed Reg Tank: N
Rst Response:
Reference Point:
Rst Name: Holaday Property 3
Fac Location: 10405 Sager Ave
X: -8605358.861
Y: 4699407.842

Verified by:
Verify Date:
Latitude: 38.844401327299
Longitude: -77.3032539016966

13	1 of 1	SSE	0.09 / 467.52	411.69 / -5	Holiday Property 4 10403 Sager Ave Fairfax City VA 22030	LST
--------------------	--------	-----	---------------	-------------	--	-----

CEDS Fac ID: 200000185242
Case Status: Closed
Case Closed Date: 10/5/1994
Release Reported: 9/30/1994
Fed Regulated UST: No
Program: RP Lead
Heat Oil Category:
PC No : 19954075
Site Name: Holaday Property 4
Address : 10403 Sager Ave
City : Fairfax City
ZIP : 22030
County : Fairfax County
PC No (Hub): 19954075
Rst Name (Hub): Holaday Property 4
Fac L Addr 1 (Hub): 10403 Sager Ave
Fac L City (Hub): Fairfax City
Fac L ZIP 5 (Hub): 22030
FIC Desc (Hub): Fairfax County
Source: Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites

Reg Petrol UST 1: No
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: No
Small Ht Oil AST 2: No
Regulated AST3: No
Unregulated AST3: No
Other Tank Type: No
Oth Tank Type Desc:
Unknown Tank Type: No
Region: NRO

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID: 200000185242
Rst Poll Cmpl No: 19954075
Rst Status Ind: Closed
Rst Rls Reported: 1994/09/30 00:00:00+00
Rst Case Closed: 1994/10/05 00:00:00+00
Rst Suspect Cnfrmd: Confirmed
Rst Rec Code: NVRO
Rst Priority:
Rst Fed Reg Tank: N
Rst Response:
Reference Point:
Rst Name: Holaday Property 4
Fac Location: 10403 Sager Ave
X: -8605323.8029
Y: 4699397.4621

Des First Name: James
Des Last Name: Green
Changed by: jlglassman
Changed Date: 2007/05/04 00:00:00+00
Inserted By:
Inserted Date:
Verified by:
Verify Date:
Latitude: 38.8443287037948
Longitude: -77.3029389694259

14	1 of 1	WSW	0.09 / 477.61	440.83 / 24	Fairfax County Historic Courthouse 4000 Chain Bridge Rd Fairfax VA 22030	UST
--------------------	--------	-----	---------------	-------------	--	-----

Facility ID: 3044326
CEDS Facility ID: 200000895569
Facility Type: LOCAL
Active UST: 1
Inactive UST: 0
Active AST: 0
Inactive AST: 0

Name: Fairfax County Historic Courthouse
Address 1: 4000 Chain Bridge Rd
Address 2:
City: Fairfax
ZIP: 22030
County: Fairfax City
Region: NVRO

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Facility Active:	Yes				Parent Reg Alt Desc:	Northern
Federally Regulated:	Yes				State:	VA
Facility Name (HUB):	Fairfax County Historic Courthouse				Latitude (HUB):	38.8455184062509
Facility Addr 1 (HUB):	4000 Chain Bridge Rd				Longitude (HUB):	-77.3078263228995
Facility Addr 2 (HUB):					Facility State (HUB):	
Facility City (HUB):	Fairfax				Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City					
Facility Location (HUB):						
Facility ID No (Red Tagged):						
Facility Name (Red Tagged):						
Facility Address (Red Tagged):						
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities					

Tank Information

Tank Type:	UST	Tank Owner ID:	50886
Tank No:	1		

Tank Details

Tank Status:	CURR IN USE	Capacity:	6000
Install Date:	4/29/2013	Contents:	EMER GENERATOR
Date Closed:		Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	Yes	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	Yes	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	NO VALVE SUCTION	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	Yes
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	No	Polyflexible:	Yes
Copper:	No	Secondary Contain:	Yes
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	Yes	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	Yes
Groundwater Monitor:	No	Overfill Device Install:	Yes
IM Dbl Walled:	Yes	Overfill Type:	AUTOMATIC SHUTOFF
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	Yes		
Pipe RD ALLD:	No		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Pipe RD Tightness Test:		Yes				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:		No				
Pipe RD Other:		No				
Pipe RD Other Specify:						

Owner

Tank Owner ID:	50886	Owner Address 1:	12000 Government Center Pkwy
No of Active AST:	0	Owner Address 2:	
No of Active UST:	1	Owner City:	Fairfax
No of Inactive AST:	0	Owner State:	VA
No of Inactive UST:	0	Owner ZIP 5:	22035
Federal Regulated:	Yes	Owner ZIP 4:	
Region:	NVRO	Owner Type:	LOCAL
Owner Name:	Fairfax County Board of Supervisors	Facility Active?:	Yes
Name:	Fairfax County Historic Courthouse		

Data Hub - Registered Tanks Detail

Fac ID 1:	3044326	Changed By:	SLTIFFANY
CEDS Fac:	200000895569	Verify Date:	2022/09/22 12:30:04+00
Reference Point:	PG	Verified By:	SLTIFFANY
Inserted Date:	2022/09/22 12:29:49+00	X:	-8605867.8606
Inserted By:	SLTIFFANY	Y:	4699567.5047
Changed Date:	2022/09/22 12:29:49+00		

15 1 of 1 **SSW** **0.10 / 521.32** **438.94 / 22** **4031 UNIVERSITY DRIVE** **UST**
4031 University Dr
Fairfax VA 22030

Facility ID:	3001707	Name:	4031 UNIVERSITY DRIVE
CEDS Facility ID:	200000093285	Address 1:	4031 University Dr
Facility Type:	COMMERCIAL	Address 2:	
Active UST:	0	City:	Fairfax
Inactive UST:	1	ZIP:	22030
Active AST:	0	County:	Fairfax City
Inactive AST:	0	Region:	NVRO
Facility Active:	No	Parent Reg Alt Desc:	Northern
Federally Regulated:	Yes	State:	VA
Facility Name (HUB):	4031 UNIVERSITY DRIVE	Latitude (HUB):	38.844083006748
Facility Addr 1 (HUB):	4031 University Dr	Longitude (HUB):	-77.3059439993413
Facility Addr 2 (HUB):		Facility State (HUB):	VA
Facility City (HUB):	Fairfax	Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City		
Facility Location (HUB):	4031 University Dr		
Facility ID No (Red Tagged):			
Facility Name (Red Tagged):			
Facility Address (Red Tagged):			
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities		

Tank Information

Tank Type:	UST	Tank Owner ID:	37961
Tank No:	R1		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	8000
Install Date:		Contents:	DIESEL
Date Closed:	7/16/1993	Other Contents:	
Fed Regulated Tank:	Yes		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Materials

Asphalt/Bare Steel:	Yes			Impressed Curr:	No
CCP/STI-P3:	No			Polyethyl Jacket:	No
Composite:	No			Concrete:	No
Fiberglass:	No			Excavation Liner:	No
Lined Interior:	No			Secondary Contain:	No
Double Walled:	No			Repaired:	No
Other:	No			Unknown:	No
Other Specify:					

Pipe Materials

Piping Type:	NO VALVE SUCTION			Cathodically Protect:	No
Asphalt/Bare Steel:	Yes			Double Walled:	No
Galvanized Steel:	No			Impressed Current:	
Fiberglass:	No			Polyflexible:	No
Copper:	No			Secondary Contain:	No
Other:	No			Repaired:	No
Other Specify:				Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No			Tank Rd Sir:	No
Tightness Testing:	No			Leak Deferred:	No
Inventory Controls:	No			Other:	No
ATG:	No			Other Specify:	
Vapor Monitoring:	No			Spill Device Install:	No
Groundwater Monitor:	No			Overfill Device Install:	No
IM Dbl Walled:	No			Overfill Type:	
IM Sec Contain:	No			Overfill Other Specify:	
Pipe RD MTD:	No				
Pipe RD ATG:					
Pipe RD GW Monitor:	No				
Pipe RD Vap Monitor:	No				
Pipe RD IM Dbl Wall:	No				
Pipe RD IM Sec Contain:	No				
Pipe RD ALLD:	No				
Pipe RD Tightness Test:	No				
Pipe RD Sir:	No				
Pipe RD Leak Deferred:					
Pipe RD Other:	No				
Pipe RD Other Specify:					

Owner

Tank Owner ID:	37961			Owner Address 1:	C/O DAVID & HAGNER; P.C. y1120
No of Active AST:	0			Owner Address 2:	
No of Active UST:	0			Owner City:	WASHINGTON
No of Inactive AST:	0			Owner State:	DC
No of Inactive UST:	1			Owner ZIP 5:	20036
Federal Regulated:	Yes			Owner ZIP 4:	
Region:	NVRO			Owner Type:	COMMERCIAL
Owner Name:	UNIVERSITY DR ASSOC LTD PARTNERS			Facility Active?:	No
Name:	4031 UNIVERSITY DRIVE				

Data Hub - Registered Tanks Detail

Fac ID 1:	3001707			Changed By:	
CEDS Fac:	200000093285			Verify Date:	
Reference Point:				Verified By:	
Inserted Date:				X:	-8605658.3213
Inserted By:				Y:	4699362.3453
Changed Date:					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

16	1 of 1	ESE	0.11 / 576.48	417.44 / 1	Dominion Pad Transformer/MVA (200 gal) 10344 Main St Fairfax VA 22030	SPILLS
--------------------	--------	-----	---------------	------------	---	--------

Legacy IR No:	2019-N-2653	Incident ID:	192375
Status:	Closed	Incident Address 1:	10344 Main St
Incident Type:	Petroleum(Petroleum), Surface Spill (Petroleum)	Incident Address 2:	
Incident Subtype:		FIPS City County:	600/Fairfax City
Effect to Receptor:		Region:	Northern
Incident Dte Time:	01/24/2019 08:30	Closure Date:	3/15/2019
CallRecvdDteTime:	01/25/2019 09:00	Impacts:	
OngoingAtCallDt?:	No	Other Impacts:	
EPA ID:		Steps Taken:	
SSORS ID:		System Structure:	
HMVA No:		Oth Sys Structure:	
NRC ID:		Weather Status:	
Agencies Notified?:		Wet Weather Event:	No
Threat to:		Precipitation Inch:	0
Terrorism?:		Discharge Type:	
Charactriz Incdnt:	Accidental	Dischrg Vol Gal:	0
Quantity Units:		Discharge Treated:	
High Qty to Water:		Unkwn Discharge?:	
Low Qty to Water:		Sewage Related?:	No
Water Body:		Permitted?:	No
CallReportedAnon?:		Facility Name:	
CallPrptyOwnrUnkn?:		Property Owner:	
Call PRP Unknown?:		PrprtyOwnrOrgnztm:	
Call Rprtd by Org?:	Dominion	Event Duration Hrs:	0
CallPrprtyOwnrOrg:		Received By:	Alan Lacy
Call Prop Owner Nm:		Materials:	Transformer/s, non-PCB oil
CallReprtdByName:	Charlie Gallup	PRP Name:	
Call PRP Name:		Participating Prgm:	
Call PRP Org:		Point X:	
PRP Organization:		Point Y:	
Associated IR:		Steps Taken Desc:	
Incident Name:	Dominion Pad Transformer/MVA (200 gal)		
Weather Event:			
Other Receptors:	no surface water impacts - asphalt parking lot only		
Other Agencies:			
Original Call Loc Desc:	10344 Main St Fairfax VA 22030		
Original Call Material Desc:	non-PCB transformer oil		
Cause of Event:			
Location Description:	10344 Main St Fairfax VA 22030		
Closure Reason Comments:	Case Closed Petroleum spill to land surface only RCA issued Fairfax Co Fire Dept stabilized spill - HEPACO completed spill cleanup Dominion and HEPACO response reports received		
Description of Incident:	Initial Date/Time: 01/24/2019 21:39:44 Last Updated: 01/24/2019 21:52:53		

SAU Officer: Curtis Thompson State Mission Number: HMVA- 34514
Hazard Class: Class 3 - Flammable Liquid Mode Facility: 08 Other
Jurisdiction: Fairfax City Facility Name/Incident Location: 10344 MAIN ST, FAIRFAX VA, 22030
Incident Address: 10344 MAIN ST, FAIRFAX VA, 22030 Origin: Other
Incident Lat/Long: 38.8459182100005 /-77.3034663169997 Callback Number: 804-771-3000
VDEM Region: 7 OIC On Scene: N/A
(old hazard area):
Caller Name: CHARLIE GALLUP Incident Date: 01/24/2019
Contact Name: DOMINION ENERGY Incident Time: 2030

Content Header

Details: 1936 - CHARLIE GALLUP FROM DOMINION ENERGY ADVISED OF A 40 GAL NON-PCB MINERAL OIL SPILL AFTER A MVA. THE FIRE DEPARTMENT CONTAINED THE SPILL TO A PARKING LOT, AND HEPACO ENVIRONMENTAL SERVICE HAS BEEN CONTRACTED TO HANDLE THE CLEANUP. NO VDEM RESOURCES WERE REQUESTED.

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Products Involved: NON-PCB MINERAL OIL Quantity Lost: 40 - Gallons
 UN #: UNK EHS: UNK
 Water Affected: No Which Water? N/A
 Fish Kill: No DEQ Notified?: Yes
 DEQ Office/Email: NRO DEQ On Scene: No

Incident Information

Container Type: Transformer Other (Specify): N/A
 Evacuation?: No Distance: N/A
 Injuries: No How Many?: N/A
 RHMO 1: Strawderman Actions: Notification Only

Original Call Incident Descri:

Initial Date/Time: 01/24/2019 21:39:44 Last Updated: 01/24/2019 21:52:53

SAU Officer: Curtis Thompson State Mission Number: HMVA- 34514
 Hazard Class: Class 3 - Flammable Liquid Mode Facility: 08 Other
 Jurisdiction: Fairfax City Facility Name/Incident Location: 10344 MAIN ST, FAIRFAX VA, 22030
 Incident Address: 10344 MAIN ST, FAIRFAX VA, 22030 Origin: Other
 Incident Lat/Long: 38.8459182100005 -77.3034663169997 Callback Number: 804-771-3000
 VDEM Region: 7 OIC On Scene: N/A
 (old hazard area):
 Caller Name: CHARLIE GALLUP Incident Date: 01/24/2019
 Contact Name: DOMINION ENERGY Incident Time: 2030

Content Header

Details: 1936 - CHARLIE GALLUP FROM DOMINION ENERGY ADVISED OF A 40 GAL NON-PCB MINERAL OIL SPILL AFTER A MVA. THE FIRE DEPARTMENT CONTAINED THE SPILL TO A PARKING LOT, AND HEPACO ENVIRONMENTAL SERVICE HAS BEEN CONTRACTED TO HANDLE THE CLEANUP. NO VDEM RESOURCES WERE REQUESTED.

Products Involved: NON-PCB MINERAL OIL Quantity Lost: 40 - Gallons
 UN #: UNK EHS: UNK
 Water Affected: No Which Water? N/A
 Fish Kill: No DEQ Notified?: Yes
 DEQ Office/Email: NRO DEQ On Scene: No

Incident Information

Container Type: Transformer Other (Specify): N/A
 Evacuation?: No Distance: N/A
 Injuries: No How Many?: N/A
 RHMO 1: Strawderman Actions: Notification Only

Site Summary Notes:

Corrective Action Taken:

17	1 of 2	SSW	0.12 / 628.21	439.31 / 23	FAIRFAX CITY II CFS #8924 4020 University Dr Fairfax VA 22030	UST
--------------------	--------	-----	---------------	-------------	---	-----

Facility ID:	3026942	Name:	FAIRFAX CITY II CFS #8924
CEDS Facility ID:	200000087288	Address 1:	4020 University Dr
Facility Type:	COMMERCIAL	Address 2:	
Active UST:	0	City:	Fairfax
Inactive UST:	1	ZIP:	22030
Active AST:	0	County:	Fairfax City
Inactive AST:	0	Region:	NVRO
Facility Active:	No	Parent Reg Alt Desc:	Northern
Federally Regulated:	No	State:	VA
Facility Name (HUB):	FAIRFAX CITY II CFS #8924	Latitude (HUB):	38.8447769996475
Facility Addr 1 (HUB):	4020 University Dr	Longitude (HUB):	-77.3057769962418
Facility Addr 2 (HUB):		Facility State (HUB):	VA
Facility City (HUB):	Fairfax	Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City		
Facility Location (HUB):	4020 University Dr		
Facility ID No (Red Tagged):			
Facility Name (Red Tagged):			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Facility Address (Red Tagged):

Source: Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities

Tank Information

Tank Type:	UST	Tank Owner ID:	37628
Tank No:	R1		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	10000
Install Date:	1/1/1977	Contents:	HEATING OIL
Date Closed:	12/16/1993	Other Contents:	
Fed Regulated Tank:	No		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	NO VALVE SUCTION	Cathodically Protect:	No
Asphalt/Bare Steel:	Yes	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:	No		
Pipe RD Other:	No		
Pipe RD Other Specify:			

Owner

Tank Owner ID:	37628	Owner Address 1:	919 E Main St HDQ 8614
-----------------------	-------	-------------------------	------------------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
No of Active AST:	0				Owner Address 2:	
No of Active UST:	0				Owner City:	Richmond
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	1				Owner ZIP 5:	23219
Federal Regulated:	No				Owner ZIP 4:	
Region:	NVRO				Owner Type:	COMMERCIAL
Owner Name:	SunTrust Bank				Facility Active?:	No
Name:	FAIRFAX CITY II CFS #8924					

Data Hub - Registered Tanks Detail

Fac ID 1:	3026942	Changed By:	
CEDS Fac:	200000087288	Verify Date:	
Reference Point:		Verified By:	
Inserted Date:		X:	-8605639.7306
Inserted By:		Y:	4699461.5361
Changed Date:			

[17](#) 2 of 2 **SSW** 0.12 / 628.21 439.31 / 23 **Crestar of Richmond** **LST**
4020 University Dr
Fairfax VA 22030

CEDS Fac ID:	200000087288	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	3/22/1994	Deferred UST 1:	No
Release Reported:	7/29/1993	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19940176	Regulated AST3:	No
Site Name:	Crestar of Richmond	Unregulated AST3:	No
Address :	4020 University Dr	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	19940176		
Rst Name (Hub):	Crestar of Richmond		
Fac L Addr 1 (Hub):	4020 University Dr		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000087288	Des First Name:	Thomas
Rst Poll Cmpl No:	19940176	Des Last Name:	Lancaster
Rst Status Ind:	Closed	Changed by:	awardle
Rst Rls Reported:	1993/07/29 00:00:00+00	Changed Date:	2006/03/29 00:00:00+00
Rst Case Closed:	1994/03/22 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:		Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8446827516855
Rst Response:		Longitude:	-77.3065492698067
Reference Point:			
Rst Name:	Crestar of Richmond		
Fac Location:	4020 University Dr		
X:	-8605725.6997		
Y:	4699448.0654		

[18](#) 1 of 1 **SSE** 0.12 / 650.18 420.82 / 4 **NOVA BLUE INC** **UST**
4017 East St
Fairfax VA 22030

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Facility ID:	3007749				Name: NOVA BLUE INC	
CEDS Facility ID:	200000075913				Address 1: 4017 East St	
Facility Type:	COMMERCIAL				Address 2:	
Active UST:	0				City: Fairfax	
Inactive UST:	1				ZIP: 22030	
Active AST:	0				County: Fairfax City	
Inactive AST:	0				Region: NVRO	
Facility Active:	No				Parent Reg Alt Desc: Northern	
Federally Regulated:	Yes				State: VA	
Facility Name (HUB):	NOVA BLUE INC				Latitude (HUB): 38.8441579967436	
Facility Addr 1 (HUB):	4017 East St				Longitude (HUB): -77.3047730031477	
Facility Addr 2 (HUB):					Facility State (HUB): VA	
Facility City (HUB):	Fairfax				Facility ZIP 5 (HUB): 22030	
County Name (HUB):	Fairfax City					
Facility Location (HUB):	4017 East St					
Facility ID No (Red Tagged):						
Facility Name (Red Tagged):						
Facility Address (Red Tagged):						
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities					

Tank Information

Tank Type:	UST	Tank Owner ID:	31900
Tank No:	1		

Tank Details

Tank Status:	PERM OUT OF USE	Capacity:	
Install Date:		Contents:	DIESEL
Date Closed:		Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	Yes

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
IM Sec Contain:		No			Overfill Other Specify:	
Pipe RD MTD:		No				
Pipe RD ATG:						
Pipe RD GW Monitor:		No				
Pipe RD Vap Monitor:		No				
Pipe RD IM Dbl Wall:		No				
Pipe RD IM Sec Contain:		No				
Pipe RD ALLD:		No				
Pipe RD Tightness Test:		No				
Pipe RD Sir:		No				
Pipe RD Leak Deferred:						
Pipe RD Other:		No				
Pipe RD Other Specify:						

Owner

Tank Owner ID:	31900	Owner Address 1:	4017 EAST ST.
No of Active AST:	0	Owner Address 2:	
No of Active UST:	0	Owner City:	FAIRFAX
No of Inactive AST:	0	Owner State:	VA
No of Inactive UST:	1	Owner ZIP 5:	22030
Federal Regulated:	Yes	Owner ZIP 4:	
Region:	NVRO	Owner Type:	COMMERCIAL
Owner Name:	NOVA BLUE INC	Facility Active?:	No
Name:	NOVA BLUE INC		

Data Hub - Registered Tanks Detail

Fac ID 1:	3007749	Changed By:	
CEDS Fac:	200000075913	Verify Date:	
Reference Point:		Verified By:	
Inserted Date:		X:	-8605527.9666
Inserted By:		Y:	4699373.0634
Changed Date:			

19	1 of 2	ESE	0.13 / 704.10	411.63 / -5	FAIRFAX CUSTOM CLEANERS 10320 MAIN ST FAIRFAX VA 22030	FED DRYCLEANERS
FRS Facility ID:	110020670184					
NPDES IDs:						
NAICS Codes:	81232 812320					
SIC Codes:						
Latitude:	38.845431					
Longitude:	-77.302536					

19	2 of 2	ESE	0.13 / 704.10	411.63 / -5	Fairfax Custom Cleaners 10320 Main St Fairfax VA 22030	DRYCLEANERS
Registration No:	72092	Facility County:	Fairfax County			
Operational Status:	Permanently Shutdown	Fac Lat Degrees:	38			
Current Active?:	NO	Fac Lat Minutes:	49			
No. Active Permits:		Fac Lat Seconds:	31.99800000000049			
Property Area Acres:	0	Fac Lat Decimals:	38.825555			
Non-Qualifying?:	NO	Fac Lon Degrees:	-77			
Within 10km Class I?:	NO	Fac Lon Minutes:	25			
Unregistered?:	NO	Fac Lon Seconds:	8.99760000001493			
Geo Reference Point:		Fac Lon Decimals:	-77.419166			
Reference Point:		UTM Zone:	18			
SIC Primary Code:	7216	UTM Vertical:	4300199.0314			
SIC Primary Desc:	DRYCLEAN PLANTS, EXC RUG CLEAN	UTM Horizontal:	289993.2853			
NAICS Primary Code:	812320	Latitude:	38.825555			
NAICS Primary Desc:	Drycleaning and Laundry Services (except	Longitude:	-77.419166			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Coin-Operated)

20	1 of 1	NNW	0.14 / 739.56	405.61 / -11	FX CO PUB LIB FAIRFAX CITY BR 3915 CHAIN BRIDGE RD FAIRFAX VA 22030	RCRA VSQG
--------------------	--------	-----	---------------	--------------	---	-----------

EPA Handler ID: VAD988207205
Gen Status Universe: VSG
Contact Name: KATHY PULLEN
Contact Address: 3915 CHAIN BRIDGE RD , , FAIRFAX , VA, 22030 , US
Contact Phone No and Ext: 703-222-3157
Contact Email:
Contact Country: US
County Name: FAIRFAX CITY
EPA Region: 03
Land Type:
Receive Date: 19911029
Location Latitude: 38.848175
Location Longitude: -77.306293

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19911029
Handler Name: FX CO PUB LIB FAIRFAX CITY BR
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	County	Street 1:	13135 LEE JACKSON HWY 301
Name:	FAIRFAX COUNTY PUBLIC LIBRARY	Street 2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Date Became Current:				City:	FAIRFAX	
Date Ended Current:				State:	VA	
Phone:	703-222-3155		Country:			
Source Type:	Notification		Zip Code:	22033		

21	1 of 1	ESE	0.15 / 785.86	408.06 / -9	FAIRFAX CUSTOM CLEANERS 10302 MAIN ST FAIRFAX VA 22030	RCRA NON GEN
--------------------	--------	-----	---------------	-------------	--	-----------------

EPA Handler ID: VAD981105711
Gen Status Universe: No Report
Contact Name: TAE_S KIM
Contact Address: 10302 MAIN ST , , FAIRFAX , VA, 22030 , US
Contact Phone No and Ext: 703-591-0361
Contact Email:
Contact Country: US
County Name: FAIRFAX
EPA Region: 03
Land Type:
Receive Date: 19860429
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19860429
Handler Name: FAIRFAX CUSTOM CLEANERS
Source Type: Notification
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	OWNERSTREET
Name:	KIM, TAE S	Street 2:	
Date Became Current:		City:	OWNERCITY
Date Ended Current:		State:	AK
Phone:	215-555-1212	Country:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Source Type:		Notification			Zip Code: 99999	
Owner/Operator Ind:		Current Operator			Street No:	
Type:		Private			Street 1: OPERSTREET	
Name:		OPERNAME			Street 2:	
Date Became Current:					City: OPERCITY	
Date Ended Current:					State: AK	
Phone:		215-555-1212			Country:	
Source Type:		Notification			Zip Code: 99999	

[22](#) 1 of 2 **ESE** 0.15 / 813.24 406.32 / -10 **Main Street Marketplace** **VRP**
10296 Main St
Fairfax VA 22030

VRP No: VRP00449 **Size Acres:** 7.1
Rpm Full Name: Kyle T Newman **County:** Fairfax County
Site Type: Dry Cleaner **Point X:** -77.3013220001179
Region: Northern **Point Y:** 38.8456479997548

Elig Notes:
Phase 3 Billing Determination:
Primary Status Name: Certificate Issued
Exclude from Phase 3 Billing: 0
Secondary Status Name: Refer to Certificate Status
Remedtn Summary and Notes:
Secondary Status Description: See Certificate tab for additional status information
Nature and Extent of Contamin:
Areas of Concern:
Offsite Organics:
Offsite Inorganics:
Offsite Notes:
Onsite Organic:
Onsite Inorganic:
Onsite Notes:
Alt Address Desc:
Notes:

11/8/11 - Assigned to KN
7/22/11 - Assigned to RHT
6/29/11 - ECS submitted Results of Recent Monitornig Well Installation and Sampling report
12/17/2010 Additional subslab soil gas results received
8/16/2010 Comments to case closure report submitted
10-6-10, Conference call Jim Thornburg, Jeff Lund and Pat- will do subslab sampling
4/23/2010 Case closure report revision submitted
12/22/2009 Case closure report submitted needed revision
7-14-09 GJG assigned as PM taking over for Meade Anderson Last Action Date: 11/8/2011 Last Action Description: Assigned to KN Next Step: review report Pending Since: Due By:

Alternate Site Addresses

Address: 10320 Main St **Primary St:** Certificate Issued
Address2: **Secondary:** Refer to Certificate Status
City: Fairfax **No. X:** -77.3027060003402
Zip: 22030 **No. Y:** 38.845955000134
Alt Address Desc:

Address: 10300 Main St **Primary St:** Certificate Issued
Address2: **Secondary:** Refer to Certificate Status
City: Fairfax **No. X:** -77.3019070000989
Zip: 22030 **No. Y:** 38.8457369998256
Alt Address Desc:

Address: 10310 Main St **Primary St:** Certificate Issued
Address2: **Secondary:** Refer to Certificate Status
City: Fairfax **No. X:** -77.302451000072
Zip: 22030 **No. Y:** 38.8458749998095
Alt Address Desc:

Contact(s)

Organization: Kimco Realty Corporation
Street 1: 14076 Shoppers Best Way
Street 2:
Unit:
City: Woodbridge
State: VA
Country: US
Zipcode: 22192
Zipcode4:
Primary Phone: 7035830071
Alternate Phone:
Fax No:
Prefix:
Full Name: Debbie Keating
Suffix:
Title:
Email:
Contact Type List: Participant
Billing Recipient: No

Organization: Main Street Retail Partners, L.L.C.
Street 1:
Street 2:
Unit:
City:
State: VA
Country:
Zipcode:
Zipcode4:
Primary Phone:
Alternate Phone:
Fax No:
Prefix:
Full Name:
Suffix:
Title:
Email:
Contact Type List: Owner
Billing Recipient: No

Organization: Engineering Consulting Services, LTD
Street 1: 14026 Thunderbolt PI
Street 2:
Unit: Ste 100
City: Chantilly
State: VA
Country: US
Zipcode: 20152
Zipcode4: 3232
Primary Phone:
Alternate Phone:
Fax No:
Prefix:
Full Name: Jeffery F. Lund
Suffix:
Title:
Email:
Contact Type List: Consultant
Billing Recipient: No

Certificate(s)

Certificate Type:	VRP Certificate	Date Recorded:	2/11/2016
Certificate Status:	Recordation On File	Recordatn Deadline:	4/13/2016

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Issued Date: 1/14/2016 **Site Acreage:**
Instrument No: 2016007225.001
Comments:

Event(s)

Description: Site Enrolled Date
Due Date:
Completed Date: 8/1/2006
Comments:

Description: Eligibility Verification Review
Due Date:
Completed Date: 8/1/2006
Comments: Eligibility Memo sent to CO and NVRO on 6/27/06

Description: Notification of Eligibility
Due Date:
Completed Date: 8/1/2006
Comments:

Description: Application Received
Due Date:
Completed Date: 6/22/2006
Comments:

Restriction Document(s)

Instrument No: 2016007225.001 **Recordatn Deadline:**
Document Type: Declaration **Date Recorded:** 2/11/2016
Document Date: 2/4/2016
Comments:

22	2 of 2	ESE	0.15 / 813.24	406.32 / -10	Main Street Marketplace 10296 Main St Fairfax VA 22030	INST
--------------------	--------	-----	---------------	--------------	--	------

VRP No: VRP00449 **Region:** Northern
Rpm Full Name: Kyle T Newman **County:** Fairfax County
Site Type: Dry Cleaner **Point X:** -77.3013220001179
Site Acreage: 7.1 **Point Y:** 38.8456479997548

Eligibility Notes:
Phase 3 Billing Determinatn:
Prim Status Name: Certificate Issued
Exclude from Phase 3 Billing: 0
Secondary Status Name: Refer to Certificate Status
Remedtn Summary and Notes:
Secondary Status Desc: See Certificate tab for additional status information
Nature and Extent of Contamin:
Areas of Concern:
Offsite Organics:
Offsite Inorganics:
Offsite Notes:
Onsite Organics:
Onsite Inorganics:
Onsite Notes:
Alt Address Desc:
Notes:

11/8/11 - Assigned to KN
 7/22/11 - Assigned to RHT
 6/29/11 - ECS submitted Results of Recent Monitornig Well Installation and Sampling report
 12/17/2010 Additional subslab soil gas results received
 8/16/2010 Comments to case closure report submitted
 10-6-10, Conference call Jim Thornburg, Jeff Lund and Pat- will do subslab sampling
 4/23/2010 Case closure report revision submitted

12/22/2009 Case closure report submitted needed revision
 7-14-09 GJG assigned as PM taking over for Meade Anderson Last Action Date: 11/8/2011 Last Action Description: Assigned to KN Next Step: review report Pending Since: Due By:

Alternate Site Addresses

Address:	10300 Main St	Primary St:	Certificate Issued
Address2:		Secondary:	Refer to Certificate Status
City:	Fairfax	No. X:	-77.3019070000989
Zip:	22030	No. Y:	38.8457369998256
Alt Address Desc:			

Address:	10320 Main St	Primary St:	Certificate Issued
Address2:		Secondary:	Refer to Certificate Status
City:	Fairfax	No. X:	-77.3027060003402
Zip:	22030	No. Y:	38.845955000134
Alt Address Desc:			

Address:	10310 Main St	Primary St:	Certificate Issued
Address2:		Secondary:	Refer to Certificate Status
City:	Fairfax	No. X:	-77.302451000072
Zip:	22030	No. Y:	38.8458749998095
Alt Address Desc:			

Contact(s)

Prefix:		Alternate Phone:	
Full Name:	Jeffery F. Lund	Fax No:	
Suffix:		Zipcode4:	3232
Email:		Contact Type List:	Consultant
Primary Phone:		Billing Recipient:	No
Organization:	Engineering Consulting Services, LTD		
Title:			
Street 1:	14026 Thunderbolt PI		
Street 2:			
Unit:	Ste 100		
City:	Chantilly		
State:	VA		
Country:	US		
Zipcode:	20152		

Prefix:		Alternate Phone:	
Full Name:	Debbie Keating	Fax No:	
Suffix:		Zipcode4:	
Email:		Contact Type List:	Participant
Primary Phone:	7035830071	Billing Recipient:	No
Organization:	Kimco Realty Corporation		
Title:			
Street 1:	14076 Shoppers Best Way		
Street 2:			
Unit:			
City:	Woodbridge		
State:	VA		
Country:	US		
Zipcode:	22192		

Prefix:		Alternate Phone:	
Full Name:		Fax No:	
Suffix:		Zipcode4:	
Email:		Contact Type List:	Owner
Primary Phone:		Billing Recipient:	No
Organization:	Main Street Retail Partners, L.L.C.		
Title:			
Street 1:			
Street 2:			
Unit:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

City:
State:
Country:
Zipcode:

VA

Certificate(s)

Certificate Type:	VRP Certificate	Date of Recorded:	2/11/2016
Certificate Status:	Recordation On File	Recordatn Deadline:	4/13/2016
Issued Date:	1/14/2016	Site Acreage:	
Instrument No:	2016007225.001		
Comments:			

Event(s)

Description:	Notification of Eligibility
Due Date:	
Completed Date:	8/1/2006
Comments:	
Description:	Application Received
Due Date:	
Completed Date:	6/22/2006
Comments:	
Description:	Site Enrolled Date
Due Date:	
Completed Date:	8/1/2006
Comments:	
Description:	Eligibility Verification Review
Due Date:	
Completed Date:	8/1/2006
Comments:	Eligibility Memo sent to CO and NVRO on 6/27/06

Restriction Document(s)

Instrument No:	2016007225.001	Recordatn Deadline:	
Document Type:	Declaration	Date Recorded:	2/11/2016
Document Date:	2/4/2016		
Comments:			

23	1 of 4	NNE	0.16 / 841.06	406.27 / -11	WHITE STAR CLEANERS INC 10394 WILLARD WAY FAIRFAX VA 22030	RCRA NON GEN
--------------------	--------	-----	---------------	--------------	--	-----------------

EPA Handler ID: VAD981041759
Gen Status Universe: No Report
Contact Name:
Contact Address: US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: FAIRFAX CITY
EPA Region: 03
Land Type:
Receive Date: 20021009
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS;

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Compliance Monitoring and Enforcement table dated Jan, 2023.

Evaluation Details

Evaluation Start Date: 20021009
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION ON-SITE
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19850816
Handler Name: WHITE STAR CLEANERS INC
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: F002
Waste Code Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20021009
Handler Name: WHITE STAR CLEANERS INC
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19860422
Handler Name: WHITE STAR CLEANERS INC

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source Type: Implementer
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	OWNERSTREET
Name:	STIKAS EMANUEL	Street 2:	
Date Became Current:		City:	OWNERCITY
Date Ended Current:		State:	AK
Phone:	215-555-1212	Country:	
Source Type:	Notification	Zip Code:	99999

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	OPERSTREET
Name:	OPERNAME	Street 2:	
Date Became Current:		City:	OPERCITY
Date Ended Current:		State:	AK
Phone:	215-555-1212	Country:	
Source Type:	Implementer	Zip Code:	99999

Historical Handler Details

Receive Dt: 19850816
Generator Code Description: Small Quantity Generator
Handler Name: WHITE STAR CLEANERS INC

Receive Dt: 19860422
Generator Code Description: Small Quantity Generator
Handler Name: WHITE STAR CLEANERS INC

23	2 of 4	NNE	0.16 / 841.06	406.27 / -11	VCERA 10394 Willard Way Fairfax VA 22030	LST
--------------------	--------	------------	----------------------	---------------------	---	------------

CEDS Fac ID:	200000086740	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	4/1/1996	Deferred UST 1:	No
Release Reported:	11/6/1995	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19963070	Regulated AST3:	No
Site Name:	VCERA	Unregulated AST3:	No
Address :	10394 Willard Way	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax County	Region:	NRO
PC No (Hub):	19963070		
Rst Name (Hub):	VCERA		
Fac L Addr 1 (Hub):	10394 Willard Way		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax County		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000086740	Des First Name:	Thomas
Rst Poll Cmpl No:	19963070	Des Last Name:	Lancaster
Rst Status Ind:	Closed	Changed by:	awardle
Rst Rls Reported:	1995/11/06 00:00:00+00	Changed Date:	2006/03/28 00:00:00+00
Rst Case Closed:	1996/04/01 00:00:00+00	Inserted By:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Rst Suspect Cnfrmd: Confirmed				Inserted Date:		
Rst Rec Code: NVRO				Verified by:		
Rst Priority: 3				Verify Date:		
Rst Fed Reg Tank: N				Latitude: 38.8488960083414		
Rst Response:				Longitude: -77.3034741147053		
Reference Point:						
Rst Name: VCERA						
Fac Location: 10394 Willard Way						
X: -8605383.375						
Y: 4700050.2764						

23	3 of 4	NNE	0.16 / 841.06	406.27 / -11	SUN CLEANERS 10394 WILLARD WAY FAIRFAX VA 22030	FED DRYCLEANERS
FRS Facility ID: 110001898554						
NPDES IDs:						
NAICS Codes: 812320 81232						
SIC Codes:						
Latitude: 38.848595						
Longitude: -77.30434						

23	4 of 4	NNE	0.16 / 841.06	406.27 / -11	Sun Cleaners 10394 Willard Way Fairfax VA 22030	DRYCLEANERS
Registration No: 71997				Facility County: Fairfax County		
Operational Status: Permanently Shutdown				Fac Lat Degrees: 38		
Current Active?: NO				Fac Lat Minutes: 49		
No. Active Permits:				Fac Lat Seconds: 31.99800000000049		
Property Area Acres: 0				Fac Lat Decimals: 38.825555		
Non-Qualifying?: NO				Fac Lon Degrees: -77		
Within 10km Class I?: NO				Fac Lon Minutes: 25		
Unregistered?: NO				Fac Lon Seconds: 8.99760000001493		
Geo Reference Point:				Fac Lon Decimals: -77.419166		
Reference Point:				UTM Zone: 18		
SIC Primary Code: 7216				UTM Vertical: 4300199.0314		
SIC Primary Desc: DRYCLEAN PLANTS, EXC RUG CLEAN				UTM Horizontal: 289993.2853		
NAICS Primary Code: 812320				Latitude: 38.825555		
NAICS Primary Desc: Drycleaning and Laundry Services (except Coin-Operated)				Longitude: -77.419166		

24	1 of 1	NNE	0.16 / 845.98	406.27 / -11	CVS PHARMACY #1371 10390 WILLARD WAY FAIRFAX VA 22030	RCRA VSQG
EPA Handler ID: VAR000522045						
Gen Status Universe: VSG						
Contact Name: NICOLE WILKINSON						
Contact Address: 1 , CVS DR MC2340 , , WOONSOCKET , RI, 02895 , US						
Contact Phone No and Ext: 401-770-7132						
Contact Email: NICOLE.WILKINSON@CVSHEALTH.COM						
Contact Country: US						
County Name: FAIRFAX						
EPA Region: 03						
Land Type: Private						
Receive Date: 20200228						
Location Latitude: 38.848465						
Location Longitude: -77.302813						

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20120419
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: P042
Waste Code Description: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: P001
Waste Code Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Hazardous Waste Code: P081
Waste Code Description: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

Hazardous Waste Code: P075
Waste Code Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20160603
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Hazardous Waste Code:		D010				
Waste Code Description:		SELENIUM				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D007				
Waste Code Description:		CHROMIUM				
Hazardous Waste Code:		P001				
Waste Code Description:		2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%				
Hazardous Waste Code:		U002				
Waste Code Description:		2-PROPANONE (I) (OR) ACETONE (I)				

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20141118
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: P042
Waste Code Description: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: P001
Waste Code Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Hazardous Waste Code: P081
Waste Code Description: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

Hazardous Waste Code: P075
Waste Code Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20200228
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: U034
Waste Code Description: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

Hazardous Waste Code: U165

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:					NAPHTHALENE	
Hazardous Waste Code:					U205	
Waste Code Description:					SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)	
Hazardous Waste Code:					D001	
Waste Code Description:					IGNITABLE WASTE	
Hazardous Waste Code:					D010	
Waste Code Description:					SELENIUM	
Hazardous Waste Code:					U188	
Waste Code Description:					PHENOL	
Hazardous Waste Code:					D024	
Waste Code Description:					M-CRESOL	
Hazardous Waste Code:					P075	
Waste Code Description:					NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-(S)-, & SALTS	
Hazardous Waste Code:					U201	
Waste Code Description:					1,3-BENZENEDIOL (OR) RESORCINOL	
Hazardous Waste Code:					D009	
Waste Code Description:					MERCURY	
Hazardous Waste Code:					D002	
Waste Code Description:					CORROSIVE WASTE	
Hazardous Waste Code:					D007	
Waste Code Description:					CHROMIUM	
Hazardous Waste Code:					D011	
Waste Code Description:					SILVER	
Hazardous Waste Code:					P001	
Waste Code Description:					2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%	
Hazardous Waste Code:					U002	
Waste Code Description:					2-PROPANONE (I) (OR) ACETONE (I)	
Hazardous Waste Code:					U129	
Waste Code Description:					CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE	

Hazardous Waste Handler Details

Sequence No: 4
Receive Date: 20190929
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: U165
Waste Code Description: NAPHTHALENE

Hazardous Waste Code: U205
Waste Code Description: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Hazardous Waste Code:		D010				
Waste Code Description:		SELENIUM				
Hazardous Waste Code:		U188				
Waste Code Description:		PHENOL				
Hazardous Waste Code:		D009				
Waste Code Description:		MERCURY				
Hazardous Waste Code:		U002				
Waste Code Description:		2-PROPANONE (I) (OR) ACETONE (I)				
Hazardous Waste Code:		U129				
Waste Code Description:		CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D007				
Waste Code Description:		CHROMIUM				

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20150602
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: P042
Waste Code Description: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: P075
Waste Code Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: P001
Waste Code Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Hazardous Waste Code: P081
Waste Code Description: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20180209
Handler Name: CVS PHARMACY #1371
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D010				
Waste Code Description:		SELENIUM				
Hazardous Waste Code:		P075				
Waste Code Description:		NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS				
Hazardous Waste Code:		U002				
Waste Code Description:		2-PROPANONE (I) (OR) ACETONE (I)				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D007				
Waste Code Description:		CHROMIUM				
Hazardous Waste Code:		P001				
Waste Code Description:		2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%				

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	1025
Type:	Private	Street 1:	THOMAS JEFFERSON ST NW STE 700 EAST
Name:	COURTHOUSE SUBSIDIARY LLC	Street 2:	
Date Became Current:	19781012	City:	WASHINGTON
Date Ended Current:		State:	DC
Phone:	401-765-1500	Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	20007
Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	1025 THOMAS JEFFERSON ST NW
Name:	COURTHOUSE SUBSIDIARY LLC	Street 2:	STE 700 EAST
Date Became Current:	19781012	City:	WASHINGTON
Date Ended Current:		State:	DC
Phone:	202-736-2883	Country:	
Source Type:	Notification	Zip Code:	20007
Owner/Operator Ind:	Current Owner	Street No:	1025
Type:	Private	Street 1:	THOMAS JEFFERSON ST NW STE 700 EAST
Name:	COURTHOUSE SUBSIDIARY LLC	Street 2:	
Date Became Current:	19781012	City:	WASHINGTON
Date Ended Current:		State:	DC
Phone:		Country:	US
Source Type:	Notification	Zip Code:	20007
Owner/Operator Ind:	Current Operator	Street No:	1
Type:	Private	Street 1:	CVS DR
Name:	VIRGINIA CVS PHARMACY, L.L.C.	Street 2:	
Date Became Current:	19780915	City:	WOONSOCKET
Date Ended Current:		State:	RI
Phone:	401-765-1500	Country:	US
Source Type:	Notification	Zip Code:	02895
Owner/Operator Ind:	Current Owner	Street No:	1025
Type:	Private	Street 1:	THOMAS JEFFERSON ST NW STE 700 EAST
Name:	COURTHOUSE SUBSIDIARY LLC	Street 2:	
Date Became Current:	19781012	City:	WASHINGTON
Date Ended Current:		State:	DC
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	20007
Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	
Name:	VIRGINIA CVS PHARMACY, L.L.C.	Street 2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Date Became Current:	19780915				City:	
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	
Owner/Operator Ind:	Current Operator				Street No:	1
Type:	Private				Street 1:	CVS DR
Name:	VIRGINIA CVS PHARMACY, L.L.C.				Street 2:	
Date Became Current:	19780915				City:	WOONSOCKET
Date Ended Current:					State:	RI
Phone:	401-765-1500				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	02895
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	VIRGINIA CVS PHARMACY, L.L.C.				Street 2:	
Date Became Current:	19780915				City:	
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Notification				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	1025
Type:	Private				Street 1:	THOMAS JEFFERSON ST NW STE 700
Name:	COURTHOUSE SUBSIDIARY LLC				Street 2:	
Date Became Current:	19781012				City:	WASHINGTON
Date Ended Current:					State:	DC
Phone:	202-736-2883				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	20007

Historical Handler Details

Receive Dt: 20120419
Generator Code Description: Very Small Quantity Generator
Handler Name: CVS PHARMACY #1371

Receive Dt: 20190929
Generator Code Description: Very Small Quantity Generator
Handler Name: CVS PHARMACY #1371

Receive Dt: 20180209
Generator Code Description: Large Quantity Generator
Handler Name: CVS PHARMACY #1371

Receive Dt: 20141118
Generator Code Description: Large Quantity Generator
Handler Name: CVS PHARMACY #1371

Receive Dt: 20160603
Generator Code Description: Large Quantity Generator
Handler Name: CVS PHARMACY #1371

Receive Dt: 20150602
Generator Code Description: Large Quantity Generator
Handler Name: CVS PHARMACY #1371

25	1 of 1	SSW	0.17 / 876.29	428.61 / 12	City of Fairfax Volunteer Fire Station 3 4081 University Dr Fairfax VA 22030	UST
--------------------	--------	-----	------------------	----------------	---	-----

Facility ID:	3008630	Name:	City of Fairfax Volunteer Fire Station 3
CEDS Facility ID:	200000078347	Address 1:	4081 University Dr
Facility Type:	LOCAL	Address 2:	
Active UST:	0	City:	Fairfax
Inactive UST:	2	ZIP:	22030
Active AST:	0	County:	Fairfax City
Inactive AST:	0	Region:	NVRO

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Facility Active:	No				Parent Reg Alt Desc:	Northern
Federally Regulated:	Yes				State:	VA
Facility Name (HUB):	City of Fairfax Volunteer Fire Station 3				Latitude (HUB):	38.8430689944003
Facility Addr 1 (HUB):	4081 University Dr				Longitude (HUB):	-77.3063240001812
Facility Addr 2 (HUB):					Facility State (HUB):	VA
Facility City (HUB):	Fairfax				Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City					
Facility Location (HUB):	4081 University Dr					
Facility ID No (Red Tagged):						
Facility Name (Red Tagged):						
Facility Address (Red Tagged):						
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities					

Tank Information

Tank Type:	UST	Tank Owner ID:	36491
Tank No:	R2		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	1000
Install Date:	4/29/1966	Contents:	DIESEL
Date Closed:	1/3/1989	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	UNKNOWN	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:	No		
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<i>Pipe RD Tightness Test:</i>		No				
<i>Pipe RD Sir:</i>		No				
<i>Pipe RD Leak Deferred:</i>						
<i>Pipe RD Other:</i>		No				
<i>Pipe RD Other Specify:</i>						
<u>Tank Information</u>						
<i>Tank Type:</i>	UST			<i>Tank Owner ID:</i>	36491	
<i>Tank No:</i>	R1					
<u>Tank Details</u>						
<i>Tank Status:</i>	REM FROM GRD			<i>Capacity:</i>	3000	
<i>Install Date:</i>	4/29/1966			<i>Contents:</i>	GASOLINE	
<i>Date Closed:</i>	1/3/1989			<i>Other Contents:</i>		
<i>Fed Regulated Tank:</i>	Yes					
<u>Tank Materials</u>						
<i>Asphalt/Bare Steel:</i>	Yes			<i>Impressed Curr:</i>	No	
<i>CCP/STI-P3:</i>	No			<i>Polyethyl Jacket:</i>	No	
<i>Composite:</i>	No			<i>Concrete:</i>	No	
<i>Fiberglass:</i>	No			<i>Excavation Liner:</i>	No	
<i>Lined Interior:</i>	No			<i>Secondary Contain:</i>	No	
<i>Double Walled:</i>	No			<i>Repaired:</i>	No	
<i>Other:</i>	No			<i>Unknown:</i>	No	
<i>Other Specify:</i>						
<u>Pipe Materials</u>						
<i>Piping Type:</i>	UNKNOWN			<i>Cathodically Protect:</i>	No	
<i>Asphalt/Bare Steel:</i>	No			<i>Double Walled:</i>	No	
<i>Galvanized Steel:</i>	Yes			<i>Impressed Current:</i>		
<i>Fiberglass:</i>	No			<i>Polyflexible:</i>	No	
<i>Copper:</i>	No			<i>Secondary Contain:</i>	No	
<i>Other:</i>	No			<i>Repaired:</i>	No	
<i>Other Specify:</i>				<i>Unknown:</i>	No	
<u>Tank/Pipe Release Detection</u>						
<i>Manual Gauging:</i>	No			<i>Tank Rd Sir:</i>	No	
<i>Tightness Testing:</i>	No			<i>Leak Deferred:</i>	No	
<i>Inventory Controls:</i>	No			<i>Other:</i>	No	
<i>ATG:</i>	No			<i>Other Specify:</i>		
<i>Vapor Monitoring:</i>	No			<i>Spill Device Install:</i>	No	
<i>Groundwater Monitor:</i>	No			<i>Overfill Device Install:</i>	No	
<i>IM Dbl Walled:</i>	No			<i>Overfill Type:</i>		
<i>IM Sec Contain:</i>	No			<i>Overfill Other Specify:</i>		
<i>Pipe RD MTD:</i>		No				
<i>Pipe RD ATG:</i>						
<i>Pipe RD GW Monitor:</i>		No				
<i>Pipe RD Vap Monitor:</i>		No				
<i>Pipe RD IM Dbl Wall:</i>		No				
<i>Pipe RD IM Sec Contain:</i>		No				
<i>Pipe RD ALLD:</i>		No				
<i>Pipe RD Tightness Test:</i>		No				
<i>Pipe RD Sir:</i>		No				
<i>Pipe RD Leak Deferred:</i>						
<i>Pipe RD Other:</i>		No				
<i>Pipe RD Other Specify:</i>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner

Tank Owner ID:	36491	Owner Address 1:	10455 ARMSTRONG STREET
No of Active AST:	0	Owner Address 2:	
No of Active UST:	0	Owner City:	FAIRFAX
No of Inactive AST:	0	Owner State:	VA
No of Inactive UST:	2	Owner ZIP 5:	22030
Federal Regulated:	Yes	Owner ZIP 4:	
Region:	NVRO	Owner Type:	LOCAL
Owner Name:	CITY OF FAIRFAX	Facility Active?:	No
Name:	City of Fairfax Volunteer Fire Station 3		

Data Hub - Registered Tanks Detail

Fac ID 1:	3008630	Changed By:	
CEDS Fac:	200000078347	Verify Date:	
Reference Point:		Verified By:	
Inserted Date:		X:	-8605700.6228
Inserted By:		Y:	4699217.4166
Changed Date:			

26	1 of 2	NE	0.18 / 964.62	416.31 / 0	Courthouse Plaza Shopping Center 10300 Willard Way Fairfax VA 22030	VRP
--------------------	--------	----	---------------	------------	---	-----

VRP No:	VRP00440	Size Acres:	8.7318
Rpm Full Name:		County:	Fairfax City
Site Type:	Dry Cleaner	Point X:	-77.3017561792509
Region:	Northern	Point Y:	38.8477207829801
Elig Notes:	RPM:Mohammed Habibi		
Phase 3 Billing Determination:			
Primary Status Name:	Certificate Issued		
Exclude from Phase 3 Billing:	0		
Secondary Status Name:	Refer to Certificate Status		
Remedtn Summary and Notes:	Groundwater use is restricted.		
Secondary Status Description:	See Certificate tab for additional status information		
Nature and Extent of Contamin:			
Areas of Concern:			
Offsite Organics:			
Offsite Inorganics:			
Offsite Notes:			
Onsite Organic:			
Onsite Inorganic:			
Onsite Notes:			
Alt Address Desc:			
Notes:			

The submitted SCR reviewed and comments were provided by a letter dated Nov. 6, 2006

A response (a letter with several attachments) to our comments was received on Nov. 27, 2006.

VRP staff reviewed the response and agreed with the content. VRP staff in a letter dated Feb. 14, 2007 stated that the participant may start working on drafting a Public Notice and drafting the Certificate.

Consultant submitted a draft Public Notice. VRP Manager reviewed it and agreed with its content.

The Public Notice was published on March 15, 2007.

A draft Certificate received. It is under review.

Consultant submitted documentation of the Public Notice with a letter dated May 10, 2007.

Based on a request by Moe, consultant with Apex, submitted a letter dated May 24, 2007. certifying that VRP related activities were performed and the total cost of remediation was the last year amount which was \$41,200.00 The exact amount of fee was paid.

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

A Certificate issued on June 1, 2007. Waiting to receive a recorded copy of the Certificate.

July 13, 2007: VRP staff called the consultant and reminded him that the above Certificate must be recorded within 90 days of issuance . The participant should submit a copy of the recorded Certificate to VRP. The consultant stated that he will contact his client and requests recordation of the Certificate.

July 17, 2007: VRP staff received a copy of the recorded Certificate. It indicates that it was recorded in Fairfax County on June 20, 2007.

Conclusion: The Participnat completed all the remediation activities and has met VRP administrative requirements.

Therefore, it is done. Last Action Date: 7/17/2007 Last Action Description: A copy of the recorded Certificate received. Next Step: Pending Since: Due By:

Contact(s)

Organization: APEX Companies, LLC
Street 1: 15850 Crabbs Branch Way
Street 2:
Unit: Ste 200
City: Rockville
State: MD
Country: US
Zipcode: 20855
Zipcode4:
Primary Phone: 3013700426
Alternate Phone:
Fax No:
Prefix:
Full Name: Peter Granholm
Suffix: PG
Title: Vice President
Email: pgranholm@apexcos.com
Contact Type List: Consultant
Billing Recipient: No

Organization: CPI Tower Manager LLC
Street 1: c/o Combined Properties, Inc.
Street 2: 1255 22nd St N
Unit:
City: Washington
State: DC
Country: US
Zipcode: 20037
Zipcode4:
Primary Phone: 2022934500
Alternate Phone:
Fax No:
Prefix: Mr.
Full Name: Alexis S. C. Iszard
Suffix:
Title: Vice President
Email:
Contact Type List: Participant
Billing Recipient: No

Certificate(s)

Certificate Type:	VRP Certificate	Date Recorded:	6/20/2007
Certificate Status:	Recordation On File	Recordatn Deadline:	8/30/2007
Issued Date:	6/1/2007	Site Acreage:	
Instrument No:	2007018055.007		
Comments:			

Event(s)

Description: Notification of Eligibility

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Due Date:
Completed Date: 7/10/2006
Comments:

Description: Eligibility Verification Review
Due Date:
Completed Date: 7/10/2006
Comments: Sent to RO & CO 3/9/06. Letter 7/12/06 site is eligible & req.the fee. A letter 07/21/06 & a check received. A SCR 7/25/06 received. Reviewed& commented 11/06/06. Resp. rec. 11/27/06.tel. calls Jan .

Description: Application Received
Due Date:
Completed Date: 3/6/2006
Comments:

Description: Site Enrolled Date
Due Date:
Completed Date: 7/10/2006
Comments:

Restriction Document(s)

Instrument No:	2007018055.007	Recordatn Deadline:	
Document Type:	Declaration	Date Recorded:	6/20/2007
Document Date:	6/1/2007		
Comments:			

26	2 of 2	NE	0.18 / 964.62	416.31 / 0	Courthouse Plaza Shopping Center 10300 Willard Way Fairfax VA 22030	INST
--------------------	--------	----	---------------	------------	---	------

VRP No:	VRP00440	Region:	Northern
Rpm Full Name:		County:	Fairfax City
Site Type:	Dry Cleaner	Point X:	-77.3017561792509
Site Acreage:	8.7318	Point Y:	38.8477207829801
Eligibility Notes:	RPM:Mohammed Habibi		
Phase 3 Billing Determinatn:			
Prim Status Name:	Certificate Issued		
Exclude from Phase 3 Billing:	0		
Secondary Status Name:	Refer to Certificate Status		
Remedtn Summary and Notes:	Groundwater use is restricted.		
Secondary Status Desc:	See Certificate tab for additional status information		
Nature and Extent of Contamin:			
Areas of Concern:			
Offsite Organics:			
Offsite Inorganics:			
Offsite Notes:			
Onsite Organics:			
Onsite Inorganics:			
Onsite Notes:			
Alt Address Desc:			
Notes:			

The submitted SCR reviewed and comments were provided by a letter dated Nov. 6, 2006

A response (a letter with several attachments) to our comments was received on Nov. 27, 2006.

VRP staff reviewed the response and agreed with the content. VRP staff in a letter dated Feb. 14, 2007 stated that the participant may start working on drafting a Public Notice and drafting the Certificate.

Consultant submitted a draft Public Notice. VRP Manager reviewed it and agreed with its content.

The Public Notice was published on March 15, 2007.

A draft Certificate received. It is under review.

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Consultant submitted documentation of the Public Notice with a letter dated May 10, 2007.

Based on a request by Moe, consultant with Apex, submitted a letter dated May 24, 2007. certifying that VRP related activities were performed and the total cost of remediation was the last year amount which was \$41,200.00 The exact amount of fee was paid.

A Certificate issued on June 1, 2007. Waiting to receive a recorded copy of the Certificate.

July 13, 2007: VRP staff called the consultant and reminded him that the above Certificate must be recorded within 90 days of issuance . The participant should submit a copy of the recorded Certificate to VRP. The consultant stated that he will contact his client and requests recordation of the Certificate.

July 17, 2007: VRP staff received a copy of the recorded Certificate. It indicates that it was recorded in Fairfax County on June 20, 2007.

Conclusion: The Participnat compeleted all the remediation activities and has met VRP administrative requirements.

Therefore, it is done. Last Action Date: 7/17/2007 Last Action Description: A copy of the recorded Certificate received. Next Step: Pending Since: Due By:

Contact(s)

Prefix:	Mr.	Alternate Phone:	
Full Name:	Alexis S. C. Iszard	Fax No:	
Suffix:		Zipcode4:	
Email:		Contact Type List:	Participant
Primary Phone:	2022934500	Billing Recipient:	No
Organization:	CPI Tower Manager LLC		
Title:	Vice President		
Street 1:	c/o Combined Properties, Inc.		
Street 2:	1255 22nd St N		
Unit:			
City:	Washington		
State:	DC		
Country:	US		
Zipcode:	20037		

Prefix:		Alternate Phone:	
Full Name:	Peter Granholm	Fax No:	
Suffix:	PG	Zipcode4:	
Email:	pgranholm@apexcos.com	Contact Type List:	Consultant
Primary Phone:	3013700426	Billing Recipient:	No
Organization:	APEX Companies, LLC		
Title:	Vice President		
Street 1:	15850 Crabbs Branch Way		
Street 2:			
Unit:	Ste 200		
City:	Rockville		
State:	MD		
Country:	US		
Zipcode:	20855		

Certificate(s)

Certificate Type:	VRP Certificate	Date of Recorded:	6/20/2007
Certificate Status:	Recordation On File	Recordatn Deadline:	8/30/2007
Issued Date:	6/1/2007	Site Acreage:	
Instrument No:	2007018055.007		
Comments:			

Event(s)

Description:	Eligibility Verification Review
Due Date:	
Completed Date:	7/10/2006
Comments:	Sent to RO & CO 3/9/06. Letter 7/12/06 site is eligible & req.the fee. A letter 07/21/06 & a check received. A SCR 7/25/06 received. Reviewed& commented 11/06/06. Resp. rec. 11/27/06.tel. calls Jan .

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Description: Site Enrolled Date
Due Date:
Completed Date: 7/10/2006
Comments:

Description: Application Received
Due Date:
Completed Date: 3/6/2006
Comments:

Description: Notification of Eligibility
Due Date:
Completed Date: 7/10/2006
Comments:

Restriction Document(s)

Instrument No: 2007018055.007	Recordatn Deadline:
Document Type: Declaration	Date Recorded: 6/20/2007
Document Date: 6/1/2007	
Comments:	

27	1 of 1	NE	0.19 / 1,007.70	416.67 / 0	SAFeway STORE #4001 10350 WILLARD WAY FAIRFAX VA 22030	RCRA VSQG
--------------------	--------	----	--------------------	---------------	--	-----------

EPA Handler ID: VAR000529594
Gen Status Universe: VSG
Contact Name: KEITH B POWERS
Contact Address: 5918 , STONERIDGE MALL ROAD , , PLEASANTON , CA, 94588 , US
Contact Phone No and Ext: 510-246-0358
Contact Email: KEITH.POWERS@SAFEWAY.COM
Contact Country: US
County Name: FAIRFAX CITY
EPA Region: 03
Land Type: Private
Receive Date: 20210715
Location Latitude: 38.848449
Location Longitude: -77.302571

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20210715
 Handler Name: SAFEWAY STORE #4001
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D010
 Waste Code Description: SELENIUM

Hazardous Waste Code: P075
 Waste Code Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-(S)-, & SALTS

Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D007
 Waste Code Description: CHROMIUM

Hazardous Waste Code: D011
 Waste Code Description: SILVER

Hazardous Waste Code: P001
 Waste Code Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20140818
 Handler Name: SAFEWAY STORE #4001
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: P075
 Waste Code Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-(S)-, & SALTS

Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	CO COMBINED PROPERTIES INC
Name:	COMBINED COURTHOUSE LLC	Street 2:	1025 THOMAS JEFFERSON ST NW
Date Became Current:	20140204	City:	WASHINGTON
Date Ended Current:		State:	DC
Phone:	202-736-2883	Country:	US
Source Type:	Notification	Zip Code:	20007

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	
Name:	SAFEWAY	Street 2:	
Date Became Current:	19790107	City:	
Date Ended Current:		State:	
Phone:		Country:	
Source Type:	Notification	Zip Code:	
Owner/Operator Ind:	Current Operator	Street No:	5918
Type:	Private	Street 1:	STONERIDGE MALL ROAD
Name:	SAFEWAY	Street 2:	
Date Became Current:	19790107	City:	PLEASANTON
Date Ended Current:		State:	CA
Phone:	925-469-7000	Country:	US
Source Type:	Notification	Zip Code:	94588

Historical Handler Details

Receive Dt: 20140818
Generator Code Description: Very Small Quantity Generator
Handler Name: SAFEWAY STORE #4001

28	1 of 3	SW	0.22 / 1,159.39	445.33 / 29	MASSEY BUILDING 4100 Chain Bridge Rd Fairfax VA 22030	UST
--------------------	--------	----	--------------------	----------------	---	-----

Facility ID:	3006788	Name:	MASSEY BUILDING
CEDS Facility ID:	200000076615	Address 1:	4100 Chain Bridge Rd
Facility Type:	LOCAL	Address 2:	
Active UST:	0	City:	Fairfax
Inactive UST:	1	ZIP:	22030
Active AST:	0	County:	Fairfax City
Inactive AST:	0	Region:	NVRO
Facility Active:	No	Parent Reg Alt Desc:	Northern
Federally Regulated:	Yes	State:	VA
Facility Name (HUB):	MASSEY BUILDING	Latitude (HUB):	38.84361599685
Facility Addr 1 (HUB):	4100 Chain Bridge Rd	Longitude (HUB):	-77.3082300015336
Facility Addr 2 (HUB):		Facility State (HUB):	VA
Facility City (HUB):	Fairfax	Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City		
Facility Location (HUB):	4100 Chain Bridge Rd		
Facility ID No (Red Tagged):			
Facility Name (Red Tagged):			
Facility Address (Red Tagged):			
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities		

Tank Information

Tank Type:	UST	Tank Owner ID:	37249
Tank No:	G1		

Tank Details

Tank Status:	CLS IN GRD	Capacity:	10000
Install Date:	4/22/1967	Contents:	HEATING OIL
Date Closed:	12/31/1998	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Fiberglass:	No				Excavation Liner:	No
Lined Interior:	No				Secondary Contain:	No
Double Walled:	No				Repaired:	No
Other:	No				Unknown:	Yes
Other Specify:						

Pipe Materials

Piping Type:	VALVE SUCTION	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	Yes	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			
Pipe RD Other:	No		
Pipe RD Other Specify:			

Owner

Tank Owner ID:	37249	Owner Address 1:	12000 Government Center Pkwy, 4th Floor
No of Active AST:	0	Owner Address 2:	
No of Active UST:	0	Owner City:	Fairfax
No of Inactive AST:	0	Owner State:	VA
No of Inactive UST:	1	Owner ZIP 5:	22035
Federal Regulated:	Yes	Owner ZIP 4:	
Region:	NVRO	Owner Type:	LOCAL
Owner Name:	Fairfax County Facilities Management Division	Facility Active?:	No
Name:	MASSEY BUILDING		

Data Hub - Registered Tanks Detail

Fac ID 1:	3006788	Changed By:	
CEDS Fac:	200000076615	Verify Date:	
Reference Point:		Verified By:	
Inserted Date:		X:	-8605912.7979
Inserted By:		Y:	4699295.5972
Changed Date:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

CEDS Fac ID:	200000076615				Reg Petrol UST 1:	No
Case Status:	Closed				Excluded UST 1:	No
Case Closed Date:	2/15/2000				Deferred UST 1:	No
Release Reported:	6/24/1999				Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes				Partial Defer UST 1:	Yes
Program:	RP Lead				Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:					Small Ht Oil AST 2:	No
PC No :	19993418				Regulated AST3:	No
Site Name:	Massey Building				Unregulated AST3:	No
Address :	4100 Chain Bridge Rd				Other Tank Type:	No
City :	Fairfax				Oth Tank Type Desc:	
ZIP :	22030				Unknown Tank Type:	No
County :	Fairfax City				Region:	NRO
PC No (Hub):	19993418					
Rst Name (Hub):	Massey Building					
Fac L Addr 1 (Hub):	4100 Chain Bridge Rd					
Fac L City (Hub):	Fairfax					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax City					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000076615	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19993418	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	jwcheatham
Rst Rls Reported:	1999/06/24 00:00:00+00	Changed Date:	2007/03/27 00:00:00+00
Rst Case Closed:	2000/02/15 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	3	Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.843261660986
Rst Response:		Longitude:	-77.3076661964034
Reference Point:			
Rst Name:	Massey Building		
Fac Location:	4100 Chain Bridge Rd		
X:	-8605850.0354		
Y:	4699244.9535		

28	3 of 3	SW	0.22 / 1,159.39	445.33 / 29	MASSEY BUILDING 4100 CHAIN BRIDGE ROAD FAIRFAX VA 22030	RCRA NON GEN
--------------------	--------	----	--------------------	----------------	---	-----------------

EPA Handler ID:	VAP405201907
Gen Status Universe:	No Report
Contact Name:	
Contact Address:	
Contact Phone No and Ext:	
Contact Email:	
Contact Country:	
County Name:	FAIRFAX
EPA Region:	03
Land Type:	Private
Receive Date:	20191231
Location Latitude:	
Location Longitude:	

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20191231
Handler Name: MASSEY BUILDING
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20190529
Handler Name: MASSEY BUILDING
Source Type: Temporary
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No: 4100
Type: Private	Street 1: CHAIN BRIDGE ROAD
Name: FAIRFAX COUNTY BOARD OF SUPERVISORS	Street 2:
Date Became Current: 19680101	City: FAIRFAX
Date Ended Current:	State: VA
Phone: 703-246-2776	Country: US
Source Type: Temporary	Zip Code: 22030

Owner/Operator Ind: Current Operator	Street No: 4100
Type: Private	Street 1: CHAIN BRIDGE ROAD
Name: FAIRFAX COUNTY BOARD OF SUPERVISORS	Street 2:
Date Became Current: 19680101	City: FAIRFAX
Date Ended Current:	State: VA
Phone: 703-246-2776	Country: US
Source Type: Temporary	Zip Code: 22030

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Historical Handler Details

Receive Dt: 20190529
 Generator Code Description: Small Quantity Generator
 Handler Name: MASSEY BUILDING

29	1 of 1	ESE	0.22 / 1,174.89	403.55 / -13	PROVIDENCE PRESS INC 10252 MAIN ST FAIRFAX VA 22030	RCRA NON GEN
--------------------	--------	-----	--------------------	-----------------	---	-----------------

EPA Handler ID: VAD048013270
 Gen Status Universe: No Report
 Contact Name: MERLE DOWD
 Contact Address: 10252 MAIN ST , , FAIRFAX , VA, 22030 , US
 Contact Phone No and Ext: 703-273-3020
 Contact Email:
 Contact Country: US
 County Name: FAIRFAX CITY
 EPA Region: 03
 Land Type:
 Receive Date: 20210927
 Location Latitude: 38.845131
 Location Longitude: -77.30081

Violation/Evaluation Summary

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated Jan, 2023.

Evaluation Details

Evaluation Start Date: 20210401
 Evaluation Type Description: FOCUSED COMPLIANCE INSPECTION
 Violation Short Description:
 Return to Compliance Date:
 Evaluation Agency: State

Handler Summary

Importer Activity: No
 Mixed Waste Generator: No
 Transporter Activity: No
 Transfer Facility: No
 Onsite Burner Exemption: No
 Furnace Exemption: No
 Underground Injection Activity: No
 Commercial TSD: No
 Used Oil Transporter: No
 Used Oil Transfer Facility: No
 Used Oil Processor: No
 Used Oil Refiner: No
 Used Oil Burner: No
 Used Oil Market Burner: No
 Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19800809
 Handler Name: PROVIDENCE PRESS INC
 Source Type: Notification
 Federal Waste Generator Code: 2
 Generator Code Description: Small Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20210927
Handler Name: PROVIDENCE PRESS INC
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No:	
Type: Private	Street 1:	OPERSTREET
Name: OPERNAME	Street 2:	
Date Became Current:	City:	OPERCITY
Date Ended Current:	State:	AK
Phone: 215-555-1212	Country:	US
Source Type: Implementer	Zip Code:	99999

Owner/Operator Ind: Current Operator	Street No:	
Type: Private	Street 1:	OPERSTREET
Name: OPERNAME	Street 2:	
Date Became Current:	City:	OPERCITY
Date Ended Current:	State:	AK
Phone: 215-555-1212	Country:	
Source Type: Notification	Zip Code:	99999

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	OWNERSTREET
Name: OWNERNAME	Street 2:	
Date Became Current:	City:	OWNERCITY
Date Ended Current:	State:	AK
Phone: 215-555-1212	Country:	
Source Type: Notification	Zip Code:	99999

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	OWNERSTREET
Name: OWNERNAME	Street 2:	
Date Became Current:	City:	OWNERCITY
Date Ended Current:	State:	AK
Phone: 215-555-1212	Country:	US
Source Type: Implementer	Zip Code:	99999

Historical Handler Details

Receive Dt: 19800809
Generator Code Description: Small Quantity Generator
Handler Name: PROVIDENCE PRESS INC

30	1 of 2	SW	0.23 / 1,231.01	445.23 / 28	JUDICIAL CENTER 4110 Chain Bridge Rd Fairfax VA 22030	UST
--------------------	--------	----	--------------------	----------------	---	-----

Facility ID: 3006794	Name: JUDICIAL CENTER
CEDS Facility ID: 200000077229	Address 1: 4110 Chain Bridge Rd
Facility Type: LOCAL	Address 2:
Active UST: 1	City: Fairfax
Inactive UST: 1	ZIP: 22030
Active AST: 1	County: Fairfax City
Inactive AST: 0	Region: NVRO
Facility Active: Yes	Parent Reg Alt Desc: Northern
Federally Regulated: Yes	State: VA
Facility Name (HUB): JUDICIAL CENTER	Latitude (HUB): 38.8434353591536
Facility Addr 1 (HUB): 4110 Chain Bridge Rd	Longitude (HUB): -77.3098133963079

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Facility Addr 2 (HUB):					Facility State (HUB):	VA
Facility City (HUB):	Fairfax				Facility ZIP 5 (HUB):	22030
County Name (HUB):	Fairfax City					
Facility Location (HUB):	4110 Chain Bridge Rd					
Facility ID No (Red Tagged):						
Facility Name (Red Tagged):						
Facility Address (Red Tagged):						
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities					

Tank Information

Tank Type:	UST	Tank Owner ID:	37249
Tank No:	R1		

Tank Details

Tank Status:	REM FROM GRD	Capacity:	6000
Install Date:	4/21/1981	Contents:	DIESEL
Date Closed:	1/19/1995	Other Contents:	
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	Yes	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	No	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	No	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	VALVE SUCTION	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	No
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	No	Polyflexible:	No
Copper:	Yes	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	No
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	No
Groundwater Monitor:	No	Overfill Device Install:	No
IM Dbl Walled:	No	Overfill Type:	
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	No		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:			
Pipe RD Other:	No		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Pipe RD Other Specify:

Tank Information

Tank Type:	UST	Tank Owner ID:	37249
Tank No:	2		

Tank Details

Tank Status:	CURR IN USE	Capacity:	8000
Install Date:	1/20/1995	Contents:	EMER GENERATOR
Date Closed:		Other Contents:	Diesel
Fed Regulated Tank:	Yes		

Tank Materials

Asphalt/Bare Steel:	No	Impressed Curr:	No
CCP/STI-P3:	No	Polyethyl Jacket:	No
Composite:	Yes	Concrete:	No
Fiberglass:	No	Excavation Liner:	No
Lined Interior:	No	Secondary Contain:	No
Double Walled:	Yes	Repaired:	No
Other:	No	Unknown:	No
Other Specify:			

Pipe Materials

Piping Type:	VALVE SUCTION	Cathodically Protect:	No
Asphalt/Bare Steel:	No	Double Walled:	Yes
Galvanized Steel:	No	Impressed Current:	
Fiberglass:	Yes	Polyflexible:	No
Copper:	No	Secondary Contain:	No
Other:	No	Repaired:	No
Other Specify:		Unknown:	No

Tank/Pipe Release Detection

Manual Gauging:	No	Tank Rd Sir:	No
Tightness Testing:	No	Leak Deferred:	Yes
Inventory Controls:	No	Other:	No
ATG:	No	Other Specify:	
Vapor Monitoring:	No	Spill Device Install:	Yes
Groundwater Monitor:	No	Overfill Device Install:	
IM Dbl Walled:	Yes	Overfill Type:	ALARM-AUTOMATIC SHUTOFF
IM Sec Contain:	No	Overfill Other Specify:	
Pipe RD MTD:	No		
Pipe RD ATG:			
Pipe RD GW Monitor:	No		
Pipe RD Vap Monitor:	No		
Pipe RD IM Dbl Wall:	Yes		
Pipe RD IM Sec Contain:	No		
Pipe RD ALLD:	No		
Pipe RD Tightness Test:	No		
Pipe RD Sir:	No		
Pipe RD Leak Deferred:	Yes		
Pipe RD Other:	No		
Pipe RD Other Specify:			

Owner

Tank Owner ID:	37249	Owner Address 1:	12000 Government Center Pkwy, 4th Floor
No of Active AST:	1	Owner Address 2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
No of Active UST:	1				Owner City:	Fairfax
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	1				Owner ZIP 5:	22035
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	LOCAL
Owner Name:	Fairfax County Facilities Management Division				Facility Active?:	Yes
Name:	JUDICIAL CENTER					

Data Hub - Registered Tanks Detail

Fac ID 1:	3006794	Changed By:	SLTIFFANY
CEDS Fac:	200000077229	Verify Date:	2022/09/02 14:07:59+00
Reference Point:	PG	Verified By:	SLTIFFANY
Inserted Date:		X:	-8606089.0606
Inserted By:		Y:	4699269.7794
Changed Date:	2022/09/02 14:07:51+00		

[30](#) 2 of 2 SW 0.23 / 1,231.01 445.23 / 28 JUDICIAL CENTER 4110 Chain Bridge Rd Fairfax VA 22030 AST

Facility ID:	3006794	Address 1:	4110 Chain Bridge Rd
CEDS Facility ID:	200000077229	Address 2:	
Facility Active:	Yes	City:	Fairfax
Facility Type:	LOCAL	ZIP:	22030
Active USTs:	1	County:	Fairfax City
Inactive USTs:	1	Region:	NVRO
Active ASTs:	1	Parent Region:	Northern
Inactive ASTs:	0	State:	VA
Fed Regulated?:	Yes		
Name:	JUDICIAL CENTER		
Facility Name (HUB):	JUDICIAL CENTER		
Facility Addr 1 (HUB):	4110 Chain Bridge Rd		
Facility Addr 2 (HUB):			
Facility City (HUB):	Fairfax		
County Name (HUB):	Fairfax City		
Facility State (HUB):	VA		
Facility ZIP 5 (HUB):	22030		
Latitude (HUB):	38.8434353591536		
Longitude (HUB):	-77.3098133963079		
Facility Location (HUB):	4110 Chain Bridge Rd		
Source:	Registered petroleum storage tanks; Virginia Environmental Data Hub - Registered Petroleum Tank Facilities		

Tank Information

Tank Type:	AST	Tank Owner ID:	37249
Tank No:	AST 1		

Tanks Details

Tank Status:	CURR IN USE	Capacity:	5000
Install Date:	2/25/2016	Contents:	DIESEL
Date Closed:		Other Contents:	
Fed Regulated Tank:	No		

Tank Materials

Bare Steel:	Yes	Lined Interior:	No
Insulated Steel:	No	Double Bottom:	No
Concrete Coated:	No	Portable Skid:	No
Unknown:	No	Fabric/Built:	No
Cathodic/CP:	No	Vaulted Below Grade:	No
Single Wall:	No	Vertical:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Double Wall:	Yes				Horizontal:	No
Other:	No				Tank Type Unknown:	
Tank Type Other:	No					
Other Specify:						
Tank Type Other Specify:						

Tank Foundation Roof

Concrete Coating:	No				Unknown:	No
Concrete:	Yes				Roof NA Horiz Tank:	Yes
Steel/Sad/Run/Beam:	No				Roof Floating:	No
Earthen:	No				Roof Fix Cone Weld:	No
Ring Wall:					Roof Other:	No
Fndn Other:	No					
Fndn Other Specify:						
Roof Other Specify:						

Tank Containment Detection Prevention

Curbing:	Yes				Retention Pond:	No
Weirs/Boom:	No				Dike Berm/Wall:	No
Sorbent Material:	No				Cont Type Unknown:	No
Culverts/Gutters:	No				Cont Type Other:	No
Diversion Pool:	No				Cont Type None:	
Cont Type Other Specify:						
Tank RD GW Monitoring:	No					
Tank RD Visual Monitoring:	Yes					
Tank RD Vapor Monitoring:	No					
Tank RD Inter Monitor:	Yes					
Tank RD None:	No					
Tank RD Other:	No					
Tank RD Other Specify:						
RPB Double Bottom:	No					
RPB Double Wall:	Yes					
RPB Polyethylene Jacket:	No					
RPB Dike/Berm Excavation:	No					
RPB None:	No					
RPB Unknown:	No					
RPB Other:	No					
RPB Other Specify:						

Owner

Tank Owner ID:	37249				Owner Address 1:	12000 Government Center Pkwy, 4th Floor
No of Active AST:	1				Owner Address 2:	
No of Active UST:	1				Owner City:	Fairfax
No of Inactive AST:	0				Owner State:	VA
No of Inactive UST:	1				Owner ZIP 5:	22035
Federal Regulated:	Yes				Owner ZIP 4:	
Region:	NVRO				Owner Type:	LOCAL
Facility Active:	Yes					
Owner Name:	Fairfax County Facilities Management Division					
Name:	JUDICIAL CENTER					

Data Hub - Registered Tanks Detail

Fac ID 1:	3006794				Changed By:	SLTIFFANY
CEDS Fac:	200000077229				Verify Date:	2022/09/02 14:07:59+00
Reference:	PG				Verified By:	SLTIFFANY
Inserted Date:					X:	-8606089.0606
Inserted By:					Y:	4699269.7794
Changed Date:	2022/09/02 14:07:51+00					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
31	1 of 1	SW	0.23 / 1,240.49	445.23 / 28	DIV OF COMMUNICATIONS 4103 CHAIN BRIDGE RD FAIRFAX VA 22030	RCRA VSQG

EPA Handler ID: VAD988200341
Gen Status Universe: VSG
Contact Name: MELVIN MAUCK
Contact Address: 4103 CHAIN BRIDGE RD , , FAIRFAX , VA, 22030 , US
Contact Phone No and Ext: 703-246-2600
Contact Email:
Contact Country: US
County Name: FAIRFAX
EPA Region: 03
Land Type:
Receive Date: 19910515
Location Latitude: 38.843586
Location Longitude: -77.308129

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19910515
Handler Name: DIV OF COMMUNICATIONS
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	OPERSTREET
Name:	OPERNAME	Street 2:	
Date Became Current:		City:	OPERCITY
Date Ended Current:		State:	AK
Phone:	215-555-1212	Country:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Source Type:	Notification				Zip Code: 99999	
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1: 8280 GREENSBORO DR STE 900	
Name:	MCGUIRE WOODS BATTLE & BOOTHE				Street 2:	
Date Became Current:					City: MCLEAN	
Date Ended Current:					State: VA	
Phone:	703-356-2200				Country:	
Source Type:	Notification				Zip Code: 22102	

32	1 of 1	ESE	0.25 / 1,341.20	414.08 / -3	Lewis Ann Farr Residence 10230 Main St Fairfax VA 22030	LST
CEDS Fac ID:	200000889792				Reg Petrol UST 1: No	
Case Status:	Closed				Excluded UST 1: No	
Case Closed Date:	12/10/2020				Deferred UST 1: No	
Release Reported:	10/11/2019				Exmpt 1 UST 2: No	
Fed Regulated UST:	No				Partial Defer UST 1: No	
Program:	RP Lead				Exmpt 2 Ht Oil UST 2: Yes	
Heat Oil Category:	Category 3				Small Ht Oil AST 2: No	
PC No :	20203057				Regulated AST3: No	
Site Name:	Lewis Ann Farr Residence				Unregulated AST3: No	
Address :	10230 Main St				Other Tank Type: No	
City :	Fairfax				Oth Tank Type Desc:	
ZIP :	22030				Unknown Tank Type: No	
County :	Fairfax City				Region: NRO	
PC No (Hub):	20203057					
Rst Name (Hub):	Lewis Ann Farr Residence					
Fac L Addr 1 (Hub):	10230 Main St					
Fac L City (Hub):	Fairfax					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax City					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000889792	Des First Name:	Kristopher
Rst Poll Cmpl No:	20203057	Des Last Name:	McCandless
Rst Status Ind:	Closed	Changed by:	KKMCCANDLESS
Rst Rls Reported:	2019/10/11 00:00:00+00	Changed Date:	2019/10/30 17:23:45+00
Rst Case Closed:	2020/12/10 00:00:00+00	Inserted By:	KKMCCANDLESS
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	2019/10/30 17:23:45+00
Rst Rec Code:	NVRO	Verified by:	KKMCCANDLESS
Rst Priority:		Verify Date:	2019/10/30 17:23:44+00
Rst Fed Reg Tank:	N	Latitude:	38.8460940001776
Rst Response:		Longitude:	-77.2993189995794
Reference Point:	PG		
Rst Name:	Lewis Ann Farr Residence		
Fac Location:			
X:	-8604920.8297		
Y:	4699649.7746		

33	1 of 1	WNW	0.30 / 1,585.85	396.98 / -20	Mosby Apartment Complex 10570 Main St Fairfax City VA 22030	LST
CEDS Fac ID:	200000185250				Reg Petrol UST 1: No	
Case Status:	Closed				Excluded UST 1: No	
Case Closed Date:	2/3/1999				Deferred UST 1: No	
Release Reported:	1/20/1999				Exmpt 1 UST 2: No	
Fed Regulated UST:	No				Partial Defer UST 1: No	
Program:	RP Lead				Exmpt 2 Ht Oil UST 2: No	
Heat Oil Category:					Small Ht Oil AST 2: No	
PC No :	19993237				Regulated AST3: No	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Site Name:	Mosby Apartment Complex	Unregulated AST3:	No
Address :	10570 Main St	Other Tank Type:	No
City :	Fairfax City	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax County	Region:	NRO
PC No (Hub):	19993237		
Rst Name (Hub):	Mosby Apartment Complex		
Fac L Addr 1 (Hub):	10570 Main St		
Fac L City (Hub):	Fairfax City		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax County		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000185250	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19993237	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	jlglassman
Rst Rls Reported:	1999/01/20 00:00:00+00	Changed Date:	2007/05/18 00:00:00+00
Rst Case Closed:	1999/02/03 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:		Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8488164331898
Rst Response:		Longitude:	-77.3100949840135
Reference Point:			
Rst Name:	Mosby Apartment Complex		
Fac Location:	10570 Main St		
X:	-8606120.4068		
Y:	4700038.9022		

34	1 of 1	WNW	0.33 / 1,738.08	387.25 / -30	Everly Funeral Home 10565 Main St Fairfax VA 22030	LST
--------------------	--------	-----	-----------------	--------------	--	-----

CEDS Fac ID:	200000078673	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	5/14/1999	Deferred UST 1:	No
Release Reported:	12/8/1998	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	19993190	Regulated AST3:	No
Site Name:	Everly Funeral Home	Unregulated AST3:	No
Address :	10565 Main St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	19993190		
Rst Name (Hub):	Everly Funeral Home		
Fac L Addr 1 (Hub):	10565 Main St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000078673	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19993190	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	jwcheatham
Rst Rls Reported:	1998/12/08 00:00:00+00	Changed Date:	2007/05/14 00:00:00+00
Rst Case Closed:	1999/05/14 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Rst Rec Code: NVRO
Rst Priority:
Rst Fed Reg Tank: Yes
Rst Response:
Reference Point:
Rst Name: Everly Funeral Home
Fac Location: 10565 Main St
X: -8606245.587
Y: 4699824.845

Verified by:
Verify Date:
Latitude: 38.8473188489241
Longitude: -77.3112194968828

35	1 of 1	WNW	0.36 / 1,881.82	370.12 / -47	Fairfax Fuel Company Accotink Creek Fairfax City VA 22030	LST
--------------------	--------	-----	--------------------	-----------------	---	-----

CEDS Fac ID: 200000185861
Case Status: Closed
Case Closed Date: 8/5/1994
Release Reported: 2/5/1980
Fed Regulated UST: No
Program: RP Lead
Heat Oil Category:
PC No : 19800515
Site Name: Fairfax Fuel Company
Address : Accotink Creek
City : Fairfax City
ZIP : 22030
County : Fairfax County
PC No (Hub): 19800515
Rst Name (Hub): Fairfax Fuel Company
Fac L Addr 1 (Hub): Accotink Creek
Fac L City (Hub): Fairfax City
Fac L ZIP 5 (Hub): 22030
FIC Desc (Hub): Fairfax County
Source: Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites

Reg Petrol UST 1: No
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: No
Small Ht Oil AST 2: No
Regulated AST3: No
Unregulated AST3: No
Other Tank Type: No
Oth Tank Type Desc:
Unknown Tank Type: No
Region: NRO

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID: 200000185861
Rst Poll Cmpl No: 19800515
Rst Status Ind: Closed
Rst Rls Reported: 1980/02/05 00:00:00+00
Rst Case Closed: 1994/08/05 00:00:00+00
Rst Suspect Cnfrmd: Confirmed
Rst Rec Code: NVRO
Rst Priority:
Rst Fed Reg Tank: N
Rst Response:
Reference Point:
Rst Name: Fairfax Fuel Company
Fac Location: Accotink Creek
X: -8606215.0844
Y: 4700035.6732

Des First Name: Thomas
Des Last Name: Lancaster
Changed by: awardle
Changed Date: 2006/03/29 00:00:00+00
Inserted By:
Inserted Date:
Verified by:
Verify Date:
Latitude: 38.8487938427352
Longitude: -77.310945487365

36	1 of 1	WNW	0.41 / 2,185.30	372.93 / -44	Balley Shannon 10610 Main St Fairfax VA 22030	LST
--------------------	--------	-----	--------------------	-----------------	---	-----

CEDS Fac ID: 200000186104
Case Status: Closed
Case Closed Date: 8/9/1994
Release Reported: 6/2/1994
Fed Regulated UST: Yes
Program: RP Lead
Heat Oil Category:
PC No : 19944188

Reg Petrol UST 1: Yes
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: No
Small Ht Oil AST 2: No
Regulated AST3: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Site Name:	Balley Shannon				Unregulated AST3:	No
Address :	10610 Main St				Other Tank Type:	No
City :	Fairfax				Oth Tank Type Desc:	
ZIP :	22030				Unknown Tank Type:	No
County :	Fairfax City				Region:	NRO
PC No (Hub):	19944188					
Rst Name (Hub):	Balley Shannon					
Fac L Addr 1 (Hub):	10610 Main St					
Fac L City (Hub):	Fairfax					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax City					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000186104	Des First Name:	James
Rst Poll Cmpl No:	19944188	Des Last Name:	Green
Rst Status Ind:	Closed	Changed by:	jwcheatham
Rst Rls Reported:	1994/06/02 00:00:00+00	Changed Date:	2007/03/27 00:00:00+00
Rst Case Closed:	1994/08/09 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:		Verify Date:	
Rst Fed Reg Tank:	Yes	Latitude:	38.8482611151996
Rst Response:		Longitude:	-77.3119253256594
Reference Point:			
Rst Name:	Balley Shannon		
Fac Location:	10610 Main St		
X:	-8606324.1595		
Y:	4699959.5273		

[37](#) 1 of 1 **WNW** 0.42 / 2,199.77 375.99 / -41 **Corridon Electric** 3909 Railroad Ave **LST**
Fairfax VA 22030

CEDS Fac ID:	200000213253	Reg Petrol UST 1:	Yes
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	4/11/2006	Deferred UST 1:	No
Release Reported:	11/13/2003	Exmpt 1 UST 2:	No
Fed Regulated UST:	Yes	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	No
Heat Oil Category:		Small Ht Oil AST 2:	No
PC No :	20043113	Regulated AST3:	No
Site Name:	Corridon Electric	Unregulated AST3:	No
Address :	3909 Railroad Ave	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	20043113		
Rst Name (Hub):	Corridon Electric		
Fac L Addr 1 (Hub):	3909 Railroad Ave		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000213253	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20043113	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	wrchapman
Rst Rls Reported:	2003/11/13 00:00:00+00	Changed Date:	2006/02/08 00:00:00+00
Rst Case Closed:	2006/04/11 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Rst Rec Code: NVRO
Rst Priority: 2
Rst Fed Reg Tank: Yes
Rst Response:
Reference Point:
Rst Name: Corridon Electric
Fac Location: 3909 Railroad Ave
X: -8606235.1568
Y: 4700054.4398

Verified by:
Verify Date:
Latitude: 38.8489251359225
Longitude: -77.3111258008021

38	1 of 1	SE	0.42 / 2,214.91	445.14 / 28	Whiteley Malynda Residence 10224 Sager Ave Fairfax VA 22030	LST
--------------------	--------	----	--------------------	----------------	---	-----

CEDS Fac ID: 200000220493
Case Status: Closed
Case Closed Date: 7/7/2005
Release Reported: 3/16/2005
Fed Regulated UST: No
Program: RP Lead
Heat Oil Category: Category 2
PC No : 20053224
Site Name: Whiteley Malynda Residence
Address : 10224 Sager Ave
City : Fairfax
ZIP : 22030
County : Fairfax City
PC No (Hub): 20053224
Rst Name (Hub): Whiteley Malynda Residence
Fac L Addr 1 (Hub): 10224 Sager Ave
Fac L City (Hub): Fairfax
Fac L ZIP 5 (Hub): 22030
FIC Desc (Hub): Fairfax City
Source: Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites

Reg Petrol UST 1: No
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: Yes
Small Ht Oil AST 2: No
Regulated AST3: No
Unregulated AST3: No
Other Tank Type: No
Oth Tank Type Desc:
Unknown Tank Type: No
Region: NRO

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID: 200000220493
Rst Poll Cmpl No: 20053224
Rst Status Ind: Closed
Rst Rls Reported: 2005/03/16 00:00:00+00
Rst Case Closed: 2005/07/07 00:00:00+00
Rst Suspect Cnfrmd: Confirmed
Rst Rec Code: NVRO
Rst Priority: 2
Rst Fed Reg Tank: N
Rst Response:
Reference Point:
Rst Name: Whiteley Malynda Residence
Fac Location: 10224 Sager Ave
X: -8604823.6306
Y: 4699063.7152

Des First Name: William (Randy)
Des Last Name: Chapman
Changed by: jwcheatham
Changed Date: 2007/02/09 00:00:00+00
Inserted By:
Inserted Date:
Verified by:
Verify Date:
Latitude: 38.8419935869354
Longitude: -77.2984458452081

39	1 of 1	ESE	0.42 / 2,224.70	445.62 / 29	Clark Jeffrey and Linda Residence former 4022 Walters Ct Fairfax VA 22030	LST
--------------------	--------	-----	--------------------	----------------	--	-----

CEDS Fac ID: 200000222929
Case Status: Closed
Case Closed Date: 3/31/2006
Release Reported: 11/28/2005
Fed Regulated UST: No
Program: RP Lead
Heat Oil Category: Category 1

Reg Petrol UST 1: No
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: No
Small Ht Oil AST 2: Yes

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
PC No :	20063118				Regulated AST3:	No
Site Name:	Clark Jeffrey and Linda Residence former				Unregulated AST3:	No
Address :	4022 Walters Ct				Other Tank Type:	No
City :	Fairfax				Oth Tank Type Desc:	
ZIP :	22030				Unknown Tank Type:	No
County :	Fairfax City				Region:	NRO
PC No (Hub):	20063118					
Rst Name (Hub):	Clark Jeffrey and Linda Residence former					
Fac L Addr 1 (Hub):	4022 Walters Ct					
Fac L City (Hub):	Fairfax					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax City					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000222929	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20063118	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	jwcheatham
Rst RIs Reported:	2005/11/28 00:00:00+00	Changed Date:	2007/06/01 00:00:00+00
Rst Case Closed:	2006/03/31 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	3	Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8427420381457
Rst Response:		Longitude:	-77.2983356623469
Reference Point:			
Rst Name:	Clark Jeffrey and Linda Residence former		
Fac Location:	4022 Walters Ct		
X:	-8604811.3651		
Y:	4699170.6865		

[40](#) 1 of 1 **NW** 0.44 / 2,332.84 393.33 / -23 **Fairfax Printers Incorporated** **LST**
10606 Oliver St
Fairfax VA 22030

CEDS Fac ID:		Reg Petrol UST 1:	
Case Status:		Excluded UST 1:	
Case Closed Date:		Deferred UST 1:	
Release Reported:		Exmpt 1 UST 2:	
Fed Regulated UST:		Partial Defer UST 1:	
Program:		Exmpt 2 Ht Oil UST 2:	
Heat Oil Category:		Small Ht Oil AST 2:	
PC No :		Regulated AST3:	
Site Name:		Unregulated AST3:	
Address :		Other Tank Type:	
City :		Oth Tank Type Desc:	
ZIP :		Unknown Tank Type:	
County :		Region:	
PC No (Hub):	19910177		
Rst Name (Hub):	Fairfax Printers Incorporated		
Fac L Addr 1 (Hub):	10606 Oliver St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000080186	Des First Name:	William (Randy)
Rst Poll Cmpl No:	19910177	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	jwcheatham
Rst RIs Reported:	1990/08/23 00:00:00+00	Changed Date:	2007/02/23 00:00:00+00
Rst Case Closed:	2002/02/14 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Suspected	Inserted Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Rst Rec Code: NVRO
Rst Priority: 3
Rst Fed Reg Tank: N
Rst Response:
Reference Point:
Rst Name: Fairfax Printers Incorporated
Fac Location: 10606 Oliver St
X: -8606242.5881
Y: 4700274.7237

Verified by:
Verify Date:
Latitude: 38.8504662480773
Longitude: -77.3111925573058

41	1 of 1	SW	0.44 / 2,346.09	445.33 / 29	McCarthy Mabele Residence 7535 Maple St Fairfax City VA 22030	LST
--------------------	--------	----	--------------------	----------------	---	-----

CEDS Fac ID: 200000199286
Case Status: Closed
Case Closed Date: 4/10/2001
Release Reported: 1/8/2001
Fed Regulated UST: No
Program: RP Lead
Heat Oil Category:
PC No : 20013126
Site Name: McCarthy Mabele Residence
Address : 7535 Maple St
City : Fairfax City
ZIP : 22030
County : Fairfax City
PC No (Hub): 20013126
Rst Name (Hub): McCarthy Mabele Residence
Fac L Addr 1 (Hub): 7535 Maple St
Fac L City (Hub): Fairfax City
Fac L ZIP 5 (Hub): 22030
FIC Desc (Hub): Fairfax City
Source: Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites

Reg Petrol UST 1: No
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: No
Small Ht Oil AST 2: Yes
Regulated AST3: No
Unregulated AST3: No
Other Tank Type: No
Oth Tank Type Desc:
Unknown Tank Type: No
Region: NRO

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID: 200000199286
Rst Poll Cmpl No: 20013126
Rst Status Ind: Closed
Rst Rls Reported: 2001/01/08 00:00:00+00
Rst Case Closed: 2001/04/10 00:00:00+00
Rst Suspect Cnfrmd: Confirmed
Rst Rec Code: NVRO
Rst Priority: 2
Rst Fed Reg Tank: N
Rst Response:
Reference Point:
Rst Name: McCarthy Mabele Residence
Fac Location: 7535 Maple St
X: -8607636.8819
Y: 4699544.1257

Des First Name: William (Randy)
Des Last Name: Chapman
Changed by: jwcheatham
Changed Date: 2007/06/07 00:00:00+00
Inserted By:
Inserted Date:
Verified by:
Verify Date:
Latitude: 38.8453548363388
Longitude: -77.3237177116167

42	1 of 1	WNW	0.45 / 2,353.22	387.88 / -29	Mareno Thomas J and Romana Residence 10604 Moore St Fairfax VA 22030-3912	LST
--------------------	--------	-----	--------------------	-----------------	---	-----

CEDS Fac ID: 200000854871
Case Status: Closed
Case Closed Date: 11/28/2011
Release Reported: 2/15/2011
Fed Regulated UST: No
Program: RP Lead
Heat Oil Category: Category 2

Reg Petrol UST 1: No
Excluded UST 1: No
Deferred UST 1: No
Exmpt 1 UST 2: No
Partial Defer UST 1: No
Exmpt 2 Ht Oil UST 2: No
Small Ht Oil AST 2: Yes

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
PC No :	20113170				Regulated AST3:	No
Site Name:	Mareno Thomas J and Romana Residence				Unregulated AST3:	No
Address :	10604 Moore St				Other Tank Type:	No
City :	Fairfax				Oth Tank Type Desc:	
ZIP :	22030-3912				Unknown Tank Type:	No
County :	Fairfax City				Region:	NRO
PC No (Hub):	20113170					
Rst Name (Hub):	Mareno Thomas J and Romana Residence					
Fac L Addr 1 (Hub):	10604 Moore St					
Fac L City (Hub):	Fairfax					
Fac L ZIP 5 (Hub):	22030					
FIC Desc (Hub):	Fairfax City					
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites					

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000854871	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20113170	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	Randy.Chapman
Rst Rls Reported:	2011/02/15 00:00:00+00	Changed Date:	2011/06/28 00:00:00+00
Rst Case Closed:	2011/11/28 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	2	Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8496797952512
Rst Response:		Longitude:	-77.3122685898958
Reference Point:			
Rst Name:	Mareno Thomas J and Romana Residence		
Fac Location:	10604 Moore St		
X:	-8606362.3715		
Y:	4700162.3089		

[43](#) 1 of 1 **WNW** 0.46 / 2,416.13 377.57 / -39 **Mathai Holdings Property** **LST**
10649 Main St
Fairfax VA 22030-3801

CEDS Fac ID:	200000848570	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	6/24/2008	Deferred UST 1:	No
Release Reported:	2/22/2008	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	Yes
Heat Oil Category:	Category 3	Small Ht Oil AST 2:	No
PC No :	20083202	Regulated AST3:	No
Site Name:	Mathai Holdings Property	Unregulated AST3:	No
Address :	10649 Main St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030-3801	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	20083202		
Rst Name (Hub):	Mathai Holdings Property		
Fac L Addr 1 (Hub):	10649 Main St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000848570	Des First Name:	Joseph
Rst Poll Cmpl No:	20083202	Des Last Name:	Glassman
Rst Status Ind:	Closed	Changed by:	jlglassman
Rst Rls Reported:	2008/02/22 00:00:00+00	Changed Date:	2008/03/07 00:00:00+00
Rst Case Closed:	2008/06/24 00:00:00+00	Inserted By:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Rst Suspect Cnfrmd:	Confirmed				Inserted Date:	
Rst Rec Code:	NVRO				Verified by:	
Rst Priority:	3				Verify Date:	
Rst Fed Reg Tank:	N				Latitude:	38.848271044161
Rst Response:					Longitude:	-77.3135731026902
Reference Point:						
Rst Name:	Mathai Holdings Property					
Fac Location:	10649 Main St					
X:	-8606507.5892					
Y:	4699960.9465					

[44](#) 1 of 1 **NNW** 0.47 / 2,461.66 373.09 / -44 **Jorgenson John Residence** **LST**
 10509 Center St
 Fairfax VA 22030-3113

CEDS Fac ID:	200000849153	Reg Petrol UST 1:	No
Case Status:	Closed	Excluded UST 1:	No
Case Closed Date:	7/28/2008	Deferred UST 1:	No
Release Reported:	5/12/2008	Exmpt 1 UST 2:	No
Fed Regulated UST:	No	Partial Defer UST 1:	No
Program:	RP Lead	Exmpt 2 Ht Oil UST 2:	Yes
Heat Oil Category:	Category 1	Small Ht Oil AST 2:	No
PC No :	20083266	Regulated AST3:	No
Site Name:	Jorgenson John Residence	Unregulated AST3:	No
Address :	10509 Center St	Other Tank Type:	No
City :	Fairfax	Oth Tank Type Desc:	
ZIP :	22030-3113	Unknown Tank Type:	No
County :	Fairfax City	Region:	NRO
PC No (Hub):	20083266		
Rst Name (Hub):	Jorgenson John Residence		
Fac L Addr 1 (Hub):	10509 Center St		
Fac L City (Hub):	Fairfax		
Fac L ZIP 5 (Hub):	22030		
FIC Desc (Hub):	Fairfax City		
Source:	Virginia DEQ- Petroleum Database- Petroleum Releases; Virginia Environmental Data Hub - Petroleum Release Sites		

Data Hub - Petroleum Releases Geodatabase Details

Rst Fac ID:	200000849153	Des First Name:	William (Randy)
Rst Poll Cmpl No:	20083266	Des Last Name:	Chapman
Rst Status Ind:	Closed	Changed by:	wrchapman
Rst Rls Reported:	2008/05/12 00:00:00+00	Changed Date:	2008/07/30 00:00:00+00
Rst Case Closed:	2008/07/28 00:00:00+00	Inserted By:	
Rst Suspect Cnfrmd:	Confirmed	Inserted Date:	
Rst Rec Code:	NVRO	Verified by:	
Rst Priority:	3	Verify Date:	
Rst Fed Reg Tank:	N	Latitude:	38.8524359756987
Rst Response:		Longitude:	-77.3092499531988
Reference Point:			
Rst Name:	Jorgenson John Residence		
Fac Location:	10509 Center St		
X:	-8606026.3384		
Y:	4700556.2801		

Unplottable Summary

Total: 2 Unplottable sites

DB	Company Name/Site Name	Address	City	Zip	ERIS ID
HMIRS		ROUTE 236	FAIRFAX VA		818613500
SPILLS	Commercial Mobile Source Complaint	Chain Bridge Rd	VA		876336019

Incident ID | Status | Closure Date: 104867 | Closed | 7/21/2017

Unplottable Report

Site:

ROUTE 236 FAIRFAX VA

HMIRS

Incident County: FAIRFAX

HMIR Incident Reports

Report No: I-2010100201
Report Type: A hazardous material incident
Date of Incident: 2010-09-19
Time of Incident: 1000
Haz Class Code:
Hazardous Class: 3
Commodity Short Nm: GASOHOL GASOLINE MIXED W
Commodity Long Nm: GASOHOL GASOLINE MIXED WITH ETHYL
ALCOHOL, WITH NOT MORE THAN 10%
ALCOHOL

Trade Name: GASOLINE
ID No: NA1203
Haz Waste Ind: No
Haz Waste EPA No:
HMIS Tox Inhalation?: No
TIH Hazard Zone:
Qty Released: 25
Unit of Measure: Liquid - Gallon
What Failed: 135
What Failed Desc: Loading or Unloading Lines
How Failed Code: 312
How Failed Desc: Torn Off or Damaged
Failure Cause Code: 537
Failure Cause Desc: Vehicular Crash or Accident Damage
Ident. Markings: MC406

Cont1 Pkging Type:
Cont1 Const Mat:
Cont1 Head Type:
Cont1 Pkg Capacity: 9400
C1 Capacity UOM: LGA
Cont1 Pkg Amt: 6704
C1 Pkg Amt UOM: LGA
Cont1 Pkg No: 0
C1 Pkg NO Failed: 0
Cont1 Pkg Mnfr: HEIL
Cont1 Pkg Mnfr Dt: 1996-01-01 00:00:00
Cont1 Pkg Serial NO: 5HTAB4421T7H6004
C1 Pkg Last Test Dt: 2009-10-09 00:00:00
C1 Test Const Mat:
C1 Pkg Dsign Pres.: 3
C1 Dsign Press UOM: PSI
C1 Pkg Shell Thick: 0.184
C1 Shell Thick UOM: INCH
C1 Head Thickness: 0.235
C1 Head Thick UOM: INCH
C1 Pkg Srvc Pres.: 0
C1 Srvc Press UOM:
C1 Valve/Device Fail?: No
C1 Device Type:
C1 Device Mnfr:
C1 Device Model:
NRC No:

Fed DOT Agency Nm:
Fed DOT Report No:
Report Submit Src: Paper
Inc Multiple Rows: No
Inc Non US State:
Mode Transport: Highway
Transport Phase: In Transit
Incident Occrrnce:

Mat Ship Approval?: No
Mat Ship Approv No:
Undecl Hazmat Ship?: No
Packaging Type: Cargo Tank Motor Vehicle (CTMV)
Packing Group: II
Carrier Reporter: KENAN TRANSPORT LLC
CR Street Name: 4366 MT. PLEASANT ST
CR City: NORTH CANTON
CR State: OH
CR Postal Code: 44720
CR Non US State:
CR Fed DOT ID: 1489079
CR Hazmat Reg ID:
CR Country: US
Shipper Name: MOTIVA
Shipper Street Name: 3800 PICKETT RD
Shipper City: FAIRFAX
Shipper State: VA
Shipper Postal: 22031
Shipper Non US St:
Shipper Country: US
Shipper Waybill: 473187
Ship Hazmat Reg ID:
Origin City:
Origin State:
Origin Postal:
Origin Non US St:
Origin Country: US
Destination City: DISTRICT HEIGHTS
Destination State: MARYLAND
Destination Postal: 20747
Destination Non US:
Destination Country: US
Cont2 Package Type:
Cont2 Const Mat:
Cont2 Pkg Capacity: 0
Cont2 Capacity UOM:
Cont2 Pkg Amount: 0
Cont2 Pkg Amt UOM:
Cont2 Pkg No: 0
Cont2 Pkg No Failed: 0

RAM Pkg Category:

Haz NonHosp Public: 0

RAM Pkg Cert.: FALSE
RAM Pkg Cert. NBR:
RAM Nuclide S:
RAM Transport Index:
RAM UOM:
RAM Activity Rpted: 0
RAM UOM Rpted:
RAM Activity: 0
RAM Activity UOM:
RAM Mat Safety:
Spillage Result: Yes
Fire Result: No
Explosion Result: No
Water Sewer Result: No
Gas Dispersion: No
Environment Damage: No
No Release Result: No
Fire EMS Report: No
Fire EMS EMS Report:
Police Report: Yes
Police Report No:
In House Cleanup: No
Other Cleanup: Yes
Damage > 500: Yes
Material Loss: 75
Carrier Damage: 7500
Property Damage: 0
Response Cost: 0
Remediation Cost: 5000
Damage Old Form: 0
Total Damages Amt: 12575
Hazmat Fatality: No
Haz Fatal Employees: 0
Haz Fatal Respndrs: 0
Haz Fatal Gen Public: 0
Tot Hazmat Fatalities: 0
Non Hazmat Fatality: No
Non Hazmat Fataals: 0
Hazmat Injury: No
Haz Hospital Empl: 0
Haz Hospital Resp: 0
Haz Hosp Gen Public: 0
Haz Hosp Old Form: 0
Total Haz Hosp Inj: 0
Haz Non Hosp Empl: 0
Haz Non Hosp Resp: 0
Description of Events:

Haz NonHosp Old:
Tot Haz Non Hosp Inj:
Total Hazmat Injuries: 0
Evacuation Indicator: No
Public Evacuated: 0
Employees Evac: 0
Total Evacuated: 0
Total Evacuation Hrs: 0
Major Artery Closed: No
Mjr Artery Hrs Closed: 0
Material Involved: Yes
Estimated Speed: 30
Weather Conditions: CLEAR
Vehicle Overturn: No
Vehicle Left Roadway: No
Passenger Aircraft: No
Cargo Baggage:
Ship Non Transport: No
Ship Air First Flight: No
Ship Air Subflight: No
Ship Init Transport: No
Ship Phase Transfer: No
Contact Name: BRIAN WYMER
Contact Title: CLAIMS MANAGER
Contact Business: KENAN TRANSPORT COMPANY
Contact Street: 4366 MT PLEASANT ST
Contact City: NORTH CANTON
Contact State: OH
Contact Postal: 44720
Contact Non US St:
Contact Country: US
Inc. Report Prepared: Carrier
HMIS Serious Incidnt: No
HMIS Serious Fatality: No
HMIS Serious Injury: No
HMIS Flight Plan: No
HMIS Serious Evacs: No
HMIS Major Artery: No
HMIS Bulk Release: No
HMIS Marine Pollutnt: No
HMIS Radioactive: No
HMIS Gen Pkg Type: TANK
HMIS Container Code: DOT 406
HMIS Container Desc: cargo tanks
HMIS Bulk Incident: Yes
Undeclared Shipment: No

THE KENAN TRANSPORT, LLC DRIVER WAS TRAVELING EASTBOUND ON RT 236 IN FAIRFAX, VIRGINIA WHEN ANOTHER VEHICLE FAILED TO YIELD AND STRUCK THE RIGHT SIDE OF OUR TRAILER. AS A RESULT OF THE COLLISION THE LOADING LINES WERE DAMAGED AND APPROXIMATELY 25 GALLONS OF GASOLINE WAS RELEASED. ATLAS ENVIRONMENTAL RESPONDED TO THE SCENE AND HANDLED THE REMEDIATION. NO FURTHER ENVIRONMENTAL IMPACT IS EXPECTED.
 NO COMMENTS PROVIDED.

Recommend Actions Taken:

Site: Commercial Mobile Source Complaint
 Chain Bridge Rd VA

SPILLS

Legacy IR No:
Status: Closed
Incident Type:
Incident Subtype:
Effect to Receptor:
Incident Dte Time: 07/20/2017 10:05
CallRecvdDteTime: 07/20/2017 03:47
OngoingAtCallDt?: No
EPA ID:
SSORS ID:
HMVA No:
NRC ID:
Agencies Notified?:
Threat to:

Incident ID: 104867
Incident Address 1: Chain Bridge Rd
Incident Address 2:
FIPS City County: 059/Fairfax County
Region: Northern
Closure Date: 7/21/2017
Impacts:
Other Impacts:
Steps Taken:
System Structure:
Oth Sys Structure:
Weather Status:
Wet Weather Event: No
Precipitation Inch: 0

Terrorism?:		Discharge Type:	
Charactriz Incdnt:	Unknown	Dischrg Vol Gal:	0
Quantity Units:		Discharge Treated:	
High Qty to Water:		Unkwn Discharge?:	
Low Qty to Water:		Sewage Related?:	No
Water Body:		Permitted?:	No
CallReportedAnon?:		Facility Name:	
CallPrptyOwnrUnkn?:		Property Owner:	
Call PRP Unknown?:		PrprtyOwnrOrgzn: 	
Call Rprtd by Org?:	none	Event Duration Hrs:	0
CallPrprtyOwnrOrg:		Received By:	Public Website
Call Prop Owner Nm:		Materials:	
CallReprtdByName:	Dianne Bodeen	PRP Name:	
Call PRP Name:		Participating Prgm:	
Call PRP Org:		Point X:	
PRP Organization:		Point Y:	
Associated IR:		Steps Taken Desc:	
Incident Name:	Commercial Mobile Source Complaint		
Weather Event:			
Other Receptors:			
Other Agencies:			
Original Call Loc Desc:	driving west on 66, turned north on Chain Bridge road, then immediately right; is there a park or something similar there?		
Original Call Material Desc:			
Cause of Event:			
Location Description:	driving west on 66, turned north on Chain Bridge road, then immediately right; is there a park or something similar there?		
Closure Reason Comments:	No Further PReP Action Commercial truck exhaust not regulated by the DEQ		
Description of Incident:	green backloading waste truck emitting large quantities of very black smoke from overhead exhaust pipe. McNeilus VHI truck, no license plate visible.		
Site Summary Notes:			
Corrective Action Taken:			
Original Call Incident Descri:	green backloading waste truck emitting large quantities of very black smoke from overhead exhaust pipe. McNeilus VHI truck, no license plate visible.		

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ERIS updates databases as set out in ASTM Standard E1527-13 and E1527-21, Section 8.1.8 Sources of Standard Source Information:

"Government information from nongovernmental sources may be considered current if the source updates the information at least every 90 days, or, for information that is updated less frequently than quarterly by the government agency, within 90 days of the date the government agency makes the information available to the public."

Standard Environmental Record Sources

Federal

Formerly Utilized Sites Remedial Action Program:

[DOE FUSRAP](#)

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

Government Publication Date: Mar 4, 2017

National Priority List:

[NPL](#)

Sites on the United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. The NPL, which EPA is required to update at least once a year, is based primarily on the score a site receives from EPA's Hazard Ranking System. A site must be on the NPL to receive money from the Superfund Trust Fund for remedial action. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

Government Publication Date: Nov 3, 2022

National Priority List - Proposed:

[PROPOSED NPL](#)

Sites proposed by the United States Environmental Protection Agency (EPA), the state agency, or concerned citizens for addition to the National Priorities List (NPL) due to contamination by hazardous waste and identified by the EPA as a candidate for cleanup because it poses a risk to human health and/or the environment. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

Government Publication Date: Nov 3, 2022

Deleted NPL:

[DELETED NPL](#)

Sites deleted from the United States Environmental Protection Agency (EPA)'s National Priorities List. The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

Government Publication Date: Nov 3, 2022

SEMS List 8R Active Site Inventory:

[SEMS](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Program has deployed the Superfund Enterprise Management System (SEMS), which integrates multiple legacy systems into a comprehensive tracking and reporting tool. This inventory contains active sites evaluated by the Superfund program that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. This data includes SEMS sites from the List 8R Active file as well as applicable sites from the SEMS GIS/REST file layer obtained from EPA's Facility Registry Service.

Government Publication Date: Jan 25, 2023

SEMS List 8R Archive Sites:

[SEMS ARCHIVE](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. This data includes sites from the List 8R Archived site file.

Government Publication Date: Jan 25, 2023

Inventory of Open Dumps, June 1985:

[ODI](#)

The Resource Conservation and Recovery Act (RCRA) provides for publication of an inventory of open dumps. The Act defines "open dumps" as facilities which do not comply with EPA's "Criteria for Classification of Solid Waste Disposal Facilities and Practices" (40 CFR 257).

Government Publication Date: Jun 1985

EPA Report on the Status of Open Dumps on Indian Lands:

[IODI](#)

Public Law 103-399, The Indian Lands Open Dump Cleanup Act of 1994, enacted October 22, 1994, identified congressional concerns that solid waste open dump sites located on American Indian or Alaska Native (AI/AN) lands threaten the health and safety of residents of those lands and contiguous areas. The purpose of the Act is to identify the location of open dumps on Indian lands, assess the relative health and environment hazards posed by those sites, and provide financial and technical assistance to Indian tribal governments to close such dumps in compliance with Federal standards and regulations or standards promulgated by Indian Tribal governments or Alaska Native entities.

Government Publication Date: Dec 31, 1998

Comprehensive Environmental Response, Compensation and Liability Information System -

[CERCLIS](#)

CERCLIS:

Superfund is a program administered by the United States Environmental Protection Agency (EPA) to locate, investigate, and clean up the worst hazardous waste sites throughout the United States. CERCLIS is a database of potential and confirmed hazardous waste sites at which the EPA Superfund program has some involvement. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The EPA administers the Superfund program in cooperation with individual states and tribal governments; this database is made available by the EPA.

Government Publication Date: Oct 25, 2013

CERCLIS - No Further Remedial Action Planned:

[CERCLIS NFRAP](#)

An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. The Archive designation means that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL). This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Government Publication Date: Oct 25, 2013

CERCLIS Liens:

[CERCLIS LIENS](#)

A Federal Superfund lien exists at any property where EPA has incurred Superfund costs to address contamination ("Superfund site") and has provided notice of liability to the property owner. A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. This database is made available by the United States Environmental Protection Agency (EPA). This database was provided by the United States Environmental Protection Agency (EPA). Refer to SEMS LIEN as the current data source for Superfund Liens.

Government Publication Date: Jan 30, 2014

RCRA CORRACTS-Corrective Action:

[RCRA CORRACTS](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. At these sites, the Corrective Action Program ensures that cleanups occur. EPA and state regulators work with facilities and communities to design remedies based on the contamination, geology, and anticipated use unique to each site.

Government Publication Date: Jan 23, 2023

RCRA non-CORRACTS TSD Facilities:

[RCRA TSD](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. This database includes Non-Corrective Action sites listed as treatment, storage and/or disposal facilities of hazardous waste as defined by RCRA.

Government Publication Date: Jan 23, 2023

RCRA Generator List:

[RCRA LQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Large Quantity Generators (LQGs) generate 1,000 kilograms per month or more of hazardous waste or more than one kilogram per month of acutely hazardous waste.

Government Publication Date: Jan 23, 2023

RCRA Small Quantity Generators List:

[RCRA SQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Small Quantity Generators (SQGs) generate more than 100 kilograms, but less than 1,000 kilograms, of hazardous waste per month.

Government Publication Date: Jan 23, 2023

RCRA Very Small Quantity Generators List:

[RCRA VSQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Very Small Quantity Generators (VSQG) generate 100 kilograms or less per month of hazardous waste, or one kilogram or less per month of acutely hazardous waste. Additionally, VSQG may not accumulate more than 1,000 kilograms of hazardous waste at any time.

Government Publication Date: Jan 23, 2023

RCRA Non-Generators:

[RCRA NON GEN](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Non-Generators do not presently generate hazardous waste.

Government Publication Date: Jan 23, 2023

RCRA Sites with Controls:

[RCRA CONTROLS](#)

List of Resource Conservation and Recovery Act (RCRA) facilities with institutional controls in place. RCRA gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances.

Government Publication Date: Jan 23, 2023

Federal Engineering Controls-ECs:

[FED ENG](#)

This list of Engineering controls (ECs) is provided by the United States Environmental Protection Agency (EPA). ECs encompass a variety of engineered and constructed physical barriers (e.g., soil capping, sub-surface venting systems, mitigation barriers, fences) to contain and/or prevent exposure to contamination on a property. The EC listing includes remedy component data from Superfund decision documents issued in fiscal years 1982-2020 for applicable sites on the final or deleted on the National Priorities List (NPL); and sites with a Superfund Alternative Approach (SAA) Agreement in place. The only sites included that are not on the NPL; proposed for NPL; or removed from proposed NPL, are those with an SAA Agreement in place.

Government Publication Date: Dec 22, 2022

Federal Institutional Controls- ICs:

FED INST

This list of Institutional controls (ICs) is provided by the United States Environmental Protection Agency (EPA). ICs are non-engineered instruments, such as administrative and legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy. Although it is EPA's expectation that treatment or engineering controls will be used to address principal threat wastes and that groundwater will be returned to its beneficial use whenever practicable, ICs play an important role in site remedies because they reduce exposure to contamination by limiting land or resource use and guide human behavior at a site. The IC listing includes remedy component data from Superfund decision documents issued in fiscal years 1982-2020 for applicable sites on the final or deleted on the National Priorities List (NPL); and sites with a Superfund Alternative Approach (SAA) Agreement in place. The only sites included that are not on the NPL; proposed for NPL; or removed from proposed NPL, are those with an SAA Agreement in place.

Government Publication Date: Dec 22, 2022

Land Use Control Information System:

LUCIS

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

Government Publication Date: Sep 1, 2006

Institutional Control Boundaries at NPL sites:

NPL IC

Boundaries of Institutional Control areas at sites on the United States Environmental Protection Agency (EPA)'s National Priorities List, or Proposed or Deleted, made available by the EPA's Shared Enterprise Geodata and Services (SEGS). United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. Institutional controls are non-engineered instruments such as administrative and legal controls that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy.

Government Publication Date: Nov 3, 2022

Emergency Response Notification System:

ERNS 1982 TO 1986

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

Government Publication Date: 1982-1986

Emergency Response Notification System:

ERNS 1987 TO 1989

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

Government Publication Date: 1987-1989

Emergency Response Notification System:

ERNS

Database of oil and hazardous substances spill reports made available by the United States Coast Guard National Response Center (NRC). The NRC fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. These data contain initial incident data that has not been validated or investigated by a federal/state response agency.

Government Publication Date: Nov 6, 2022

The Assessment, Cleanup and Redevelopment Exchange System (ACRES) Brownfield Database:

FED BROWNFIELDS

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties protects the environment, reduces blight, and takes development pressures off greenspaces and working lands. This data is provided by the United States Environmental Protection Agency (EPA) and includes Brownfield sites from the Cleanups in My Community (CIMC) web application.

Government Publication Date: Sep 13, 2022

FEMA Underground Storage Tank Listing:

FEMA UST

The Federal Emergency Management Agency (FEMA) of the Department of Homeland Security maintains a list of FEMA owned underground storage tanks.

Government Publication Date: Dec 31, 2017

Facility Response Plan:

[FRP](#)

List of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

Government Publication Date: Dec 31, 2021

Delisted Facility Response Plans:

[DELISTED FRP](#)

Facilities that once appeared in - and have since been removed from - the list of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

Government Publication Date: Dec 31, 2021

Historical Gas Stations:

[HIST GAS STATIONS](#)

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

Government Publication Date: Jul 1, 1930

Petroleum Refineries:

[REFN](#)

List of petroleum refineries from the U.S. Energy Information Administration (EIA) Refinery Capacity Report. Includes operating and idle petroleum refineries (including new refineries under construction) and refineries shut down during the previous year located in the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and other U.S. possessions. Survey locations adjusted using public data.

Government Publication Date: Aug 30, 2022

Petroleum Product and Crude Oil Rail Terminals:

[BULK TERMINAL](#)

List of petroleum product and crude oil rail terminals made available by the U.S. Energy Information Administration (EIA). Includes operable bulk petroleum product terminals located in the 50 States and the District of Columbia with a total bulk shell storage capacity of 50,000 barrels or more, and/or the ability to receive volumes from tanker, barge, or pipeline; also rail terminals handling the loading and unloading of crude oil that were active between 2017 and 2018. Petroleum product terminals comes from the EIA-815 Bulk Terminal and Blender Report, which includes working, shell in operation, and shell idle for several major product groupings. Survey locations adjusted using public data.

Government Publication Date: Jun 29, 2022

LIEN on Property:

[SEMS LIEN](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) provides Lien details on applicable properties, such as the Superfund lien on property activity, the lien property information, and the parties associated with the lien.

Government Publication Date: Jan 25, 2023

Superfund Decision Documents:

[SUPERFUND ROD](#)

This database contains a list of decision documents for Superfund sites. Decision documents serve to provide the reasoning for the choice of (or) changes to a Superfund Site cleanup plan. The decision documents include completed Records of Decision (ROD), ROD Amendments, Explanations of Significant Differences (ESD) for active and archived sites stored in the Superfund Enterprise Management System (SEMS), along with other associated memos and files. This information is maintained and made available by the U.S. Environmental Protection Agency.

Government Publication Date: Dec 22, 2022

State

Solid Waste Landfills:

[SWF/LF](#)

The solid waste program in the Department of Environmental Quality (DEQ) is designed to encourage the reuse and recycling of solid waste and to regulate the disposal and treatment of solid waste, including regulated medical waste, and to ensure that hazardous waste is properly managed. Standards are designed to protect human health and the environment and driven by regulatory requirements.

Government Publication Date: Dec 13, 2022

Leaking Petroleum Storage Tanks:

[LST](#)

This list of leaking aboveground and underground storage tank facilities is maintained by the Virginia Department of Environmental Quality (DEQ). Tank owners are required to report all releases to the appropriate regional DEQ office promptly so that staff can provide guidance. The facilities included on this list are sourced from the DEQ's Clean Up Activities Petroleum Release file and applicable Open Data Portal layer file.

Delisted Leaking Petroleum Storage Tanks:

DELISTED LST

Facilities which have been removed from the list of leaking petroleum storage tanks made available by the Virginia Department of Environmental Quality (DEQ). Facilities may be removed from the lists of leaking petroleum tanks when it is determined that the release reported is not an actual release, or the released substance is not petroleum - these sites may still have endured non-petroleum hazardous substance releases.

Government Publication Date: Jan 16, 2023

Underground Storage Tanks:

UST

This list of underground storage tank (UST) facilities is provided by the Virginia Department of Environmental Quality (DEQ). The listing includes applicable facilities from the DEQ's Tank Registration file/s, Open Data Portal layer file/s, and also the Red Tagged Facility list where the DEQ prohibits fuel deliveries at these facilities which are not in compliance with the UST regulations. When the DEQ places a red tag on a tank, fuel deliveries to the tagged tank are not allowed until the violations have been fixed.

Government Publication Date: Jan 16, 2023

Aboveground Storage Tanks:

AST

This list of aboveground storage tank facilities is provided by the Virginia Department of Environmental Quality (DEQ). The listing includes applicable facilities from the DEQ's Tank Registration files as well as applicable Open Data Portal layer file/s.

Government Publication Date: Jan 16, 2023

Storage Tank Facilities:

TANK

This list of storage tank facilities where tank details are not available, such as tank type not distinguished as aboveground or underground, is provided by the Virginia Department of Environmental Quality (DEQ). The listing includes applicable facilities from the DEQ's Land & Waste Division Tank Registration files as well as Open Data Portal layer files.

Government Publication Date: Jan 16, 2023

Delisted Tanks:

DELISTED TANK

Facilities which have been removed from the list of registered aboveground and/or underground storage tanks made available by the Virginia Department of Environmental Quality (DEQ). Facilities may be removed from the lists of registered tanks when it is determined that the tank does not require registration, for example, due to capacity or contents.

Government Publication Date: Jan 16, 2023

Institutional Controls:

INST

Institutional controls are legal or contractual restrictions on property use that remain effective after remediation is completed and are used to satisfy remediation levels. This list is maintained by the Department of Environmental Quality (DEQ).

Government Publication Date: Dec 16, 2022

Voluntary Remediation Program:

VRP

The Voluntary Remediation Program is to encourage hazardous substance cleanups that might not otherwise take place. The program is a streamlined mechanism for site owners or operators to voluntarily address contamination at sites with concurrence from the Department of Environmental Quality (DEQ).

Government Publication Date: Dec 16, 2022

Brownfields Site Specific Assessments:

BROWNFIELDS

Brownfields are idled, underutilized, or abandoned industrial or commercial properties where expansion or redevelopment is complicated by real or perceived environmental contamination. Examples include factories, railyards, landfills, dry cleaners, etc. This list is maintained by the Department of Environmental Quality (DEQ).

Government Publication Date: Jan 8, 2021

Tribal

Leaking Underground Storage Tanks (LUSTs) on Tribal/Indian Lands:

INDIAN LUST

This list of leaking underground storage tanks (LUSTs) on Tribal/Indian Lands in Region 3, which includes Virginia, is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Apr 12, 2019

Underground Storage Tanks (USTs) on Indian Lands:

[INDIAN UST](#)

This list of underground storage tanks (USTs) on Tribal/Indian Lands in Region 3, which includes Virginia, is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: May 4, 2018

Delisted Tribal Leaking Storage Tanks:

[DELISTED INDIAN LST](#)

Leaking Underground Storage Tank (LUST) facilities which once appeared on - and have since been removed from - the Regional Tribal/Indian LUST lists made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Nov 23, 2022

Delisted Tribal Underground Storage Tanks:

[DELISTED INDIAN UST](#)

Underground Storage Tank (UST) facilities which once appeared on - and have since been removed from - the Regional Tribal/Indian UST lists made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Nov 23, 2022

County

No County standard environmental record sources available for this State.

Additional Environmental Record Sources

Federal

Facility Registry Service/Facility Index:

[FINDS/FRS](#)

The Facility Registry Service (FRS) is a centrally managed database that identifies facilities, sites, or places subject to environmental regulations or of environmental interest. FRS creates high-quality, accurate, and authoritative facility identification records through rigorous verification and management procedures that incorporate information from program national systems, state master facility records, and data collected from EPA's Central Data Exchange registrations and data management personnel. This list is made available by the Environmental Protection Agency (US EPA).

Government Publication Date: Aug 18, 2022

Toxics Release Inventory (TRI) Program:

[TRIS](#)

The EPA's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of over 650 toxic chemicals from thousands of U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment. One of TRI's primary purposes is to inform communities about toxic chemical releases to the environment.

Government Publication Date: Aug 24, 2021

Perfluorinated Alkyl Substances (PFAS) from Toxic Release Inventory:

[PFAS TRI](#)

List of Toxics Release Inventory (TRI) facilities at which the reported chemical is a Per- or polyfluorinated alkyl substance (PFAS) included in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances. The EPA's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of over 650 toxic chemicals from thousands of U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment.

Government Publication Date: Aug 24, 2021

National Response Center PFAS Spills:

[ERNS PFAS](#)

National Response Center (NRC) calls from 1990 to the most recent complete calendar year where there is indication of Aqueous Film Forming Foam (AFFF) usage. NRC calls may reference AFFF usage in the "Material Involved" or "Incident Description" fields. Data made available by the US Environmental Protection Agency (EPA). Disclaimer: dataset may include initial or misidentified incident data not yet validated or investigated by a federal/state response agency.

Government Publication Date: Feb 23, 2022

Federal Agency Locations with Known or Suspected PFAS Detections:

[PFAS FED SITES](#)

List of Federal agency locations with known or suspected detections of Per- and Polyfluoroalkyl Substances (PFAS), made available by the U.S. Environmental Protection Agency (EPA) in their PFAS Analytic Tools data. EPA outlines that these data are gathered from several federal entities, such as the Federal Superfund program, Department of Defense (DOD), National Aeronautics and Space Administration, Department of Transportation, and Department of Energy. Sites on this list do not necessarily reflect the source/s of contamination and detections do not indicate level of risk or human exposure at the site. Agricultural notifications in this data are limited to DOD sites only. At this time, the EPA is aware that this list is not comprehensive of all Federal agencies.

PFOA/PFOS Contaminated Sites:

[PFAS NPL](#)

List of National Priorities List (NPL) and related Superfund Alternative Agreement (SAA) sites where PFOA or PFOS contaminants have been found in water and/or soil. The site listing is provided by the Federal Environmental Protection Agency (EPA).

Government Publication Date: Oct 4, 2022

PFAS NPDES Discharge Monitoring:

[PFAS NPDES](#)

This list of National Pollutant Discharge Elimination System (NPDES) permitted facilities with required monitoring for Per- and Polyfluoroalkyl (PFAS) Substances is made available via the U.S. Environmental Protection Agency (EPA)'s PFAS Analytic Tools. Any point-source wastewater discharger to waters of the United States must have a NPDES permit, which defines a set of parameters for pollutants and monitoring to ensure that the discharge does not degrade water quality or impair human health. This list includes NPDES permitted facilities associated with permits that monitor for Per- and Polyfluoroalkyl Substances (PFAS), limited to the years 2007 - present. EPA further advises the following regarding these data: currently, fewer than half of states have required PFAS monitoring for at least one of their permittees, and fewer states have established PFAS effluent limits for permittees. For states that may have required monitoring, some reporting and data transfer issues may exist on a state-by-state basis.

Government Publication Date: Feb 19, 2023

SSEHRI PFAS Contamination Sites:

[PFAS SSEHRI](#)

This PFAS Contamination Site Tracker database is compiled by the Social Science Environmental Health Research Institute (SSEHRI) at Northeastern University. According to the SSEHRI, the database records qualitative and quantitative data from each known site of PFAS contamination, including timeline of discovery, sources, levels, health impacts, community response, and government response. The goal of this database is to compile information and support public understanding of the rapidly unfolding issue of PFAS contamination. All data presented was extracted from government websites, news articles, or publicly available documents, and this is cited in the tracker. Disclaimer: The source conveys this database undergoes regular updates as new information becomes available, some sites may be missing and/or contain information that is incorrect or outdated, as well as their information represents all contamination sites SSEHRI is aware of, not all possible contamination sites. This data is not intended to be used for legal purposes. Limited location details are available with this data. Access the following for the most current informations <https://pfasproject.com/pfas-contamination-site-tracker/>

Government Publication Date: Dec 12, 2019

Perfluorinated Alkyl Substances (PFAS) Water Quality:

[PFAS WATER](#)

The Water Quality Portal (WQP) is a cooperative service sponsored by the United States Geological Survey (USGS), the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC). This listing includes records from the Water Quality Portal where the characteristic (environmental measurement) is in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances.

Government Publication Date: Jul 20, 2020

Hazardous Materials Information Reporting System:

[HMIRS](#)

US DOT - Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) Incidents Reports Database taken from Hazmat Intelligence Portal, U.S. Department of Transportation.

Government Publication Date: Sep 1, 2020

National Clandestine Drug Labs:

[NCDL](#)

The U.S. Department of Justice ("the Department"), Drug Enforcement Administration (DEA), provides this data as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy.

Government Publication Date: Aug 30, 2022

Toxic Substances Control Act:

[TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The CDR enables EPA to collect and publish information on the manufacturing, processing, and use of commercial chemical substances and mixtures (referred to hereafter as chemical substances) on the TSCA Chemical Substance Inventory (TSCA Inventory). This includes current information on chemical substance production volumes, manufacturing sites, and how the chemical substances are used. This information helps the Agency determine whether people or the environment are potentially exposed to reported chemical substances. EPA publishes submitted CDR data that is not Confidential Business Information (CBI).

Government Publication Date: Apr 11, 2019

Hist TSCA:

[HIST TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The 2006 IUR data summary report includes information about chemicals manufactured or imported in quantities of 25,000 pounds or more at a single site during calendar year 2005. In addition to the basic manufacturing information collected in previous reporting cycles, the 2006 cycle is the first time EPA collected information to characterize exposure during manufacturing, processing and use of organic chemicals. The 2006 cycle also is the first time manufacturers of inorganic chemicals were required to report basic manufacturing information.

Government Publication Date: Dec 31, 2006

FTTS Administrative Case Listing:

[FTTS ADMIN](#)

An administrative case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

Government Publication Date: Jan 19, 2007

FTTS Inspection Case Listing:

[FTTS INSP](#)

An inspection case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

Government Publication Date: Jan 19, 2007

Potentially Responsible Parties List:

[PRP](#)

Early in the site cleanup process, the U.S. Environmental Protection Agency (EPA) conducts a search to find the Potentially Responsible Parties (PRPs). The EPA looks for evidence to determine liability by matching wastes found at the site with parties that may have contributed wastes to the site. This listing contains PRPs, Noticed Parties, at sites in the EPA's Superfund Enterprise Management System (SEMS).

Government Publication Date: Jan 25, 2023

State Coalition for Remediation of Drycleaners Listing:

[SCRD DRYCLEANER](#)

The State Coalition for Remediation of Drycleaners (SCRD) was established in 1998, with support from the U.S. Environmental Protection Agency (EPA) Office of Superfund Remediation and Technology Innovation. Coalition members are states with mandated programs and funding for drycleaner site remediation. Current members are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin. Since 2017, the SCRCD no longer maintains this data, refer to applicable state source data where available.

Government Publication Date: Nov 08, 2017

Integrated Compliance Information System (ICIS):

[ICIS](#)

The U.S. Environmental Protection Agency's Enforcement and Compliance History Online system incorporates data from the Integrated Compliance Information System - National Pollutant Discharge Elimination System (ICIS-NPDES). ICIS-NPDES is an information management system maintained by the Office of Compliance to track permit compliance and enforcement status of facilities regulated by the NPDES under the Clean Water Act. This data includes permit, inspection, violation and enforcement action information for applicable ICIS records.

Government Publication Date: Oct 15, 2022

Drycleaner Facilities:

[FED DRYCLEANERS](#)

A list of drycleaner facilities from Enforcement and Compliance History Online (ECHO) online search. The Environmental Protection Agency (EPA) tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

Government Publication Date: Jun 25, 2022

Delisted Drycleaner Facilities:

[DELISTED FED DRY](#)

List of sites removed from the list of Drycleaner Facilities (sites in the EPA's Integrated Compliance Information System (ICIS) with NAIC or SIC codes identifying the business as a drycleaner establishment).

Government Publication Date: Jun 25, 2022

Formerly Used Defense Sites:

[FUDS](#)

Formerly Used Defense Sites (FUDS) are properties that were formerly owned by, leased to, or otherwise possessed by and under the jurisdiction of the Secretary of Defense prior to October 1986, where the Department of Defense (DOD) is responsible for an environmental restoration. The FUDS Annual Report to Congress (ARC) is published by the U.S. Army Corps of Engineers (USACE). This data is compiled from the USACE's Geospatial FUDS data layers and Homeland Infrastructure Foundation-Level Data (HIFLD) FUDS dataset.

Government Publication Date: Jul 12, 2022

Former Military Nike Missile Sites:

[FORMER NIKE](#)

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

Government Publication Date: Dec 2, 1984

PHMSA Pipeline Safety Flagged Incidents:

PIPELINE INCIDENT

A list of flagged pipeline incidents made available by the U.S. Department of Transportation (US DOT) Pipeline and Hazardous Materials Safety Administration (PHMSA). PHMSA regulations require incident and accident reports for five different pipeline system types.

Government Publication Date: Mar 31, 2021

Material Licensing Tracking System (MLTS):

MLTS

A list of sites that store radioactive material subject to the Nuclear Regulatory Commission (NRC) licensing requirements. This list is maintained by the NRC. As of September 2016, the NRC no longer releases location information for sites. Site locations were last received in July 2016.

Government Publication Date: May 11, 2021

Historic Material Licensing Tracking System (MLTS) sites:

HIST MLTS

A historic list of sites that have inactive licenses and/or removed from the Material Licensing Tracking System (MLTS). In some cases, a site is removed from the MLTS when the state becomes an "Agreement State". An Agreement State is a State that has signed an agreement with the Nuclear Regulatory Commission (NRC) authorizing the State to regulate certain uses of radioactive materials within the State.

Government Publication Date: Jan 31, 2010

Mines Master Index File:

MINES

The Master Index File (MIF) is provided by the United State Department of Labor, Mine Safety and Health Administration (MSHA). This file, which was originally created in the 1970's, contained many Mine-IDs that were invalid. MSHA removes invalid IDs from the MIF upon discovery. MSHA applicable data includes the following: all Coal and Metal/Non-Metal mines under MSHA's jurisdiction since 1/1/1970; mine addresses for all mines in the database except for Abandoned mines prior to 1998 from MSHA's legacy system (addresses may or may not correspond with the physical location of the mine itself); violations that have been assessed penalties as a result of MSHA inspections beginning on 1/1/2000; and violations issued as a result of MSHA inspections conducted beginning on 1/1/2000.

Government Publication Date: Aug 3, 2022

Surface Mining Control and Reclamation Act Sites:

SMCRA

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of Abandoned Mine Land (AML) impacts, as well as information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Government Publication Date: Aug 18, 2022

Mineral Resource Data System:

MRDS

The Mineral Resource Data System (MRDS) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS. The USGS has ceased systematic updates of the MRDS database with their focus more recently on deposits of critical minerals while providing a well-documented baseline of historical mine locations from USGS topographic maps.

Government Publication Date: Mar 15, 2016

DOE Legacy Management Sites:

LM SITES

The U.S. Department of Energy (DOE) Office of Legacy Management (LM) currently manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The LM manages sites with diverse regulatory drivers (statutes or programs that direct cleanup and management requirements at DOE sites) or as part of internal DOE or congressionally-recognized programs, such as but not limited to: Formerly Utilized Sites Remedial Action Program (FUSRAP), Uranium Mill Tailings Radiation Control Act (UMTRCA Title I, Title II), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Resource Conservation and Recovery Act (RCRA), Decontamination and Decommissioning (D&D), Nuclear Waste Policy Act (NWPA). This site listing includes data exported from the DOE Office of LM's Geospatial Environmental Mapping System (GEMS). GEMS Data disclaimer: The DOE Office of LM makes no representation or warranty, expressed or implied, regarding the use, accuracy, availability, or completeness of the data presented herein.

Government Publication Date: Dec 1, 2022

Alternative Fueling Stations:

ALT FUELS

This list of alternative fueling stations is sourced from the Alternative Fuels Data Center (AFDC). The U.S. Department of Energy's Office of Energy Efficiency & Renewable Energy launched the AFDC in 1991 as a repository for alternative fuel vehicle performance data, which provides a wealth of information and data on alternative and renewable fuels, advanced vehicles, fuel-saving strategies, and emerging transportation technologies. The data includes Biodiesel (B20 and above), Compressed Natural Gas (CNG), Electric, Ethanol (E85), Hydrogen, Liquefied Natural Gas (LNG), Propane (LPG) fuel type locations.

Government Publication Date: Jan 3, 2023

Superfunds Consent Decrees:

CONSENT DECREES

This list of Superfund consent decrees is provided by the Department of Justice, Environment & Natural Resources Division (ENRD) through a Freedom of Information Act (FOIA) applicable file. This listing includes Consent Decrees for CERCLA or Superfund Sites filed and/or as proposed within the ENRD's Case Management System (CMS) since 2010. CMS may not reflect the latest developments in a case nor can the agency guarantee the accuracy of the data. ENRD Disclaimer: Congress excluded three discrete categories of law enforcement and national security records from the requirements of the FOIA; response is limited to those records that are subject to the requirements of the FOIA; however, this should not be taken as an indication that excluded records do, or do not, exist.

Government Publication Date: Jan 11, 2023

Air Facility System:

AFS

This EPA retired Air Facility System (AFS) dataset contains emissions, compliance, and enforcement data on stationary sources of air pollution. Regulated sources cover a wide spectrum; from large industrial facilities to relatively small operations such as dry cleaners. AFS does not contain data on facilities that are solely asbestos demolition and/or renovation contractors, or landfills. ECHO Clean Air Act data from AFS are frozen and reflect data as of October 17, 2014; the EPA retired this system for Clean Air Act stationary sources and transitioned to ICIS-Air.

Government Publication Date: Oct 17, 2014

Registered Pesticide Establishments:

SSTS

List of active EPA-registered foreign and domestic pesticide-producing and device-producing establishments based on data from the Section Seven Tracking System (SSTS). The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 7 requires that facilities producing pesticides, active ingredients, or devices be registered. The list of establishments is made available by the EPA.

Government Publication Date: Mar 30, 2022

Polychlorinated Biphenyl (PCB) Transformers:

PCBT

Locations of Transformers Containing Polychlorinated Biphenyls (PCBs) registered with the United States Environmental Protection Agency. PCB transformer owners must register their transformer(s) with EPA. Although not required, PCB transformer owners who have removed and properly disposed of a registered PCB transformer may notify EPA to have their PCB transformer de-registered. Data made available by EPA.

Government Publication Date: Oct 15, 2019

Polychlorinated Biphenyl (PCB) Notifiers:

PCB

Facilities included in the national list of facilities that have notified the United States Environmental Protection Agency (EPA) of Polychlorinated Biphenyl (PCB) activities. Any company or person storing, transporting or disposing of PCBs or conducting PCB research and development must notify the EPA and receive an identification number.

Government Publication Date: Nov 3, 2022

State

Spills:

SPILLS

The Department of Environmental Quality (DEQ) Pollution Response Program (PREP), provides for responses to air, water and waste pollution incidents in order to protect human health and the environment. PREP staff often work to assist local emergency responders, other state agencies, federal agencies, and responsible parties, as may be needed, to manage pollution incidents. Oil spills, fish kills, and hazardous materials spills are examples of incidents that may involve the DEQ's PREP Program.

Government Publication Date: Jan 13, 2023

Pollution Complaint:

[PC SPILLS](#)

The database contains a listing of Pollution Complaints from 1986 to 1994 that include petroleum releases and other releases on state land and waters. This list is maintained by the Department of Environmental Quality (DEQ).

Government Publication Date: 1986-1994

Dry Cleaning Facilities:

[DRYCLEANERS](#)

A listing of registered drycleaners maintained by the Department of Environmental Quality.

Government Publication Date: Jan 19, 2023

Tribal

No Tribal additional environmental record sources available for this State.

County

No County additional environmental record sources available for this State.

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.