Appendix I: Explosive and Flammable Hazards

Explosive and Flammable Hazards (CEST and EA)

2. Does

☐ Yes

→ Continue to Question 3.

General requirements	Legislation	Regulation
HUD-assisted projects must meet	N/A	24 CFR Part 51
Acceptable Separation Distance (ASD)		Subpart C
requirements to protect them from		
explosive and flammable hazards.		
Reference		
https://www.hudexchange.info/environmental-review/explosive-and-flammable-facilities		

1. Is the proposed HUD-assisted project itself the development of a hazardous facility (a facility that mainly stores, handles or processes flammable or combustible chemicals such as bulk fuel storage facilities and refineries)?

	⊠ No
	→ Continue to Question 2.
	□ Yes
	Explain:
	→ Go directly to Question 5.
	,
rehab	this project include any of the following activities: development, construction, ilitation that will increase residential densities, or conversion? ⋈ No
	→ Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.

- 3. Within 1 mile of the project site, are there any current or planned stationary aboveground storage containers that are covered by 24 CFR 51C? Containers that are NOT covered under the regulation include:
 - Containers 100 gallons or less in capacity, containing common liquid industrial fuels OR
 - Containers of liquified petroleum gas (LPG) or propane with a water volume capacity of 1,000 gallons or less that meet the requirements of the 2017 version of National Fire Protection Association (NFPA) Code 58.

If all containers within the search area fit the above criteria, answer "no." For any other type of aboveground storage container within the search area that holds one of the

	ammable or explosive materials listed in Appendix I of 24 CFR part 51 subpart C, answer yes."
	 □ No → Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below. Provide all documents used to make your determination.
	☐ Yes→ Continue to Question 4.
4.	Visit HUD's website to identify the appropriate tank or tanks to assess and to calculate the required separation distance using the electronic assessment tool . To document this step in the analysis, please attach the following supporting documents to this screen: Map identifying the tank selected for assessment, and showing the distance from the tank to the proposed HUD-assisted project site; and Electronic assessment tool calculation of the required separation distance. Based on the analysis, is the proposed HUD-assisted project site located at or beyond the required separation distance from all covered tanks?
	 ☐ Yes → Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.
	□ No→ Go directly to Question 6.
5.	Is the hazardous facility located at an acceptable separation distance from residences and any other facility or area where people may congregate or be present? Please visit HUD's website for information on calculating Acceptable Separation Distance. ☐ Yes → Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below. Provide map(s) showing the location of the project site relative to residences and any other facility or area where people congregate or are present and your separation distance calculations.
	 No → Provide map(s) showing the location of the project site relative to residences and any other facility or area where people congregate or are present and your separation distance calculations. Continue to Question 6.

6.	For the project to be brought into compliance with this section, all adverse impacts must be mitigated. Mitigation measures may include both natural and manmade barriers, modification of the project design, burial or removal of the hazard, or other engineered solutions. Describe selected mitigation measures, including the timeline for implementation, and attach an implementation plan. If negative effects cannot be mitigated, cancel the project at this location. Note that only licensed professional engineers should design and implement blast barriers. If a barrier will be used or the project will be modified to compensate for an unacceptable separation distance, provide approval from a licensed professional engineer.		
Compli Provid	heet Summary fance Determination e a clear description of your determination and a synopsis of the information that it was on, such as: Map panel numbers and dates Names of all consulted parties and relevant consultation dates Names of plans or reports and relevant page numbers Any additional requirements specific to your region		
does	roject will complete interior and exterior improvements to the Old Town Hall building. The project not include development, construction, or rehabilitation that will increase residential densities, or ersion.		
Are for	rmal compliance steps or mitigation required? ☐ Yes ☑ No		