
GENERAL DEVELOPMENT PLAN PHASE I: N29 APARTMENTS

CITY OF FAIRFAX, VIRGINIA

Sheet List Table					
Sheet Number	Number Sheet Title				
P_000	COVER SHEET				
P_001	CONTEXTUAL PLAN OF APPLICATION AREAS				
PI_100	NOTES				
PI_300	EXISTING CONDITIONS PLAN				
PI_310	TREE MANAGEMENT PLAN				
Pl_311	TREE MANAGEMENT NOTES & DETAILS				
PI_400	ENTITLEMENT GDP				
PI_401	EASEMENT EXHIBIT				
PI_402	PEDESTRIAN ACCESS				
PI_410	ILLUSTRATIVE BUILDING GRAPHICS				
Pl_411	CROSS SECTIONS				
PI_411B	CROSS SECTIONS				
PI_412	GROUND LEVEL PLAN				
PI_413	PARKING LEVEL PLAN				
PI_414	ROOF LEVEL PLAN				
PI_420	GRADING PLAN				
Pl_421	AVERAGE FINISHED GRADE DIAGRAM				
PI_422	STRIPING AND SIGNAGE PLAN				
PI_500	BMP NOTES NARRATIVE				
Pl_501	BMP CALCULATIONS				
PI_502	STORMWATER MANAGEMENT PLAN				
PI_503	OUTFALL 1 HYDROGRAPHS				
PI_504	OUTFALL 2 HYDROGRAPHS				
PI_600	SANITARY SEWER ANALYSIS				
Pl_601	SANITARY SEWER OFF-SITE MAP				
PI_800	FIRE SERVICE PLAN				
Pl_801	TURNING MOVEMENTS - DELIVERY TRUCK				
PI_830	SIGHT DISTANCE				
Pl_831	SIGHT DISTANCE				
PI_832	SIGHT DISTANCE				
PI_900	OPEN SPACE PLAN				
PI_910	LANDSCAPE PLAN				
Pl_911	STREETSCAPE EXHIBIT				
Pl_912	ENLARGEMENT PLAN				
PI_920	LANDSCAPE DETAILS				
PI_950	LIGHTING PLAN				
Pl_951	LIGHTING DETAILS				



PROJECT TEAM:

CONTRACT PURCHASER/ APPLICANT CAPITAL CITY REAL ESTATE 3000 K STREET, NW SUITE 270 WASHINGTON, DC, 20007

OWNER
WILLOWWOOD OFFICE OWNER LLC
10300 EATON PLACE
FAIRFAX, VA 22030

ATTORNEY COZEN O'CONNOR 1200 19TH STREET NW, 3RD FLOOR WASHINGTON, DC 20036


ARCHITECT hickok cole 301 N STREET NW WASHINGTON, DC 20002

ENGINEER & LANDSCAPE ARCHITECT christopher consultants now IMEG 4035 RIDGE TOP ROAD, SUITE 601 FAIRFAX, VA 22030

TRAFFIC ENGINEER
WELLS + ASSOCIATES
1420 SPRING HILL ROAD, SUITE 610
TYSONS, VA 22102

christopher Consultants





NZS APAR LIMENTS ERAL DEVELOPMENT PLA ---

3 08-11-2023 ADDRESSED PER CITY COMMENTS

3 08-11-2023 ADDRESSED PER CITY COMMENTS

500-11-2023 ADDRESSED PER CITY COMMENTS

501-2023 ADDRESSED PER CITY COMMENTS

501-2023 ADDRESSED PER CITY COMMENTS


PROJECT No.: 21082.002.00 DRAWING No.: 111772 DATE: 2022-07-15 SCALE: 1"= 100' DESIGN: LBD DRAWN: ZY CHECKED: JR

SHEET TITLE:


COVER SHEET


SHEET No.

P_000



GENERAL NOTES: 1. THE SUBJECT PROPERTY IS A PORTION (± 2.97 AC) THAT WILL BE SUBDIVIDED FROM THE FOLLOWING PARCEL AND IS RECORDED IN THE LAND RECORDS OF FAIRFAX CITY, VIRGINIA: <u>ADDRESS</u> EXISTING ZONING 47-4-02-02-002 WILLOWWOOD OFFICE OWNER, LLC 10306 EATON PLACE CR (COMMERCIAL RETAIL) ± 4.49 ACRES 2. THIS GDP SUBMISSION IS AN APPLICATION TO REZONE THE SUBJECT PROPERTY FROM CR (COMMERCIAL RETAIL) TO CU (COMMERCIAL URBAN) DISTRICT. THE DEVELOPMENT PROGRAM ON THE SUBJECT PROPERTY WILL INCLUDE MULTI-FAMILY HOUSING, AND RETAIL. THE REMAINDER OF THE ORIGINAL PARCEL WILL REMAIN ZONED CR AS EXISTING OFFICE USE, AND WILL NOT BE A PART OF THIS APPLICATION. 3. HORIZONTAL DATUM SHOWN HEREON IS REFERENCED TO THE VIRGINIA COORDINATE SYSTEM (VCS) 1983 - NORTH AS ESTABLISHED FROM A CURRENT GPS SURVEY. VERTICAL DATUM SHOWN HEREON IS REFERENCED TO THE NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD 29) (GEOID-18) AS ESTABLISHED FROM A CURRENT GPS SURVEY. 4. THE PHYSICAL IMPROVEMENTS AND TOPOGRAPHY SHOWN HEREON ARE BASED UPON A FIELD SURVEY CONDUCTED BY CHRISTOPHER CONSULTANTS, LTD BETWEEN THE DATES OF MARCH 22 AND MAY 5, 2022. 5. NO CERTIFICATION HAS BEEN MADE AS TO THE LOCATIONS OF UNDERGROUND UTILITIES SUCH AS, BUT NOT LIMITED TO ELECTRIC, GAS, TELEPHONE, CATV, WATER, SANITARY AND STORM SEWERS. 6. NO GEOTECHNICAL, SUBSURFACE, FIELD REVIEWS, RESEARCH, AGENCY OR GOVERNMENTAL RECORD REVIEWS, OR OTHER INVESTIGATIONS HAVE BEEN MADE FOR THE PURPOSE OF LOCATING, OR DETERMINING THE EXISTENCE OF HAZARDOUS MATERIALS. OR OTHER ENVIRONMENTAL CONCERNS ON SITE IN THE PERFORMANCE OF CHRISTOPHER CONSULTANTS NOW IMEG SERVICES FOR THE PROJECT AS SHOWN HEREON. 7. DURING THE PROCESS OF PHYSICAL SURVEY NO INDICATIONS OF A CEMETERY WERE FOUND. NO FURTHER INSPECTION OF THIS PROPERTY HAS BEEN MADE FOR POSSIBLE CEMETERIES. 8. STORM AND SANITARY INVERTS, PIPE SIZES AND MATERIALS HAVE BEEN DETERMINED THROUGH THE USE OF A SEWER VIDEO CAMERA OPERATED BY THIS FIRM ON THE DATE OF APRIL 20th, 2022. 9. THE LIMITS OF THE UNDERGROUND BMP FACILITY SHOWN HERON ARE APPROXIMATE AND BASED OFF OF A PLAN TITLED Lic. No.52485 "WILLOWWOOD PLAZA SITE PLAN PHASE ONE" WITH A REVISION DATE OF NOVEMBER 10th, 1986. 10. THE AREA SHOWN HEREON IS LOCATED ON THE FLOOD INSURANCE RATE MAP (FIRM), NO. 5155240002D, WITH AN EFFECTIVE DATE OF 06/02/2006 AND A REVISION DATE OF 10/11/2019. BY GRAPHIC DEPICTION ONLY, THE PROPERTY SHOWN HEREON IS SHOWN IN: • FLOOD ZONE "AE" (SPECIAL FLOOD HAZARD AREAS - SHADED), AREAS WITH BASE FLOOD ELEVATION (BFE) OR • FLOOD ZONE "X" (OTHER AREAS OF FLOOD HAZARD - SHADED), 0.2% ANNUAL CHANCE FLOOD HAZARD, AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTH LESS THAN ONE FOOT OR WITH DRAINAGE AREAS OF LESS THAN ONE SQUARE MILE. • FLOOD ZONE "X" (OTHER AREAS), AREAS DETERMINED TO BE OUTSIDE THE 500-YEAR FLOODPLAIN. A FIELD SURVEY WAS NOT PERFORMED TO DETERMINE THE FLOOD ZONES LISTED HEREON. AN ELEVATION CERTIFICATE MAY BE NEEDED TO VERIFY THIS DETERMINATION OR APPLY FOR A VARIANCE FROM THE FEDERAL EMERGENCY MANAGEMENT AGENCY. 11. THE SUBJECT PROPERTY IS CURRENTLY SERVED BY PUBLIC WATER AND PUBLIC SEWER PROVIDED BY CITY OF FAIRFAX AND FAIRFAX WATER. 12. THIS DEVELOPMENT PROPOSAL IS COMPATIBLE WITH THE EXISTING DEVELOPMENT IN THE VICINITY OF THIS SITE. NO ADVERSE EFFECTS TO NEIGHBORING PROPERTIES ARE ANTICIPATED WITH THIS PROJECT. 13. NOTWITHSTANDING THE IMPROVEMENTS AND TABULATIONS SHOWN ON THIS PLAN, THE APPLICANT RESERVES THE RIGHT TO MAKE MINOR MODIFICATIONS TO THE FINAL DESIGN, TO COMPLY WITH FINAL ENGINEERING AND NEW CRITERIA AND REGULATIONS WHICH MAY BE ADOPTED BY THE CITY OF FAIRFAX SUBSEQUENT TO THE SUBMISSION OF THIS N N APPLICATION, PROVIDED THAT SUCH MODIFICATIONS ARE SUBSTANTIALLY CONSISTENT WITH THE APPROVED DEVELOPMENT PLAN AND COMMITMENTS AND SUBJECT TO THE DETERMINATIONS OF THE DIRECTOR OF DEVELOPMENT AND PLANNING. 14. THE PROPOSED BUILDING FOOTPRINTS AND SITE IMPROVEMENTS SHOWN HEREIN ARE PRELIMINARY. THE PROPOSED SQUARE FOOTAGE FOR THE PROPOSED BUILDINGS IS APPROXIMATE ONLY AND MAY BE SUBJECT TO MINOR REVISIONS AT THE TIME OF SITE PLAN, SUBJECT TO MARKET CONDITIONS, BUT SUBSTANTIALLY CONSISTENT WITH THE APPROVED DEVELOPMENT PLAN. 15. SITE LIGHTING WITHIN THE PROJECT SITE AREA (I.E. ALONG SIDEWALKS AND PATHWAYS) WILL BE DETERMINED DURING FINAL SITE PLAN REVIEW AND SHALL BE IN GENERAL CONFORMANCE WITH SECTION 4.8 OF THE ZONING ORDINANCE AND SECTION 2.10 OF THE PUBLIC FACILITIES MANUAL. 16. ONSITE STORMWATER MANAGEMENT AND BEST MANAGEMENT PRACTICES SHALL BE PROVIDED AS REQUIRED BY CITY REGULATIONS AT THE TIME OF FINAL SITE PLAN. DETENTION TO PROVIDE THE REQUIRED STORMWATER QUANTITY CONTROLS AND ONSITE BEST MANAGEMENT PRACTICES (BMPs) TO MEET THE STORMWATER QUALITY REQUIREMENTS ARE SHOWN ON SHEETS WITHIN THIS PLAN SET. 17. ALL SIGNAGE WILL BE IN CONFORMANCE WITH SECTION 4.6 OF THE ZONING ORDINANCE. 18. TO THE BEST KNOWLEDGE OF THE ENGINEER AND APPLICANT, THIS DEVELOPMENT PLAN CONFORMS TO ALL APPLICABLE ORDINANCES, REGULATIONS AND ADOPTED STANDARDS, WITH THE FOLLOWING SPECIAL EXCEPTION AND WAIVER REQUESTS: A. A SPECIAL EXCEPTION OF THE ZONING ORDINANCE SECTION 3.5.1.D REQUIREMENT OF 75% GROUND FLOOR NONRESIDENTIAL USES. B. A SPECIAL EXCEPTION OF THE ZONING ORDINANCE SECTION 3.6.2 REQUIREMENT OF 24 DU/AC MAXIMUM DENSITY. C. A SPECIAL EXCEPTION OF THE ZONING ORDINANCE SECTION 3.6.2 REQUIREMENT OF 5 STORY/60 FEET MAXIMUM HEIGHT. D. AN ADMINISTRATIVE REDUCTION OF THE ZONING ORDINANCE SECTION 4.2.3.E PARKING RATIO REQUIREMENTS. A PARKING ANALYSIS SUMMARY AND SHARED PARKING ANALYSIS IS INCLUDED WITH THIS APPLICATION UNDER SEPARATE COVER BY WELLS + ASSOCIATES. E. A WAIVER OF PUBLIC FACILITIES MANUAL SECTION 401-01 REQUIREMENT THAT A TYPICAL CURB AND GUTTER STREET BE PROVIDED ON PRIVATE ACCESSWAYS THAT ARE LESS THAN THIRTY (30) FEET FROM FACE OF CURB TO FACE OF CURB (OR EDGE OF PAVEMENT). IN LIEU OF THIS REQUIREMENT, THE APPLICANT PROPOSED 20 FEET PRIVATE ROAD IN CONFORMANCE WITH THE NORTHFAX SMALL AREA PLAN. F. A SPECIAL EXCEPTION OF THE ZONING ORDINANCE SECTION 4.4.4 REQUIREMENT OF SIDEWALKS ON BOTH SIDES OF PROJECT No.: 21082.002.00 G. A SPECIAL EXCEPTION OF THE ZONING ORDINANCE SECTION 3.6.2 REQUIREMENT FOR MAXIMUM 15' FRONT YARD DRAWING No.: 111772 AND MINIMUM 10' SIDE YARD. DATE: 2022-07-15 SCALE: N/A H. A SPECIAL EXCEPTION OF THE ZONING ORDINANCE SECTION 4.3.3 REQUIREMENT OF CROSS-ACCESS. DESIGN: LBD DRAWN: ZY, CL I. A SPECIAL EXCEPTION FROM THE PARKING DIMENSION REQUIREMENTS OF THE ZONING ORDINANCE SECTION CHECKED: JR 4.2.6(B)(3) TO PROVIDE COMPACT PARKING SPACES. SHEET TITLE: **NOTES**





- 1.1. THE REQUIREMENTS OF THE CITY OF FAIRFAX ZONING ORDINANCE AND PUBLIC FACILITIES MANUAL SHALL BE FOLLOWED.
- 1.2. ALL TREE PRESERVATION ACTIVITIES SHALL BE PERFORMED UNDER THE DIRECT SUPERVISION OF AN ISA CERTIFIED ARBORIST.
- 1.3. ALL TREE WORK PERFORMED SHALL MEET OR EXCEED THE MOST RECENT INDUSTRY STANDARDS, AS PUBLISHED BY THE INTERNATIONAL SOCIETY OF ARBORICULTURE (ISA).

2. PRE-CONSTRUCTION

- 2.1. PRIOR TO THE PRE-CONSTRUCTION MEETING, THE CONTRACTOR SHALL HAVE THE LIMITS OF CLEARING AND GRADING CLEARLY MARKED IN THE FIELD WITH FLAGGING. THESE LIMITS SHALL NOT EXCEED THOSE SHOWN ON THE APPROVED PLANS.
 2.2. AFTER LIMITS HAVE BEEN STAKED, THE CONTRACTOR SHALL REQUEST A PRE-CONSTRUCTION MEETING WITH CITY OF FAIRFAX
- AND PROJECT ARBORIST.


 2.3. DURING THE PRE-CONSTRUCTION MEETING, THE LIMITS MAY BE ADJUSTED TO BETTER PRESERVE OR REMOVE TREES
- 2.3. DURING THE PRE-CONSTRUCTION MEETING, THE LIMITS MAY BE ADJUSTED TO BETTER PRESERVE OR REMOVE TREES IMPACTED BY CONSTRUCTION ACTIVITIES.

3. INSTALLATION OF TREE PROTECTION MEASURES

- 3.1. ROOT PRUNING: PRIOR TO CONSTRUCTION, ROOT PRUNING SHALL BE COMPLETED AT THE LIMITS. ROOT PRUNING SHALL BE TO THE DEPTH OF EIGHTEEN (18) TO TWENTY-FOUR (24) INCHES AND SHALL BE ACCOMPLISHED BY USING A TRENCHER, VIBRATING PLOW OR BY HAND. TRENCH SHOULD BE IMMEDIATELY BACKFILLED WITH REMOVED SOIL. WHEN EXCAVATING ALL TREE ROOTS GREATER THAN 1 INCH IN DIAMETER THAT ARE EXPOSED AND/OR DAMAGED SHALL BE TRIMMED CLEANLY, AND COVERED WITH ORGANIC MULCH, TOPSOIL, OR OTHER SUITABLE MATERIAL TO PREVENT THE EXPOSED ROOTS FROM DRYING
- 3.2. TREE PROTECTION FENCING: IMMEDIATELY FOLLOWING ROOT PRUNING, TREE PROTECTION FENCING SHALL BE COMPLETED AT THE LIMITS. TREE PROTECTION FENCING SHALL BE INSTALLED PER TREE PRESERVATION PLAN AND SHALL CONSIST OF EITHER OF THE FOLLOWING MATERIALS:
- 3.2.1. FOURTEEN (14) GAUGE WELDED WIRE MESH THAT IS A MINIMUM OF FOUR (4) FOOT TALL. THE MESH SHALL BE ATTACHED TO SIX (6) FOOT TALL, TWO-INCH (2") STEEL U-CHANNEL ANCHOR POSTS DRIVEN EIGHTEEN (18) INCHES INTO THE GROUND. THE POSTS SHALL BE PLACED NO FURTHER THAN TEN (10) FEET APART.
- 3.2.2. SUPER SILT FENCE
- 3.3. TREE PROTECTION SIGNAGE: BILINGUAL SIGNS STATING "TREE PRESERVATION AREA KEEP OUT" SHALL BE AFFIXED TO THE TREE PRESERVATION FENCE AT LEAST EVERY 50 FEET IMMEDIATELY FOLLOWING TREE PROTECTION FENCING INSTALLATION.
- 3.4. CITY OF FAIRFAX SHALL BE NOTIFIED AND GIVEN THE OPPORTUNITY TO INSPECT THE SITE TO ASSURE THAT ALL TREE PROTECTION DEVICES HAVE BEEN CORRECTLY INSTALLED. IF IT IS DETERMINED THAT THE FENCING HAS NOT BEEN INSTALLED CORRECTLY, NO CONSTRUCTION ACTIVITIES SHALL OCCUR UNTIL THE FENCING IS INSTALLED CORRECTLY, AS DETERMINED BY CITY OF FAIRFAX.
- 3.5. TREES BEING REMOVED SHALL NOT BE FELLED, PUSHED OR PULLED INTO TREE PRESERVATION AREAS. EQUIPMENT OPERATORS SHALL NOT CLEAN ANY PART OF THEIR EQUIPMENT BY SLAMMING AGAINST THE TRUNKS OF TREES TO BE DETAINED.
- 3.6. TREES ON THE EDGE OF THE LIMITS OF CLEARING AND GRADING SHALL BE CUT DOWN BY HAND WITH A CHAIN SAW. REMAINING STUMPS SHALL EITHER BE LEFT IN PLACE OR GROUND DOWN WITH A STUMP GRINDER.
- 3.7. TREES INDICATED WILL BE MULCHED WITH WOOD CHIPS GENERATED FROM ON SITE CLEARING OR TREE REMOVAL AND PRUNING OPERATIONS WHEN POSSIBLE. SHREDDED HARDWOOD MULCH FROM OFFSITE MAY BE UTILIZED IF APPROVED BY PROJECT ARBORIST. MULCH SHALL BE SPREAD IN A UNIFORM DEPTH OF THREE (3") INCHES BY HAND. MULCH SHALL BE PLACED IN AREAS AS INDICATED ON APPROVED PLANS.


4. CONSTRUCTION

- 4.1. DURING CLEARING AND GRADING OPERATIONS AND THROUGHOUT CONSTRUCTION, NO ACTIVITY SHALL BE PERMITTED IN TREE SAVE AREAS WITHOUT AUTHORIZATION FROM OWNER, ARBORIST, OR CITY OF FAIRFAX . PRECLUDED ACTIVITIES INCLUDE:
- 4.1.1. FELLING OF TREES INTO PRESERVATION AREAS OR OPERATION OF HEAVY MACHINERY IN SAVE AREAS TO FELL TREES ON THE PERIMETER OF PRESERVATION AREAS.
- 4.1.2. OPERATION OF HEAVY EQUIPMENT OR MACHINERY OF ANY KIND IN PRESERVATION AREAS FOR ANY PURPOSE.
- 4.1.3. PLACEMENT OF EXCESS SOIL, FILL, OR MATERIALS OF ANY KIND IN PRESERVATION AREAS.
- 4.1.4. PLACEMENT OF EXCESS SOIL, FILL, OR MATERIALS OF ANY KIND IN PRESERVATION AREAS.
- 4.1.5. PARKING OR STORING EQUIPMENT OR VEHICLES IN PRESERVATION AREAS.
- 4.1.6. DUMPING CHEMICALS OR CONCRETE WASHOUT IN PRESERVATION AREAS.
 4.1.7. BURNING OF ANY MATERIAL OR DEBRIS IN PRESERVATION AREAS OR WITHIN 200 FEET OF PRESERVATION AREAS.
- 4.1.8. TRENCHING, GRADING, EXCAVATING FOR ANY PURPOSE IN PRESERVATION AREAS.
- 4.2. ALL EXISTING TRASH AND/OR DEBRIS ON SITE SHALL BE REMOVED AT THE TIME OF DISTURBANCE. INDIVIDUAL TREES AND FORESTED AREAS DESIGNATED TO BE PRESERVED SHALL BE PROTECTED AND MANAGED TO ENSURE TREE SURVIVAL DURING ALL PHASES OF DEMOLITION, CLEARING AND GRADING, AND CONSTRUCTION. IN ADDITION TO PROTECTING TREES, ALL UNDERSTORY PLANTS, LEAF LITTER AND SOIL CONDITIONS FOUND IN FORESTED AREAS DESIGNATED TO BE LEFT PRESERVED SHALL BE PROTECTED.
- 4.3. TREES TO REMAIN LOCATED ALONG THE LIMITS OF CLEARING AND GRADING SHALL BE PRUNED DURING CLEARING OPERATIONS TO AVOID MECHANICAL DAMAGE. THIS SHALL BE ADMINISTRATED UNDER THE SUPERVISION OF AN ISA CERTIFIED ARBORIST.
- 4.4. ANY DAMAGE INFLICTED TO THE ABOVE OR BELOW-GROUND PORTIONS OF THE TREES SHOWED TO BE PRESERVED SHALL BE REPAIRED IMMEDIATELY PER ISA STANDARDS.
- 4.5. ALL PRUNING SHALL CONFORM TO THE LATEST EDITION OF ANSI A300 (PART 1) PRUNING STANDARDS. DISEASED LIMBS SHALL BE REMOVED OR TREATED AT THE DISCRETION OF THE ARBORIST. WHILE PRUNING, THE ARBORIST SHALL MAKE NOTE OF ANY CONDITIONS WHICH AFFECT THE HEALTH OR CONDITION OF THE TREE AND RECOMMEND CORRECTIVE TREATMENT FOR THESE CONDITIONS. VINE REMOVAL SHALL BE INCLUDED IN ALL PRUNING ACTIVITIES. UNDER NO CIRCUMSTANCES SHALL THE INTERIOR OF TREES BE STRIPPED OF FOLIAGE, SUCKERS, EPICORMIC BRANCHING, OR OTHER LIVE GROWTH. INTERIOR GROWTH MAY BE THINNED AS NECESSARY TO REMOVE BRANCHES DAMAGED DURING OPERATIONS. DEBRIS FROM PRUNING SHALL BE CHIPPED AND DEPOSITED INTO THE TREE SAVE AREA AND SPREAD BY HAND TO A UNIFORM THICKNESS OR BE REMOVED FROM SITE.



- 1. Precautions shall be taken to prevent and minimize damage to trees. In such cases repair any damage to crown, trunk or root system
- immediately.
- A. Repair roots by cleanly cutting off the damaged areas. Spread **peat-mass** or moist topsoil over exposed roots.
- B. Repair damage to bark by trimming around the damaged area as shown in Detail 8.10. Taper the cut to provide drainage.
- C. Cut off damaged tree limbs above the tree collar at the trunk or main branch. Use three separate cuts as shown in Detail 8.10 to avoid peeling bark from healthy areas of tree.

OI IAIRAA	Department of Public Works 10455 Armstrong Street Fairfax, VA 22030-3630	CITY of FAIRFAX USE WITH THE FAIRFAX STANDARD SPECIFICATIONS ONLY	Voice (703) 385-7810 FAX (703) 591-5727 www.fairfaxva.gov	
	STANDARD TREE		SCALE: Not To Scale	DETAIL# 8.09
	PRO	TECTION DETAIL	REVISION DATE: December 2016	SHEET #:1 of2



2. Warning signs shall be made of durable, weatherproof material.3. Letters shall be 3" high minimum, clearly legible and spaced as detailed.

4. Signs shall be placed no greater than 75' on center or as approved. 5. For tree protection areas less than 200' in perimeter, provide no less than

three signs per protected area.

6. Attach signs securely to fence posts and fabric.


7. Maintain tree protection fence throughout duration of project.

8. Additional signs may be required by City of Fairfax inspections based on actual field conditions.

 No activity shall occur within the protected area including material storage, stockpiling, parking or any activity that may compact the ground or damage the trees.


10. The City reserves the right to require a 4' to 6' height chain link fencing for identified trees, such as specimen or champion trees, to maximize the protection of the tree and its critical root zone.

OF FAIRIAN 1895	Department of Public Works 10455 Armstrong Street Fairfax, VA 22030-3630	CITY of FAIRFAX USE WITH THE FAIRFAX STANDARD SPECIFICATIONS ONLY	Voice (703) 385-7810 FAX (703) 591-5727 www.fairfaxva.gov	
	STANDARD TREE		SCALE: Not To Scale	DETAIL # 8.09
	PRO	TECTION DETAIL	REVISION DATE: December 2016	SHEET #: 2 of 2



christopher consultants 35 ridge top road p 703.273.6820





N29 APARTMENTS ERAL DEVELOPMENT PLA

04-28-2023 ADDRESSED PER CITY COMMENTS
08-11-2023 ADDRESSED PER CITY COMMENTS

DATE DESCRIPTION


PROJECT No.: 21082.002.00
DRAWING No.: 111772
DATE: 2022-07-15
SCALE: N/A
DESIGN: LBD
DRAWN: AH
CHECKED: JM


SHEET TITLE:


TREE
MANAGEMENT
NOTES & DETAILS

SHEET No.

PI_311












3) 3D VIEW 3





4) 3D VIEW 4





NOTE: THE GRAPHICS, SHOWN ON THIS SHEET, ARE CONCEPTUAL IN NATURE AND ILLUSTRATE THE GENERAL CHARACTER OF THE BUILDINGS AND PROJECT SITE. THESE DRAWINGS ARE NOT INTENDED TO REPRESENT FINAL BUILDING DESIGN OR TO BE INTERPRETED AS A COMMITMENT TO FINAL DESIGN OF THE PROJECT. FINAL DESIGN WILL BE DETERMINED AT THE TIME OF FINAL SITE PLAN SUBMISSION.

N29 APARTMENTS GENERAL DEVELOPMENT P

PROJECT No.: 21082.002.00
DRAWING No.: 111772
DATE: 2022-07-15
SCALE: NOT TO SCALE
DESIGN: QN
DRAWN: QN

CHECKED: JM SHEET TITLE:

> ILLUSTRATIVE BUILDING GRAPHICS

PI_410