

Department of Public Works
 10455 Armstrong Street
 Fairfax, VA 22030-3630


CITY of FAIRFAX
 USE WITH THE FAIRFAX STANDARD SPECIFICATIONS ONLY

Voice (703) 385-7810
 FAX (703) 591-5727
 www.fairfaxva.gov

**PIPE BEDDING AND ENCASEMENT
 CLASS A**

SCALE: Not To Scale	DETAIL # 4.01
REVISION DATE: February 2017	SHEET #: 1 of 3

PVC DR-25 C900
PIPE BEDDING



Department Of Public Works
 10455 Armstrong St
 Fairfax, VA 22030-3630

CITY of FAIRFAX
 USE WITH THE FAIRFAX STANDARD SPECIFICATIONS ONLY

Voice (703) 385-7810
 FAX (703) 591-5727
 www.fairfaxva.gov

PIPE BEDDING AND ENCASEMENT
CLASS B


SCALE:
Not To Scale

DETAIL #
4.01

REVISION DATE:
January 2018

SHEET #:
2 of 3

CONCRETE ENCASEMENT



NOTES:

1. If in stream, rip-rap downstream (permissible rock disposal upstream).
2. Buoyancy calculations required for pipes larger than 12" or if encasement is to be longer than 60'.
3. Begin & end concrete encasement at pipe joint. Backfill materials and placement shall comply with standard specifications.



Department of Public Works
10455 Armstrong Street
Fairfax, VA 22030-3630

CITY of FAIRFAX
USE WITH THE FAIRFAX STANDARD SPECIFICATIONS ONLY

Voice (703) 385-7810
FAX (703) 591-5727
www.fairfaxva.gov

PIPE BEDDING AND ENCASEMENT CLASS C

SCALE:
Not To Scale

DETAIL #
4.01

REVISION DATE:
February 2017

SHEET #:
3 of 3